



2020 - 2021

BROWARD COUNTY

OPIATE PREVENTION

INFORMATION & RESOURCE GUIDE



Substance Use and Addiction

People initiate substance use for a variety of reasons, including the alleviation of emotional or physical pain/trauma. This includes sexual and domestic abuse and post-traumatic distress disorder. Approximately 60% – 70% of people with alcohol and substance use disorders have a history of pain, abuse or PTSD.

Alternatively, people may use substances or alcohol in social settings for a variety of reasons including:

To feel good: The euphoria caused by opiates is followed by feelings of relaxation and satisfaction.

To feel better: Stress, anxiety, depression and PTSD can play a major role in abusing substances.

To do better: Stimulants and steroids can chemically produce a false perception of enhanced cognitive and athletic abilities.

Curiosity or peer pressure: Teens are influenced by thoughts that “everyone is doing it.”

Many factors contribute to the likelihood of addiction. These can include:

Biology/Genes: Scientists estimate that genetic factors account for 40-60% of a person’s vulnerability to addiction.

Environment: Chaotic home and abuse, family use and attitudes, peer and community may influence addiction.

Early Use: The earlier a person begins to use substances, the more likely he or she will develop a problem.

Methods of Administration: Smoking, intranasal snorting, or injecting a substance increases its addictive potential.

Heroin use is part of a larger substance use problem.

Heroin is a highly addictive opioid drug with a high risk of overdose and death for users.

- Nearly all people who used heroin also used at least 1 other drug.
- Most used at least 3 other drugs.

SOURCE: National Survey on Drug Use and Health

People who are addicted to ...



ALCOHOL
are

2X



MARIJUANA
are

3X



COCAINE
are

15X



Rx OPIOID PAINKILLERS
are

40X

... more likely to be addicted to heroin.

Cycle of Addiction: Risk and Protective Factors

Research has shown that the key risk periods for substance use occur during major transitions in people's lives. Key transition times include:

Elementary school to middle school:

Due to a wider peer group and pressure for greater academic performance, students may encounter cigarettes, e-cigarettes, alcohol, and substances for the first time.

Entering high school: Because of additional social, psychological, and educational challenges, students may be exposed to greater availability of cigarettes, e-cigarettes, alcohol and substances and attendance at social engagements involving alcohol and substances.

Late adolescence: Moving away from home and away from parental supervision (for example, to attend college) may introduce substance use, particularly alcohol, as a problem during this time.

Young adulthood: Newly entering the workforce or getting married and having greater responsibility can cause people to

confront new challenges and stressors that may place them at risk for alcohol and other substance use in an adult environment.

Strengthening protective factors including positive attitudes, beliefs, and social norms can help youth successfully navigate these transition periods.

Prescription Medications

Some medications have psychoactive (mind-altering) properties and, because of that, are sometimes misused. Misuse happens when medicines are taken for reasons or in ways not intended by a doctor, or in greater amounts than directed, or taken by someone other than the person for whom they are prescribed. Prescription and over the counter medicines are, after marijuana and alcohol, the most commonly misused substances by Americans fourteen and older.

It is SO important to either dispose of or lock up unused meds. If you are going to lock them up, get a safe!



PRESCRIPTION DRUG TAKE BACK

The prescription drug take back program, operating under the name **Operation Medicine Cabinet**, allows participants to turn in unused or expired prescription medication to receive a \$5 gift card provided by the Sheriff's Foundation of Broward County (while supplies last, limit one per family).

For more information about the Shred-A-Thon or the Prescription Drug Take Back event, please call (954) 831-8902.



Pill Identification Tool

Visit www.webmd.com/pill-identification/ to view images and to look up the identification of unknown prescriptions or over-the-counter pills.

Includes: pill identifier, pill lookup, pictures of commonly misused pills, common pill imprints, and information about prescription medication misuse.

Suspicion of Use

Parents or friends may struggle with what actions to take if they fear their loved one is using substances. There are signs to look for, but several of the signs and symptoms of substance use are also, at times, typical adolescent behavior. Many are also symptoms of mental health issues, including anxiety or depression disorders.

Suspicion of Use



For more specific signs, visit:

www.drugfree.org/resources/is-your-teen-using-signs-and-symptoms-of-substance-abuse/

When Someone You Love is Addicted

- Educate yourself about addiction, searching reliable government (.gov), university (.edu), medical and research-based (.org) websites.
- Be aware of “Doctor Shopping”—the practice of requesting prescriptions from multiple locations.
- Attend family support groups such as Al-Anon, Ala-Teen, or Narc-Anon.
- Set boundaries and limits, making sure to support but not enable.
- Focus conversations toward recovery, not blame, and be a part of the recovering process.
- Reinforce that addiction is an illness.
- Take care of yourself!

For more information:

www.drugabuse.gov/related-topics/treatment/what-to-do-if-your-adult-friend-or-loved-one-has-problem-drugs

Overdose / Crisis

Marchman Act


Chapter 397 of the Florida Statutes is known as the “Hal S. Marchman Alcohol and Other Drug Services Act of 1993”. It provides for the involuntary or voluntary assessment and stabilization of a person allegedly using substances like alcohol or other substances, and provides for treatment of substance use.

<https://myflfamilies.com/service-programs/samh/crisis-services/marchman-act.shtml>

Marchman Act Filing Location:

Broward County Clerk of Court
 201 S.E. 6th St.
 Fort Lauderdale, FL 33301
 Phone number: 954-831-6565

<https://www.browardclerk.org/Divisions/MentalHealth#MentalHealth>



National surveillance data indicate that opioid overdose deaths continue to rise, with synthetic opioids being the category involved in the most deaths. Local data seem to illustrate similar patterns. According to the Florida Medical Examiners Commission, opiates claimed the lives of 707 individuals in Broward County in 2018. This number is lower than the 984 reported in 2017 however, data from the first half of 2019 suggest that this decline might be reversing; opiates were involved in 409 deaths during the first six months of 2019, as compared to 354 deaths during the same time last year (a 15% increase).

Illicitly manufactured fentanyl and fentanyl analogues from foreign labs in China and Mexico continue to replace heroin in the drug supply. This is particularly dangerous since Fentanyl is 50 times more potent than heroin, and Carfentanil (another synthetic opioid) can be up to 100 times more potent than fentanyl. These drugs are major contributors to the rise in opioid related deaths. In Broward County fentanyl and fentanyl analogues were involved in more deaths than any other type of opioid: 56% of deaths in 2018, and 50% of deaths in the first half of 2019.

Policies in Place for Opioids

Broward County Commissioners adopted a resolution supporting federal and state **efforts to reduce the overprescribing of opioid medications and measures to strengthen prescription drug monitoring systems.**

The resolution supported the efforts of the Centers for Disease Control, the Department of Justice and the National City-County Task Force on the Opioid Epidemic and the Governor’s order directing a Public Health Emergency across the state.

IF YOU SUSPECT AN OVERDOSE, CALL 911 IMMEDIATELY

Responding to an Opioid Overdose

1. Call for Help—Dial 911: All you have to say is: **“Someone is not breathing.”**
2. Give a clear address or description of your location.

Signs of OVERMEDICATION , which may progress to overdose, include:	Signs of an OVERDOSE , which is a life-threatening emergency, include:
<ul style="list-style-type: none"> • Unusual sleepiness or drowsiness • Slow or shallow breathing • Pinpoint pupils • Slow heartbeat, low blood pressure 	<ul style="list-style-type: none"> • Extremely pale face and/or clammy to the touch • Limp body • Blue or purple cast fingernails or lips • Vomiting/gurgling noises • Cannot be awakened from sleep or is unable to speak • Very slow or stopped breathing • Very slow or stopped heartbeat
<p>For more information, call the Poison Information Center at 1-800-222-1222 or visit www.samhsa.org</p>	

FOR AN OPIOID OVERDOSE	
DO	DON'T
DO support the person’s breathing by administering oxygen or performing rescue breathing.	DON'T slap or try to forcefully stimulate the person – it will only cause further injury.
DO try and wake the person by shouting, rubbing your knuckles on the sternum, or light pinching.	DON'T put the person in a cold bath or shower – this increases the risk of falling, drowning, or going into shock.
DO administer Naloxone.	DON'T inject the person with any substance (salt water, milk, “speed”, heroin, etc.).
DO stay with the person and keep him/her warm.	DON'T try to make the person vomit substances that he or she may have swallowed.

Legal Issues: Opioid Use and Misuse

Good Samaritan Protections safeguard those who may attempt to rescue a person who is overdosing, including administering Naloxone.

- **Taking medication not prescribed for you is illegal.**
- It is illegal to alter, change or manufacture a prescription to obtain any medicine.
- It is illegal to order prescription medication over the Internet or from outside the United States without a legal prescription.
- It is illegal to transfer any prescribed medication to any other individual. **Even giving a friend or family member one pill is an illegal act.**
- It is illegal to intentionally take a higher than prescribed dose of your own medicine.
- It is illegal to obtain a prescription for a controlled substance for any medical issue from a second physician, without advising the second physician that you have already received a similar prescription.

GOOD SAMARITAN LAWS

- Good Samaritan laws in the United States are laws protecting from blame those who choose to aid others who are injured or ill. They are intended to reduce bystander hesitation to help for fear of being prosecuted for unintentional injury or wrongful death.
- No person is required to give aid of any sort to a victim unless a caretaker relationship exists (parent-child or doctor-patient).
- First aid provided cannot be in exchange for reward or money. Thus, medical professionals are not protected by Good Samaritan laws when performing first aid during employment.
- The responder is not legally liable for the death, disfigurement or disability of the victim as long as he acted rationally, in good faith, and at their level of training.
- Good Samaritan Laws are very specific to states.



Naloxone

Naloxone is a medication known as an opioid antagonist. It is available as an injectable or nasal spray. Because opioids depress the central nervous and respiratory systems, taking too much of one may stop a person from breathing, resulting in death. If given soon enough, naloxone can counter the overdose effects, usually within minutes, allowing an overdose victim to breathe normally.

Naloxone is not a substitute for Emergency Medical Care. When administering Naloxone, always be sure to call 911 right away, even if the person wakes up. Keep the patient under surveillance or close watch. If breathing does not return to normal or if breathing difficulty resumes, give additional doses every 2-3 minutes until help arrives. Naloxone can wear off quickly, necessitating additional medical assistance.

RESOURCES & SERVICES

Access Treatment Options at any Stage

Emergency & Acute- CALL 911

Detox and Withdrawal: An individual stops using prescription medications and begins to overcome the physical dependence of the substances. The effects of withdrawal will vary from person to person depending on frequency, dose, and length of time using.

Individuals can seek help with withdrawal from a local emergency room, primary care physician or on a behavioral health unit.

Medical Intervention (Medication Assisted Treatment): Medication (Suboxone, Methadone, Naltrexone [Vivitrol]) alleviates withdrawal symptoms and physical dependence of opiates. This can be a long-term solution that may require an extended time period on the medication.

Inpatient Care: Behavioral health unit or psychiatric hospital with a length of stay from a couple of days to a couple of weeks. This involves detox and limited individual and group therapy.

Residential Treatment: Individuals reside for 28-90 days in a facility specific to substance use treatment. Individuals are immersed in treatment throughout the day.

Partial Hospitalization and Day Treatment: Individual attends daily treatment but stays home at -night.

Intensive Outpatient: Individual attends group therapy that meets 2-4 times a week for more than an hour at a time.

Outpatient Counseling/Therapy: Individual therapy 1-2 times a week to address any previous trauma or pain that may have led to substance use. Counseling can also help identify any triggers and assist in preventing relapse.

When to Consider a More Intensive Level of Care

If the person:

- Has been attending treatment consistently and following recommendations of the treatment but still uses
- Is struggling with medical complications
- Shows a decrease in level of functioning



Finding Support

As with any disease, it is not a sign of weakness to admit that a person or a family cannot deal with the trauma of substance use, misuse or an overdose without help.

It takes real courage to reach out to others for support and to connect with members of the community to get help.

Health care providers, including those who specialize in treating substance use disorders, can provide structured, therapeutic support and feedback.

RESOURCES & SERVICES

Where to Find Help

SAMHSA's National Helpline

1-800-662-HELP (4357) TTY: 1-800-487-4889

www.samhsa.gov/find-help/national-helpline

Also known as, the Treatment Referral Routing Service, this Helpline provides 24-hour free and confidential treatment referral and information about mental and/or substance use disorders, prevention, and recovery in English and Spanish.

Behavioral Health Treatment Services Locator

Find alcohol, drug, or mental health treatment facilities and programs around the country at findtreatment.samhsa.gov.

Buprenorphine Physician & Treatment Program Locator

Find information on locating physicians and treatment programs authorized to treat opioids, such as heroin or prescription pain relievers, at www.samhsa.gov/medication-assisted-treatment/physician-program-data/treatment-physician-locator.

Opioid Treatment Program Directory

Find treatment programs in your state that treat addiction and dependence on opioids, such as heroin or prescription pain relievers, at dpt2.samhsa.gov/treatment/.

Suicide Prevention Lifeline

1-800-273-TALK (8255) TTY: 1-800-799-4889

www.suicidepreventionlifeline.org

24-hour, toll-free, confidential suicide prevention hotline available to anyone in suicidal crisis or emotional distress. Your call is routed to the nearest crisis center in the national network of more than 150 crisis centers.

Disaster Distress Helpline

1-800-985-5990

www.samhsa.gov/find-help/disaster-distress-helpline

Stress, anxiety, and other depression-like symptoms are common reactions after any natural or human-caused disaster. Call this toll-free number to be connected to the nearest crisis center for information, support, and counseling.

Veteran's Crisis Line

1-800-273-TALK (8255) TTY: 1-800-799-4889

www.veteranscrisisline.net (link is external)

Connects veterans in crisis (and their families and friends) with qualified, caring Department of Veterans Affairs responders through a confidential, toll-free hotline, online chat, or text.

Drug-Free Workplace

1-800-WORKPLACE (967-5752)

www.samhsa.gov/workplace/resources/drug-free-helpline

Assists employers and union representatives with policy development, drug testing, employee assistance, employee education, supervisor training, and program implementation.

Florida's Poison Control Centers

1-800-222-1222

Text POISON to 797979 to add poison control as a contact in your phone.

Henderson Behavioral Health

YOUTH EMERGENCY SERVICES: 954.677.3113

ADULT MOBILE CRISIS AND WALK IN: 954.463.0911

Crisis Services: Walk-In Evaluation and Treatment. Psychiatric Evaluations. Medication Management. Crisis Counseling and Intervention. Short-term Psychotherapy. Co-Occurring Disorders Assessment. Community Linkage and Referral. Evaluation and Arrangement for Inpatient Treatment. Aftercare Services. First Episode Psychosis Program. **24 Hour Mobile Crisis Response Teams.** 24 Hour Inpatient Crisis Stabilization Unit.

211 Broward

Dial 2-1-1 or (954) 537-0211

<http://211-broward.org/>

211 Broward is the live, 24-hour comprehensive helpline, providing all people with crisis, health and human services support and connecting them to resources in our community.

Dial 2-1-1 or 954-567-TEEN

www.teenspace211.org

TeenSpace understands that it's not easy being a teen today. At TeenSpace every teen is treated with respect, and every issue is important. TeenSpace211 assists individuals by providing accurate information on a variety of teen issues .

Broward County Medication-Assisted Treatment (MAT) Programs

The **Medication Assisted Treatment (MAT) Program** includes a comprehensive care model to treat persons with opioid use disorders that features phased treatment utilizing the following medications:

Subutex (Buprenorphine)

Suboxone (Buprenorphine/Naloxone)

Vivitrol (Naltrexone) extended-release injection to prevent opioid dependence, after opioid detox.

FIND A MAT PROVIDER NEAR YOU

Network Provider	Location	Phone Number	Highlights
Banyan Health Systems	Oakland Park	(954) 792-9242 Ext. 1405	Mon-Friday 9:00-5:00 p.m. Accept referrals 24 hours per day. Same day appointments. Peer Recovery Specialists
Broward Addiction Recovery Centers (BARC)	Fort Lauderdale	(954) 357-4851	Same day access. 24/7 triage. Peer Recovery Specialists
Memorial Healthcare System	Hollywood, Pembroke Pines & Miramar	(954) 265-4632	Mon-Friday 8:00-5:00 p.m. 24/7 access through ER. Peer Recovery Specialists


Disclaimer: Services and products listed do not constitute an endorsement, promotion or approval by United Way of Broward County Commission on Behavioral Health & Drug Prevention. Errors and omissions excepted. Updated 10/1/2020.

DEA Fentanyl Roll Call Video (2017)


<https://www.justice.gov/opa/video/roll-call-video-warns-about-dangers-fentanyl-exposure>

People Who Inject Substances


Syringe Services Programs for HIV Prevention





1 in 10
1 in 10 HIV diagnoses are among people who inject drugs (PWID).



50%
More than half of PWID used a syringe services program in 2015.



1 in 4
Only 1 in 4 PWID got all their syringes from sterile sources in 2015.

SOURCE: VITAL SIGNS, DECEMBER 2016
www.cdc.gov/vitalsigns/hiv-drug-use

Occupational exposures to Blood borne pathogens is available on CDC's Hospital Infections Program's website at www.cdc.gov/hai/ or on CDC's National Institute of Occupational Safety and Health's website at www.cdc.gov/niosh or call **1-800-35 NIOSH (1-800-356-4674)**.

Florida Department of Health in Broward County

The Florida Department of Health in Broward County provides STD clinical services through a contract with the AIDS Healthcare Foundation (AHF). Free walk-in STD clinical services including diagnosis and treatment are provided at The Broward Wellness Center.
700 S.E. 3rd Ave., Suite 200
Fort Lauderdale, FL 33316
(954) STD-TEST (954) 783-8378
Monday - Friday: 10:00 a.m. - 7:00 p.m.

Out of the Closet Testing Program

Tests are performed by certified testing counselors, using the most advanced testing technology and test results are ready in 20 minutes or less. There is no more paperwork to fill out, and you can use our Touch Screens or iPads to complete your test!

Sunrise: (877) 259-8728
1785 E. Sunrise Blvd., Fort Lauderdale, FL 33304
Wilton Manors: (877) 259-8728
2097 Wilton Dr., Wilton Manors, FL 33305

Broward House

Client Services Center
2800 N. Andrews Ave., Wilton Manors.
FREE HIV, STD & HEP C TESTING:
Monday - Friday 9:00 a.m. - 4:00 p.m.
To speak to someone about our Prevention - Education - Testing programs, please call **(954) 568-7373 ext. 2200.**

YOU CAN SAVE A LIFE!

**Free Training and Free Take-Home
Intranasal Naloxone**

**Naloxone reverses Drug Overdose
Learn about how to administer Naloxone
Get it. Carry it. Use it.**

For more information, please contact South Florida Wellness Network:
<https://www.sfwn.org/> • (954) 533-0585



To request a presentation about the dangers of heroin or other illicit and synthetic substances, contact the chairman of Broward County's Community Response Team, BSO Executive Director David Scharf, at (954) 375-6180.

If you know someone struggling with opioid use, call 211 Broward (Dial 2-1-1) for help.

To anonymously report a dealer, call (954) 493-8477 (TIPS).

Know the Facts. Take Action. Share the Information!

