

One North University Drive Suite 3500-B Plantation, Florida 33324

Phone: 954-765-4500 Fax: 954-765-4504 www.broward.org/codeappeals

2017 Voting Members

Mr. Jeffrey Lucas, FM, CFI, CFEI

Fire Service Professional

Vice-Chair

Mr. Kenneth B. Wynn

Representative Disabled Community

Mr. John Famularo,

Roofing Contractor

Mrs. Shalanda Giles Nelson,

General Contractor

Mr. Daniel Lavrich, P.E.

Structural Engineer

Mr. Daniel Rourke

Master Plumber

Mr. Gregg D'Attile,

Mechanical Contractor

Mr. Stephen E. Bailey, P.E.

Electrical Engineer

Mr. Ron Burr

Swimming Pool Contractor

Mr. John Sims,

Master Electrician

VACANT

Consumer Advocate

Mr. Abbas H. Zackria, CSI

Architect

Robert A. Kamm, P.E.

Mechanical Engineer

2017 Alternate Board Members

Mr. Jeff Falkanger

Architect

Mr. Steven Feller, P.E.

Mechanical Engineer

Mr. Alberto Fernandez,

General Contractor Mr. Robert Taylor

Fire Service

Mr. Gary Elzweig, P.E

Structural Engineer

Mr. David Rice, P.E.

Electrical Engineer

Mr. James Terry,

Master Plumber Mr. David Tringo,

Master Electrician

Mr. William Flett,

Roofing Contractor

Board Attorney

Charles M. Kramer, Esq.

Board Administrative Director

James DiPietro

-Established 1971-

BROWARD COUNTY BOARD OF RULES AND APPEALS

FBC 6th Edition (2017) FORMAL INTERPRETATION (#8)

DATE: October 12, 2017

TO: All Building Officials

James DiPietro, Administrative Director FROM:

SUBJECT: Retrofits required pursuant to Florida Building Code Existing Building

Section 706.8

Anchors not less than 1/8" by 1" steel strap nailed with 3-16D nails installed in accordance with previous additions of the South Florida Building Code shall be deemed to comply with the minimum uplift capacity of 500 pounds as specified in the Florida Building Code Existing Building Manual Section 706.8 for roof to wall connections for site-built single-family residential structures.

ORIGINAL DATE: May 9, 2014 RE-ISSUED: October 12, 2017 **EFFECTIVE DATE: January 1, 2018**

****PLEASE POST AT YOUR PERMIT COUNTER****

Page 1 of 1 F.I #8

g:\shared\formal interpretations\2017 - 6th edition\original documents\fi #8 6th edition - retrofits required pursuant to g building section 708.8.1.doc