



ENVIRONMENTAL PROTECTION DEPARTMENT - Water Resources Division

Mailing Address: 115 South Andrews Avenue, Room A-240 • Fort Lauderdale, Florida 33301 954-519-1270 • FAX 954-519-1496

## “What to Expect When We Are Inspecting Surface Water Management Systems”

*A guideline for engineers, contractors, and licensees of surface water management systems pertaining to the release of certificates of occupancy.*

The intent of this document is to establish some guidelines to achieve compliance with the Code while maximizing customer service needs to licensees and their agents and the local building departments by facilitating the Certificate(s) of Occupancy (CO) release procedure for building projects. It is also our intent of this document to encourage licensees and their agents and the local building departments to not put our inspection staff on the “critical path”. *We recognize that the local building departments must adhere to the requirements of the South Florida Building Code and the requirements of Article I of the Broward County Natural Resource Protection Code.*

The Water Resources Division - Surface Water Management Licensing program has the responsibility of reviewing designs, licensing, and inspecting surface water management systems within portions of Broward County under the provisions of the Broward County Natural Resource Protection Code, Chapter 27, Section 27-191 through Section 27-201. This includes enforcement for the purpose of protecting our natural resources. This document contains specific information about the Division’s surface water management inspection procedures, review of record/as-built drawings, and time required to complete the procedure successfully. We hope that you find this information useful and welcome your input to improve the process. Please be advised this document may be included with the approved license and may be modified on an as needed basis. Extra copies may be made available at your request.

*The following certification package must be submitted at least two (2) weeks prior to the anticipated date of occupancy - exceptions may be made on a case by case basis. Note: Items 1 & 2 are not applicable to plans stamped as General Licenses (GL##-###). Items 3 & 4 can apply to GL if plans are stamped for construction certification.*

1. Final Record/As-built Drawings (**hard copy & AutoCad/electronic format**) of the Site and Lake/Canal Slopes (where applicable),
2. Final Record/As-built Drawings of the Control Structure(s) or Overflow Structure(s) (where applicable),
3. Signed and Sealed Letter from a Florida Registered Professional Engineer Certifying All Components of the Surface Water Management System Were Constructed in Substantial Conformance with the DPEP Approved Plans, and
4. A \$100 partial certification fee (fees are subject to change) when a partial certification is submitted. *The certifying engineer must indicate that a substantial amount of the water management system has been constructed to serve the partial phase to satisfy the water quality and water quantity requirements of the Code and exactly which lots/buildings are requested for release.*

*Staff will perform an inspection on a first come first served basis of the above items. A successful submittal of the required items will prevent unwanted delays in the inspection and CO release processes.*

---

**WHAT WE LOOK FOR DURING THE RECORD/AS-BUILT DRAWING REVIEW AND DURING THE INSPECTION:**

1. The engineer's letter must contain the appropriate certification language. The suggested wording is located in the Code and in the specific conditions of the license. The letter must be signed and sealed. ***It is imperative that the engineer of record describe any minor modifications to the system that were made during the construction of the project.*** However, substantial modifications must have received prior approval by DPEP.
2. In addition to rim, manhole, & pipe invert elevations, the plans should contain a substantial amount of survey information to show that the site grades and perimeter grades were constructed in substantial conformance with the DPEP approved plans.
3. If part of the approved system, lake & canal slope as-built plans should contain a substantial number of cross sections (a minimum of 1 section per 50 linear feet is preferred) to show compliance with the Department's slope criteria. ***The staff reserves the right to require additional slope cross sections as necessary as well as slope regrading.*** Surface area calculations at the control elevation should be submitted for lakes.
4. Control structure or overflow structure information must show all (as-built) dimensions and elevations.
5. All catch basin & manhole structures must have appropriate mudwork to prevent seepage that could lead to structure/asphalt failures & subsequent turbidity violations.
6. All catch basins, manholes, & pipes must be relatively free of sediment & debris and must be accessible to staff. Arrangements should be made with staff for inspecting basins that are covered with fabric materials for sediment control purposes. Fabric must be removed by the licensee or other appropriate personnel prior to the inspection.
7. Lake, canal, swale, dry detention/retention area slopes must be stabilized through appropriate measures, i.e, no evidence of erosion or sedimentation should be encountered during the inspection. Arrangements should be made with staff with regards to timeliness of sodding or seeding slopes and bottoms of dry detention/retention areas.
8. All baffle mechanisms must be water tight at all contact surfaces of basin walls by a durable gasket device.

***Successful compliance with the above items will insure a timely release of the of Certificate(s) of Occupancy from division staff.***

Upon completion of the field inspection, arrangements with inspection staff will be made to correct all observed field deficiencies. With your cooperation, Certificate(s) of Occupancy will be released upon correction of all field deficiencies.