


**BROWARD COUNTY
BOARD OF RULES AND APPEALS
FBC 6th Edition (2017)
FORMAL INTERPRETATION (#19)**

One North University Drive
Suite 3500-B
Plantation, Florida 33324

Phone: 954-765-4500
Fax: 954-765-4504

www.broward.org/codeappeals

DATE: October 12, 2017
TO: All Building Officials
FROM: James DiPietro, Administrative Director 
SUBJECT: Acceptable documents for the attachment of mechanical equipment during replacement.

2017 Voting Members

Chair

Mr. Jeffrey Lucas, FM, CFI, CFEI
Fire Service Professional

Vice-Chair

Mr. Kenneth B. Wynn
Representative Disabled Community
Mr. John Famularo,
Roofing Contractor
Mrs. Shalanda Giles Nelson,
General Contractor
Mr. Daniel Lavrich, P.E.
Structural Engineer
Mr. Daniel Rourke
Master Plumber
Mr. Gregg D'Attile,
Mechanical Contractor
Mr. Stephen E. Bailey, P.E.
Electrical Engineer
Mr. Ron Burr
Swimming Pool Contractor
Mr. John Sims,
Master Electrician
Mr. Dennis A. Ulmer
Consumer Advocate
Mr. Abbas H. Zackria, CSI
Architect
Robert A. Kamm, P.E.
Mechanical Engineer

2017 Alternate Board Members

Mr. Jeff Falkanger
Architect
Mr. Steven Feller, P.E.
Mechanical Engineer
Mr. Alberto Fernandez,
General Contractor
Mr. Robert Taylor
Fire Service
Mr. Gary Elzweig, P.E.
Structural Engineer
Mr. David Rice, P.E.
Electrical Engineer
Mr. James Terry,
Master Plumber
Mr. David Tringo,
Master Electrician
Mr. William Flett,
Roofing Contractor

Board Attorney

Charles M. Kramer, Esq.

Board Administrative Director

James DiPietro

—Established 1971—

At its meeting of October 12, 2017, the Board approved an interpretation of the 6th Edition FBC.

Formal Interpretation of the following sections:

FBC 6th Edition (2017), Building Section 105.3.1.5-3 of Broward County Administrative Provisions.

Formal Interpretation.

For the replacement of an existing mechanical system, in which the work does not require altering a structural part of the building, or for work on a residential one-family, two-family, three-family or four-family structure, the Authority Having Jurisdiction shall accept documents from the following sources:

1. Original signed and sealed engineered drawings.
2. Miami Dade Notice of Acceptance, complete sets of copies.
3. Florida Product Approval, complete sets of copies.
4. Equipment manufacturer's anchoring details, showing compliance with the wind speeds as provided by FBC 1620 for Broward County.

For commercial replacements, the Authority Having Jurisdiction shall accept documents from the following sources:

1. Original signed and sealed engineered drawings.
2. Miami Dade Notice of Acceptance, complete sets of copies.
3. Florida Product Approval, complete sets of copies.

EFFECTIVE DATE: May 12, 2017
RE-ISSUED: October 12, 2017
EFFECTIVE DATE: January 1, 2018

******PLEASE POST AT YOUR PERMIT COUNTER******