



BROWARD COUNTY BOARD OF RULES AND APPEALS

1 N. University Drive Suite 3500B
Plantation, Florida 33324

Phone: 954-765-4500

Fax: 954-765-4504

broward.org/CodeAppeals

FBC 6th Edition (2017) **FORMAL INTERPRETATION (#8)**

2017 Voting Members

Chair

Mr. Jeffrey Lucas, FM, CFI, CFEI,
Fire Service Professional

Vice-Chair

Mr. Kenneth B. Wynn,
Representative Disabled Community

Mr. John Famularo,
Roofing Contractor
Mrs. Shalanda Giles Nelson,
General Contractor
Mr. Daniel Lavrich, P.E.,
Structural Engineer
Mr. Daniel Rourke,
Master Plumber
Mr. Gregg D'Attila,
Mechanical Contractor
Mr. Stephen E. Bailey, P.E.,
Electrical Engineer
Mr. Ron Burr,
Swimming Pool Contractor
Mr. John Sims,
Master Electrician
Mr. Dennis A. Ulmer,
Consumer Advocate
Mr. Abbas H. Zackria, CSI,
Architect
Robert A. Kamm, P.E.,
Mechanical Engineer

2017 Alternate Board Members

Mr. Jeff Falkanger,
Architect
Mr. Steven Feller, P.E.,
Mechanical Engineer
Mr. Alberto Fernandez,
General Contractor
Mr. Robert Taylor,
Fire Service
Mr. Gary Elzweig, P.E.,
Structural Engineer
Mr. David Rice, P.E.,
Electrical Engineer
Mr. James Terry,
Master Plumber
Mr. David Tringo,
Master Electrician
Mr. William Flett,
Roofing Contractor

Board Attorney

Charles M. Kramer, Esq.

Board Administrative Director

James DiPietro

—ESTABLISHED 1971—

DATE: October 12th, 2017

TO: All Building Officials

FROM: James DiPietro
Administrative Director

SUBJECT: Retrofits required pursuant to Florida Building Code
Existing Building Section 706.8

Anchors not less than 1/8" by 1" steel strap nailed with 3- 16D nails installed in accordance with previous additions of the South Florida Building Code shall be deemed to comply with the minimum uplift capacity of 500 pounds as specified in the Florida Building Code Existing Building Manual Section 706.8 for roof to wall connections for site-built single-family residential structures.

ORIGINAL DATE: May 9, 2014
RE-ISSUED: October 12, 2017
EFFECTIVE DATE: January 1, 2018

*******PLEASE POST AT YOUR PERMIT COUNTER*******

Page 1 of 1 F.I. #8