



BROWARD COUNTY BOARD OF RULES AND APPEALS

1 N. University Drive, Suite 3500B
Plantation, FL 33324

Phone: 954-765-4500
Fax: 954-765-4504

broward.org/CodeAppeals

FBC 7th EDITION (2020) FORMAL INTERPRETATION (#9)

DATE: July 9, 2020
TO: All Building Officials
FROM: James DiPietro, Administrative Director
SUBJECT: Windows Replacement

2020 Voting Members

Chair

Mr. Daniel Lavrich,
P.E., S.I., SECB, F.ASCE, F.SEI
Structural Engineer

Vice-Chair

Mr. Stephen E. Bailey, P.E.
Electrical Engineer

Mr. John Famularo,
Roofing Contractor
Mrs. Shalanda Giles Nelson,
General Contractor
Mr. Daniel Rourke
Master Plumber
Mr. Gregg D'Atile,
Mechanical Contractor
Mr. Ron Burr
Swimming Pool Contractor
Mr. John Sims,
Master Electrician
Mr. Dennis A. Ulmer
Consumer Advocate
Mr. Abbas H. Zackria, CSI
Architect
Mr. Robert A. Kamm, P.E.
Mechanical Engineer

Vacant

Representative Disabled Community
Mr. Sergio Pellecer
Fire Service Professional

2020 Alternate Board Members

Mr. Jeff Falkanger
Architect
Mr. Steven Feller, P.E.
Mechanical Engineer
Mr. Alberto Fernandez,
General Contractor
Mr. Robert Taylor
Fire Service
Mr. Gary Elzweig, P.E., F.ASCE
Structural Engineer
Mr. David Rice, P.E.
Electrical Engineer
Mr. James Terry,
Master Plumber
Mr. David Tringo,
Master Electrician
Mr. William Flett,
Roofing Contractor

Board Attorney

Charles M. Kramer, Esq.

Board Administrative Director

James DiPietro

—ESTABLISHED 1971—

At its regularly scheduled meeting of July 9, 2020, the Broward County Board of Rules and Appeals approved the following interpretation.

When windows are replaced they may be exempt from the *Florida Building Code-Energy Conservation, 7th Edition (2020)*.

In the *Florida Building Code-Energy Conservation, 7th Edition (2020)*, C101.4.2 and R101.4.2 state: "Buildings exempt from the provisions of the *Florida Building Code, Energy Conservation*, include existing buildings except those considered renovated buildings, changes of occupancy type or previously unconditioned buildings to which comfort conditioning is added ..."

"Renovated Buildings" is defined in C202 and R202 of the *Florida Building Code-Energy Conservation, 7th Edition (2020)* as: "A residential or nonresidential building undergoing alteration that varies or changes insulation, HVAC systems, water heating systems, or exterior envelope conditions, provided the estimated cost of renovation exceeds 30 percent of the assessed value of the structure."

Formal Interpretation:

Considering these sections, replacement of windows (including any other renovation that may be going on) in an existing building that does not exceed 30 percent of the assessed value of the structure must comply with the requirements of the *Florida Building Code, Existing Building* but they do not need to comply with the *Florida Building Code, Energy Conservation*.

EFFECTIVE DATE: July 9, 2015
RE-ISSUED DATE: July 9, 2020
EFFECTIVE DATE: December 31, 2020

*** PLEASE POST AT YOUR PERMIT COUNTER ***