Broward County Board of County Commissioners



ENVIRONMENTAL BENCHMARKS REPORT



November 2010

ENVIRONMENTAL PROTECTION AND GROWTH MANAGEMENT DEPARTMENT

Broward County Board of County Commissioners

Sue Gunzburger • Dale V.C. Holness • Kristin D. Jacobs • Chip LaMarca • Ilene Lieberman • Stacy Ritter • John E. Rodstrom, Jr. • Barbara Sharief • Lois Wexler www.broward.org

TABLE OF CONTENTS

SECTION TITLE	PAGE NUMBER
TABLE OF CONTENTS	ii
EXECUTIVE SUMMARY	ix
TABLE E-1. BENCHMARK TRENDS	xiii
INTRODUCTION	1
CLIMATE Deviation of the annual average temperature in Fort Lauderdale from the 1950-1970 baseline Change of annual average sea level in Key West from the 1920 baseline	3
PRESSURES ON CLIMATE Global average carbon dioxide (ppm) Greenhouse gas emissions generated in Broward County in 2007 Broward County Government Operations greenhouse gas emission (tonnes eCO2)	4 4 4
RESPONSES TO PRESSURES ON CLIMATE Broward County Government Operations greenhouse gas emissions reductions (1997-2008 in tonnes of eCO ₂) Broward County Climate Change Task Force	5 5
AIR RESOURCES Percentage of days when outdoor air quality was good Average annual ozone concentration, ppm Average annual particulate concentration, ug/m ³	
PRESSURES ON AIR QUALITY	7

PRESSURES ON AIR QUALITY - Mobile Sources

Mobile source emissions, thousands of tons/year	
Percentage of over-capacity roadway segments	
Thousands of vehicle miles traveled/day/1000 people	
Vehicle miles traveled per day, millions	

RESPONSES TO PRESSURES ON AIR QUALITY- Mobile Sources

Number of air quality outreach events	
Number of people reached through air quality outreach events	
Number of mass transit passenger trips, millions of trips/year	
Community shuttle ridership, thousands of trips/year	

PRESSURES ON AIR QUALITY - Regulated Stationary Sources

Number of regulated stationary sources	
Emissions from power plants, tons/year	
Total electricity consumption, billions of kilow	1010
Per capita power consumption, kilowatt-hours/	year

RESPONSES TO PRESSURES ON AIR QUALITY- Regulated Stationary Sources

Number of compliance inspections of regulated stationary sources	
Compliance rate of regulated stationary source	
Changes in stationary source regulations	

PRESSURES ON AIR QUALITY - Other Sources

Thumber of duys an quality was implacted by an unusual event	Number	of do	iys air	quality	v was i	impacted by	y an unusual	event	
--	--------	-------	---------	---------	---------	-------------	--------------	-------	--

RESPONSES TO PRESSURES ON AIR QUALITY- Other Sources

Open burning regulations	
WATER RESOURCES	

WATER RESOURCES

WATER RESOURCES - Surface Water Quality

Everglades water quality - phosphorus at the S-9 pump station, ppb	
Urban freshwater quality in the C-13 Canal - percent improvement over 1995 basel	line15
Estuarine water quality: C-13 & C-14 Canals - percent improvement over 1995 base	line15

PRESSURES ON WATER RESOURCES - Surface Water Quality

Urban stormwater runoff		
Building permits - new structure	e/non-residential addition approvals issued	
Percentage of developed land no	ot subject to surface water management regulation	

RESPONSES TO WATER RESOURCE PRESSURES - Surface Water Quality

Miles of streets swept	17
Total number of certified Naturescape sites	17
Number of educational programs delivered	17
C-11 Canal Basin/ Broward Everglades Working Group Activities	18
Clean Water Act - Total Maximum Daily Loads	18
Active construction sites within BC jurisdiction with surface water management licenses	19
Total surface water management construction licenses issued since 1989	19

WATER RESOURCES - Ground Water Quality and Quantity

Percent of potable water wells meeting drinking water standards	
Percentage of monitoring wells with changing ground water levels	20

PRESSURES ON WATER RESOURCES - Ground Water Quality

Percent saltwater monitoring wells with changing chloride concentrations, 2000 baseline	21
Percent Broward County where central domestic sewer service is not available	21
Total solid waste produced, millions tons/year	21
Solid waste produced, tons/year/person	21
Number of contaminated sites	22
Number of hazardous material and storage tank licenses	22
Amount hazardous materials hauled, million gallons	22
Number of new reported discharges	22

RESPONSES TO WATER RESOURCE PRESSURES - Ground Water Quality

Local surface water management	23
Net gain/loss in septic system wastewater flow, thousands of gallons/day	23
Percent of solid waste recycled	23
Percentage of contaminated sites cleaned up to state standards	24
Number of licensed hazardous material sites inspected	24
Percent licensed hazardous material sites inspected and found to be in compliance	24

PRESSURES ON WATER RESOURCES - Ground Water Quantity

nches of annual rainfall	25
otable wellfield withdrawals from the Biscayne Aquifer, million gallons/day	25
roward County Water and Wastewater Services water consumption, gallons/day/person	25
egional surface water management	25

RESPONSES TO WATER RESOURCE PRESSURES - Ground Water Quantity

Maintenance of urban ground water levels	26
Alternative water supply development	26
Percent participation of local water managers in County-wide planning efforts	26
Naturescape irrigation service, million gallons saved/year	27
Water Matters Day attendance	27

LAND RESOURCES

LAND RESOURCES - Natural Land Quantit	y29
Acres of protected land, thousands	
Acres of unprotected (developable) land	
Everglades Water Conservation Areas	

PRESSURES ON LAND RESOURCES - Natural Land Quantity

Broward County population, millions		31
Building permits - new structure/non-resident	ial addition approvals issued	31
Wetlands licensed for development, acres	•••	31
Mitigation leaving Broward County, acres		31

RESPONSES TO LAND RESOURCE PRESSURES - Natural Land Quantity

Public dollars spent to preserve natural land, millions	
Environmental review	
Acres of mitigation licensed in Broward County	
Mitigation on public lands	
5 1	

LAND RESOURCES - Natural Lands Quality

PRESSURES ON LAND RESOURCES - Natural Land Quality

Invasive exotic vegetation	
Natural lands under hydrologic stress	
Fire suppression on natural lands	

RESPONSES TO LAND RESOURCE PRESSURES - Natural Land Quality

Percent of municipal natural land sites with management plans	
Land Stewardship	
Comprehensive Everglades Restoration Plan	
Restoring hydrologic function to natural lands	
Controlled burn or alternative management methods	

Number of tropical storms		38
Reduction of wildlife habitat		38
Emerging pest problems		38
Number of tree related complain	nts	
Number of trees licensed for re	moval	

RESPONSES TO LAND RESOURCE PRESSURES - Urban Landscape

Public education	39
Trees planted in Broward County parks after storm events	39
Broward Beautiful projects, thousands of dollars spent	40
Certified Naturescape sites, total	40
Greater Ft. Lauderdale Flyways Cities Coalition	40
Educational events to reduce pest problems	40
Active tree trimmer licenses	41
Tree related enforcement actions	41
Replacement trees required by licensing	41
Trees funded for planting thru the Tree Trust Fund	41

MARINE RESOURCES

MARINE RESOURCES - Reef Quality

Percent healthy corals

vi

42

Number of fish species observed on reef	
---	--

MARINE RESOURCES - Reef Quantity

Percent live coral coverage	
Octocoral and sponge density	
Number of fish surveyed on the r	eef44

PRESSURES ON REEF RESOURCES

Saltwater fishing licenses issued in Broward County, thousands	45
Number of days when water temperature was not optimal for corals	45
Percent of reef monitoring sites impacted by algae	45
Number of times ship damage impacted Broward's reefs	45
Cumulative acres of reef impacted by destructive activities	45

RESPONSES TO PRESSURES ON REEF RESOURCES

RESPONSES TO PRESSURES ON REEF RESOURCES	46
Marine protected areas	46
Coastal water quality, total nitrogen, ug/l	46
Algal bloom monitoring efforts	46
Acres of constructed habitat	47
Number of shipwreck reefs	47
Acres of reef mitigation for coastal construction activities	47
Marine debris clean-up campaigns, pounds of litter collected/participant/event activities	48
Number of mooring buoys	48
Number of tires removed from the reef zone	48

MARINE RESOURCES - Beach Quality and Quantity

Percent of beach water quality results rated	"Good"	49
Average beach width at high tide, feet		49
Percent of non-critically eroded beaches		49

PRESSURES ON BEACH RESOURCES

resence of inlets	50
Days of small craft advisories	50
Number of visitors to Broward County, millions	50
Over development	50
Frash on the beach	

RESPONSES TO PRESSURES ON BEACH RESOURCES

Sand bypass	51
Beach nourishment	51
Monitoring the condition of the beach	51
Regulatory comment on beach resources	52
Beach clean-up campaigns, pounds of litter collected/participant/event	52

MARINE RESOURCES - Marine Wildlife

Number of sea turtle nests	53
Percent of sea turtle nesting success	53
Florida West Indian manatee population	53

PRESSURES ON MARINE WILDLIFE - Sea Turtles

Beaches without turtle-friendly lighting	.54
Number of sea turtle nests destroyed by predators	.54
Obstructed nesting attempts	.54
Number of sea turtle hatchling disorientation events	.54
Number of juvenile and adult sea turtles found injured or dead	.54

RESPONSES TO PRESSURES ON MARINE WILDLIFE - Sea Turtles

Percent of sea turtle nests relocated	
Percent of surveyed nests left in place	
Beach nourishment	
Regulatory comment on beach resources	

PRESSURES ON MARINE WILDLIFE - Manatees

Number of vessels registered in Broward	County
Manatee mortality in Broward County	
Number of boat slips in Broward County	

RESPONSES TO PRESSURES ON MARINE WILDLIFE - Manatees

Manatee protectio	n58
ENDNOTES	

EXECUTIVE SUMMARY

In 1999, Broward County, Florida began to annually review its efforts to protect the environment by creating the Environmental Benchmarks Report. Today, monitoring relevant environmental benchmarks is one way Broward County is addressing its commitment to the Sterling Performance Excellence Challenge known within the County as "Our Best. Nothing Less." The Broward County Environmental Protection and Growth Management Department is using benchmarks to demonstrate environmental improvements and impacts. This document presents benchmarks which represent the state of the resource (Climate, Air, Water, Land, and Marine), the pressures on those resources and the responses that reflect how changes in natural resource management initiatives translate into improvements in the environmental quality as part of the Commission's Goal to have and maintain a pristine and healthy environment. The general trends in the benchmarks are shown in Table E1. A narrative is provided below.

Report Format

The report uses flow charts to demonstrate how a given resource is impacted by specific pressures and the responses that directly address those pressures. Narrative benchmarks discuss resources where quantitative data is not available. The Endnotes section further explains the benchmark graphs and often provides web pages to visit for more information. We hope you find the 2010 Benchmarks Report user-friendly and valuable in understanding the status of Broward's environment and the efforts to protect it.

General Trends in the Environmental Benchmarks

While the sections below focus on each of the environmental resources the County protects, general trends are present across all the benchmarks. In 2009 and more so in 2010, monitoring data for many of the benchmarks was unavailable, reflecting economic pressures on government to reduce staff and cut costs. The economic impact on the tourist and the construction industry has resulted in the easing of some pressures on the environment. As a community we are building less, driving less, using less energy and generating less waste. However, the level of response has also been reduced in some areas as is reflected in the reduced level of compliance with environmental regulation and the number of outreach events held.

Climate

In response to well substantiated and compelling scientific evidence supporting the validity and urgency of climate change and the public's desire for action, the Broward County Board of County Commissioners adopted a series of resolutions to reduce greenhouse gas emissions, to support the U.S. Mayors' Climate Protection Agreement to mitigate the causes of climate change and to create a

Broward County Climate Change Task Force. Global benchmarks show increasing levels of greenhouse gases. The local benchmarks demonstrate trends of increasing temperature and sea level. Broward County has taken action to reduce emissions from government operations of climate change. The recently adopted Broward County Climate Change Action Plan provides strategies and local actions addressing mitigation of greenhouse gas emissions, a major contributor to climate change.

Air

Outdoor air quality has steadily improved over the last few years during a period of compliance with ozone and particulate standards. The number of "good" air quality days has increased by 4% as compared to 2008. In addition, in 2009 we did not have any days in which the air quality was affected by "an unusual event" (i.e. wildfire or Saharan dust). Pressures on our air quality from mobile source emissions have continued falling since 2007 due to a reduction in vehicle miles traveled and on-going federal regulations for cleaner vehicles and fuels and the promotion of alternative modes of transportation. For further local improvements, county government and municipal fleets are increasingly using alternative fuel vehicles in response to the pressures on air quality. In addition, newer vehicles on the roadway generate lower emissions compared to the older model vehicles. This is a result of a combination of the phase-in of cleaner fuels, computerized onboard emissions diagnostic systems, and cleaner burning engines. Mass transit and community shuttle ridership decreased compared to 2008 as a result of the reduction in service due to budget reductions. The use of new control equipment by power plants (i.e., electrostatic precipitators (ESPs) and low NOx burners) contributed to reductions in emissions in 2009 by over 10% as compared to 2008. Broward County values public education as a vital link in building local community support and advocacy for efforts that enhance the quality of life for its residents. The number of individuals reached through outreach events increased in 2009 by over 27% as compared to 2008. Broward County continues to support public outreach events such as Air Awareness Month and Car Care Month which increase community awareness and empower citizens to take personal action to protect air quality.

Water

The water quality status of our surface water resources in Broward County is generally good, with the concentration of phosphorus in discharges leaving the C-11 West Basin via the S-9 pump consistently averaging 13.4 ppb or less during the last five years. The Broward Everglades Working Group continues to meet regularly to monitor progress relating to implementation of the C-11 West Basin Pollution Reduction Action Plan and associated water quality improvements in urban runoff. The Know-the-Flow Public Education Initiative also remains an important program delivered support of Everglades water quality protection and restoration. On a county-wide basis, an increasing percentage of the County now has domestic sewer service available resulting in a further reduction in the need for septic systems and both the number of licenses issued for new construction and the percentage of developed lands subject to surface water management regulation increased. Each of these activities provides for regional water quality benefits. County-wide water conservation efforts remained prominent in 2009 with a total of 273 NatureScape landscape

certifications being completed to achieve a year-to-date total of 2,789 certifications county-wide, while Broward County and the Broward School District partnered to complete landscape makeovers at 6 middle schools as part of an environmental partnership. The NatureScape Irrigation Service completed 245 irrigation system evaluations and saved 140 million gallons of water. Despite the increase in water conservation efforts, total wellfield withdrawals increased from 237 to 258 mgd, revealing an increase in the daily per capita rate of water consumption from 134 to 147 gallons between 2008 and 2009. This increase demonstrates a lack of adherence to the permanent irrigation measures adopted in 2009 and the constant need for water conservation outreach and education. Slightly above average rainfall helped to maintain constant groundwater elevations and no significant increases in chloride concentrations were measured in sentinel groundwater monitoring wells. The Broward Water Resources Task Force continued to convene through 2009 for the purpose of finalizing its recommendations. Overall, regional efforts targeting water quality improvements, water conservation, and water supply planning have all expanded during the last year and regional coordination in water resources activities will be a focus in planning to meet future natural system and urban water supply needs throughout the *C*ounty.

For the second straight year, solid waste production and solid waste production per capita have decreased sharply after a historical rising trend, perhaps reflecting the current recession. These trends are accompanied by, for 2008, a decrease in the percent of solid waste recycled. For the second straight year, the number of licensed hazardous material and storage tank facilities decreased, again ending a long trend of increases. These numbers, taken together with comments received from the regulated community, demonstrate increasing recession-related financial pressures on Broward businesses. Progress continues on completing cleanup of known potential contaminated sites (now at 50.2% of known contaminated sites cleaned up), continuing an upward trend. Finally, the percent of regulated facilities found to be out of compliance remains steady at 31%.

Land

For the purpose of looking at the environmental features of our land resources, we are approaching them in two ways. One is the quantity and quality of our natural lands that preserve habitat for indigenous plants and animals. In recognition of the need to preserve Broward County's remaining natural lands and their biological functions, County residents passed the Safe Parks and Land Preservation Bond referendum in November 2000 which provided for renovation of our park system and acquisition of natural lands and open spaces. As the land acquisition portion of the Bond program concludes, over 121 sites have been acquired comprised of over 1,000 acres. Through the funding of the Land Stewardship Program, a five-year capital improvement program, the ecological restoration and site-appropriate park development of these lands continues. By providing limited access to our natural lands, visitors can gain appreciation for the resources that have been preserved.

The other significant land resource is in our urban landscape. These resources are under significant pressure from physical

xi

development, hydrologic stress, exotic plants and animals, fire suppression, littering, dumping and contamination and even weather events. Tropical storms and hurricanes have altered Broward County natural and urban landscapes in the past. Fortunately, no major storms have impacted the county over the past five years allowing our natural lands and urban tree canopy to recover.

In response to continued pressures on our urban landscape, the County has provided several programs to improve the urban areas for wildlife habitat and neighborhood aesthetics. Through the NatureScape Broward program, residents and communities have created nearly 3,000 Florida-friendly landscapes that conserve water, protect water quality, and create wildlife habitat.

The County, as well as many other organizations, has taken a variety of steps to respond to these pressures and maintain the value of our land resources as high as possible.

Marine

Broward County's marine resources are fundamental to the area's economy, environment, and quality of life. For the purposes of these benchmarks, our marine resources include a variety of nearshore hardbottom and offshore coral reefs, 24 miles of sandy ocean beach, and the presence of endangered and threatened sea turtles and manatees. In order to track the quality and quantity of our marine resources and enable actions in support of protection, restoration, and enhancement of the resources, the County monitors and actively manages the reefs, beaches, and listed wildlife. High population density, resource use, and coastal build-out result in a number of pressures on the marine resources. These include over-fishing, large numbers of boaters; commercial maritime traffic; inlet-caused beach erosion; beachfront and waterfront development and redevelopment; nutrient-laden runoff and treated wastewater effects on ecosystems in coastal waters; and increasing numbers of residents and visitors. Add to these anthropogenic impacts, naturally occurring cycles of storms, temperature extremes, water guality fluctuations, and harmful algal blooms, and it is clear that these fragile marine resources are at risk. Quantitative trends with respect to these impacts are sometimes difficult to discern due to natural variability and the confounding effects of large-scale events such as hurricanes, nutrient-laden deepwater upwellings, or synoptic-level temperature events, and in some cases, it may also be difficult to clearly define a single cause of damage to a particular resource. In response to these real and potential risks and damages, the County undertakes a multitude of actions intended to ascertain trends and causes; to mitigate existing impacts to reefs, beaches, and listed wildlife; to prevent future impacts; and to restore resources which have been damaged. 2010 had two events which had significant impact to the marine resources for the state but which were rather minimized here. First was the coldest winter in several decades which resulted in minimal impacts to Broward resources. Second was a major oil spill in the Gulf of Mexico which initially was projected to impact southeast Florida, but because of current patterns in the Gulf we were ultimately spared.

These benchmarks are used to identify areas of concern and to determine the effectiveness of environmental protection programs and regulations. For other aspects of the quality of life in Broward County and public perceptions of the environment, please see the Coordination Council of Broward's survey (<u>http://www.sfrpc.com/ccb/PRC2008Report.pdf</u>)..

xii

TABLE E1. BENCHMARK TRENDS

TABLE E1.a. CLIMATE BENCHMARKS. This summary table shows trends in the quantitative benchmarks over the last three data points. Green represents improvements or three-year stable reading. Yellow designates no trend. Red represents negative trends. Information on "narrative" benchmarks may be found in the body of the report and in the Endnotes section.	RESOURCES Declining No trend Improving	PRESSURES Increasing No trend Decreasing	RESPONSES Decreasing No trend Increasing
Climate			
Deviation of the annual average temperature in Fort Lauderdale from the 1950-1970 baseline	above baseline		
Change of annual average sea level in Key West from the 1920 baseline	•		
Pressures on Cli	mate	-	_
Global average carbon dioxide (ppm)			
Greenhouse gas (GHG) emissions generated in Broward County	_	Baseline data	
Broward County Government Operations greenhouse gas emission (tonnes eCO2)			
Responses to Climate			
Broward County Government greenhouse gas emission reductions (1997- 2008 in tonnes eCO2)			
Climate Change Task Force			Narrative
Southeast Florida Regional Climate Change Compact			Narrative

TABLE E1.b. AIR RESOURCES BENCHMARKS. This summary table shows trends in the quantitative benchmarks over the last three data points. Green represents improvements or three-year stable reading. Yellow designates no trend with triangles noting direction of the last data point. Red represents negative trends. Information on "narrative" benchmarks may be found in the body of the report and in the Endnotes section.	RESOURCES Declining No trend Improving	PRESSURES Increasing No trend Decreasing	RESPONSES Decreasing No trend Increasing
Air Quality			
Percentage of days when outdoor air quality was good			
Average annual ozone concentration, ppm	In compliance V		
Average annual particulate matter concentration, ug/m ³	In compliance V		
Mobile Sources Pro	essures		
Mobile source emissions, thousands of tons/year			
Percentage of over-capacity roadway segments		No data 08-09	
Thousands of vehicle miles traveled/day/1000 people			
Vehicle miles traveled per day, millions			
Mobile Sources Re	sponses		
Number of air quality outreach events			
Number of people reached through air quality outreach events			
Number of mass transit passenger trips, millions of trips/year			▼
Community shuttle ridership, thousands of trips/year			▼
Regulated Stationary Sources Pressures			
Number of regulated stationary sources			
Emissions from power plants, tons/year			

TABLE E1.b. AIR RESOURCES BENCHMARKS. This summary table shows trends in the quantitative benchmarks over the last three data points. Green represents improvements or three-year stable reading. Yellow designates no trend with triangles noting direction of the last data point. Red represents negative trends. Information on "narrative" benchmarks may be found in the body of the report and in the Endnotes section.	RESOURCES Declining No trend Improving	PRESSURES Increasing No trend Decreasing	RESPONSES Decreasing No trend Increasing	
Total electricity consumption, billions of kilowatt hours/year				
Per capita power consumption, kilowatt hours/year				
Regulated Stationary Sour	ces Responses			
Number of compliance inspections of regulated stationary sources				
Changes in stationary source regulations			Narrative	
Percent regulated stationary sources inspected and found to be in compliance			•	
Other Sources Pressures				
Days air quality was impacted by an unusual event		▼		
Other Sources Responses				
Open burning regulations			Narrative	

TABLE E1.c. WATER RESOURCES BENCHMARKS. Summary table showing trends in the quantitative benchmarks over the last three data points. Green represents improvements or three-year stable reading. Yellow designates no trend with triangles noting direction of the last data point. Red represents negative trends. Information on "narrative" benchmarks may be found in the body of the report and in the Endnotes section.	RESOURCES Declining No trend Improving	PRESSURES Increasing No trend Decreasing	RESPONSES Declining No trend Improving
Surface Water Qu	ality		
Everglades water quality - phosphorus at the S-9 pump station, ppb	A		
Urban freshwater quality in the C-13 Canal - percent improvement over 1995 baseline			

TABLE E1.c. WATER RESOURCES BENCHMARKS. Summary table showing trends in the quantitative benchmarks over the last three data points. Green represents improvements or three-year stable reading. Yellow designates no trend with triangles noting direction of the last data point. Red represents negative trends. Information on "narrative" benchmarks may be found in the body of the report and in the Endnotes section.Estuarine water guality: C-13 & C-14 Canals - percent improvement over 1995	RESOURCES Declining No trend Improving	PRESSURES Increasing No trend Decreasing	RESPONSES Declining No trend Improving
baseline			
Surface Water Quality	Pressures		
Urban storm water runoff		Narrative	
Building permits - new structure/non-residential addition approvals issued			
Percentage of developed land not subject to surface water management regulation			
Surface Water Quality	Responses		
Miles of streets swept			
Total number of certified Naturescape sites			
Number of educational programs delivered			
C-11 Canal Basin/ Broward Everglades Working Group Activities			Narrative
Clean Water Act - Total Maximum Daily Loads			Narrative
Active construction sites within BC jurisdiction with surface water management licenses			
Total surface water management construction licenses issued since 1989			
Ground Water Qu	ality		
Percent of potable water wells meeting drinking water standards	100%		
Ground Water Quality	Pressures		
Percent saltwater monitoring wells with changing chloride concentrations, 2000 baseline		unchanged	
Percent Broward County where central domestic sewer service is not available			
Total solid waste produced, millions tons/year			

TABLE E1.c. WATER RESOURCES BENCHMARKS. Summary table showing trends in the quantitative benchmarks over the last three data points. Green represents improvements or three-year stable reading. Yellow designates no trend with triangles noting direction of the last data point. Red represents negative trends. Information on "narrative" benchmarks may be found in the body of the report and in the Endnotes section.	RESOURCES Declining No trend Improving	PRESSURES Increasing No trend Decreasing	RESPONSES Declining No trend Improving		
Solid waste produced, tons/year/person					
Number of contaminated sites		A			
Number of hazardous material and storage tank licenses					
Amount hazardous materials hauled, million gallons		•			
Number of new reported discharges					
Ground Water Quality Responses					
Local surface water management			Narrative		
Net gain/loss in septic system wastewater flow, thousands of gallons/day					
Percent of solid waste recycled			•		
Percentage of contaminated sites cleaned up to state standards					
Number of licensed hazardous material sites inspected					
Percent licensed hazardous material sites inspected and found to be in compliance					
Ground Water Qua	ntity				
Percentage of monitoring wells with changing ground water levels					
Ground Water Quantity	Pressures				
Inches of annual rainfall		A			
Potable wellfield withdrawals from the Biscayne Aquifer, million gallons/day		A			
Broward County Water and Wastewater Services water consumption, gallons/day/person					

TABLE E1.c. WATER RESOURCES BENCHMARKS. Summary table showing trends in the quantitative benchmarks over the last three data points. Green represents improvements or three-year stable reading. Yellow designates no trend with triangles noting direction of the last data point. Red represents negative trends. Information on "narrative" benchmarks may be found in the body of the report and in the Endnotes section.	RESOURCES Declining No trend Improving	PRESSURES Increasing No trend Decreasing	RESPONSES Declining No trend Improving
Regional surface water management		Narrative	
Ground Water Quantity	Responses		
Maintenance of urban ground water levels			Narrative
Alternative water supply development			Narrative
Percent participation of local water managers in County-wide planning efforts			•
Naturescape irrigation service, million gallons saved/year			
Water Matters Day attendance			

TABLE E1.d. LAND RESOURCES BENCHMARKS . Summary table showing trends in the quantitative benchmarks over the last three data points. Green represents improvements or three-year stable reading. Yellow designates no trend with triangles noting direction of the last data point. Red represents negative trends. Information on "narrative" benchmarks may be found in the body of the report and in the Endnotes section.	RESOURCES Declining No trend Improving	PRESSURES Increasing No trend Decreasing	RESPONSES Declining No trend Improving	
Natural Land Quantity				
Acres of protected land, thousands	unchanged			
Acres of unprotected (developable) land				
Everglades Water Conservation Areas	Narrative			

TABLE E1.d. LAND RESOURCES BENCHMARKS. Summary table showing trends in the quantitative benchmarks over the last three data points. Green represents improvements or three-year stable reading. Yellow designates no trend with triangles noting direction of the last data point. Red represents negative trends. Information on "narrative" benchmarks may be found in the body of the report and in the Endnotes section.	RESOURCES Declining No trend Improving	PRESSURES Increasing No trend Decreasing	RESPONSES Declining No trend Improving
Natural Land Quantity	Pressure		
Broward County population, millions			
Building permits - new structure/non-residential addition approvals issued			
Wetlands licensed for development, acres			
Mitigation leaving Broward County, acres			
Natural Land Quantity R	lesponses		
Public dollars spent to preserve natural land, millions			•
Environmental review			Narrative
Acres of mitigation licensed			
Mitigation on public lands			Narrative
Natural Land Qual	ity		
Natural land quality	Narrative		
Natural Land Quality P	ressure		
Invasive exotic vegetation		Narrative	
Natural lands under hydrologic stress		Narrative	
Fire suppression on natural land		Narrative	
Natural Land Quality Re	esponses		
Percent of municipal natural land sites with management plans			
Land Stewardship			Narrative
Comprehensive Everglades Restoration Plan			Narrative

TABLE E1.d. LAND RESOURCES BENCHMARKS. Summary table showing trends in the quantitative benchmarks over the last three data points. Green represents improvements or three-year stable reading. Yellow designates no trend with triangles noting direction of the last data point. Red represents negative trends. Information on "narrative" benchmarks may be found in the body of the report and in the Endnotes section.	RESOURCES Declining No trend Improving	PRESSURES Increasing No trend Decreasing	RESPONSES Declining No trend Improving
Restoring hydrologic function to natural land			Narrative
Controlled burn or alternative management methods			Narrative
Urban Landscape	:		
Urban landscape	Narrative		
Urban Landscape Pres	ssure		
Number of tropical storms		No storms	
Reduction of wildlife habitat		Narrative	
Pest Problems		Narrative	
Number of tree related complaints			
Number of trees licensed for removal		▼	
Urban Landscape Resp	oonses		
Public education			Narrative
Trees planted in Broward County parks after storm events			Narrative
Storm preparedness and response			Narrative
Broward Beautiful Projects, thousands of dollars spent			•
Certified Naturescape sites, total			
Greater Ft. Lauderdale Flyways Cities Coalition			Narrative
Educational events to reduce pest problems			•
Active tree trimmer licenses			
Tree related enforcement actions			

TABLE E1.d. LAND RESOURCES BENCHMARKS. Summary table showing trends in the quantitative benchmarks over the last three data points. Green represents improvements or three-year stable reading. Yellow designates no trend with triangles noting direction of the last data point. Red represents negative trends. Information on "narrative" benchmarks may be found in the body of the report and in the Endnotes section.	RESOURCES Declining No trend Improving	PRESSURES Increasing No trend Decreasing	RESPONSES Declining No trend Improving
Replacement trees required by licensing			
Trees funded for planting thru the Tree Trust Fund			

TABLE E1.e. MARINE RESOURCES BENCHMARKS. Summary table showing trends in the quantitative benchmarks over the last three data points. Green represents improvements or three-year stable reading. Yellow designates no trend with triangles noting direction of the last data point. Red represents negative trends. Information on "narrative" benchmarks may be found in the body of the report and in the Endnotes section.	RESOURCES Declining No trend Improving	PRESSURES Increasing No trend Decreasing	RESPONSES Declining No trend Improving	
Reef Quality				
Percent healthy corals	No 2010 data			
Number of fish species observed on reef	No 2010 data			
Reef Quantity	/			
Percent live coral coverage	No 2010 data			
Octocoral and sponge density	No 2010 data			
Number of fish surveyed on the reef	•			
Reef Resources Pressures				
Saltwater fishing licenses issued in Broward County, thousands		A		
Number of days when water temperature was not optimal for corals		•		
Percent of reef monitoring sites impacted by algae	1	No 2010 data		

TABLE E1.e. MARINE RESOURCES BENCHMARKS. Summary table showing trends in the quantitative benchmarks over the last three data points. Green represents improvements or three-year stable reading. Yellow designates no trend with triangles noting direction of the last data point. Red represents negative trends. Information on "narrative" benchmarks may be found in the body of the report and in the Endnotes section.	RESOURCES Declining No trend Improving	PRESSURES Increasing No trend Decreasing	RESPONSES Declining No trend Improving
Number of times ship damage impacted Broward's reefs		unchanged	
Cumulative acres of reef impacted by destructive activities		unchanged	
Reef Resources Resp	onses		
Marine protected areas			Narrative
Coastal water quality, total nitrogen, ug/l			A
Algal bloom monitoring efforts			Narrative
Acres of constructed habitat			unchanged
Number of shipwreck reefs			
Acres of reef mitigation for coastal construction activities			•
Marine debris clean-up campaigns, pounds of litter collected/participant/event			No event held
Number of mooring buoys			unchanged
Number of tires removed from the reef zone			No removal
Beach Quality			-
Percent of beach water quality results rated "Good"	•		
Beach Quantity			
Average beach width at high tide, feet			
Percent of non-critically eroded beaches			

TABLE E1.e. MARINE RESOURCES BENCHMARKS . Summary table showing trends in the quantitative benchmarks over the last three data points. Green represents improvements or three-year stable reading. Yellow designates no trend with triangles noting direction of the last data point. Red represents negative trends. Information on "narrative" benchmarks may be found in the body of the report and in the Endnotes section.	RESOURCES Declining No trend Improving	PRESSURES Increasing No trend Decreasing	RESPONSES Declining No trend Improving	
Beach Resources Pressures				
Presence of inlets		Narrative		
Days of small craft advisories		•		
Number of visitors to Broward County, millions		•		
Over development		Narrative		
Trash on the beach		Narrative		
Beach Resources Responses				
Sand bypass			Narrative	
Beach nourishment			Narrative	
Monitoring the condition of the beach			Narrative	
Regulatory comment on beach resources			Narrative	
Beach clean-up campaigns, pounds of litter collected/participant/event				
Marine Wildlife - Sea Turtles				
Number of sea turtle nests	•			
Percent of sea turtle nesting success				
Marine Wildlife - Pressures on Sea Turtles				
Beaches without turtle-friendly lighting		Narrative		
Number of sea turtle nests destroyed by predators		▼		

TABLE E1.e. MARINE RESOURCES BENCHMARKS. Summary tableshowing trends in the quantitative benchmarks over the last three datapoints. Green represents improvements or three-year stable reading. Yellowdesignates no trend with triangles noting direction of the last data point.Red represents negative trends. Information on "narrative" benchmarksmay be found in the body of the report and in the Endnotes section.Obstructed nesting attempts	RESOURCES Declining No trend Improving	PRESSURES Increasing No trend Decreasing	RESPONSES Declining No trend Improving
Number of sea turtle hatchling disorientation events		A	
Number of juvenile and adult sea turtles found injured or dead			
Marine Wildlife - Sea Turtle Responses			
Percent of sea turtle nests relocated			No relocation since 06
Percent of surveyed nests left in place			•
Beach nourishment			Narrative
Regulatory comment on beach resources			Narrative
Marine Wildlife – Manatees			
Florida West Indian manatee population			
Marine Wildlife – Pressures on Manatees			
Number of vessels registered in Broward County			
Manatee mortality in Broward County			
Number of boat slips in Broward County		•	
Marine Wildlife - Manatee Responses			
Manatee protection			Narrative

INTRODUCTION

PROGRAM PURPOSE

In 1999, one of the County Commission's *New Vision* goals was to review efforts to protect the environment and develop a comprehensive environmental strategy. The Broward County Environmental Protection and Growth Management Department (formerly the Environmental Protection Department) initiated the Benchmarks Program to demonstrate environmental trends. In February, 2008, Broward County Commissioners approved the implementation of the Sterling Management System as the official organizational improvement model for Broward County government. Today, monitoring relevant environmental benchmarks is one way Broward County is addressing its commitment to "Our Best. Nothing Less" (<u>http://www.floridasterling.com/</u>).

A benchmark is a standard by which to judge or measure something. The benchmarks program strives to judge how the environmental quality of life in Broward County has changed with time. These benchmarks measure how changes in natural resource management initiatives translate into changes in the environment. These benchmarks reflect the Broward County Board of County Commissioners' commitment to a pristine and healthy environment.

INDICATORS AND PERFORMANCE MEASURES

A variety of "indicators" have been selected to evaluate the state of the environment. For instance, we selected "ambient air quality" as an indicator of the health of our air resources. For each indicator, we developed one or more "performance measures" to assess changes in the indicator. In this example, "the percentage of days when the air quality was rated as 'good'," is the performance measure.

RESOURCE-PRESSURE-RESPONSE CONCEPT

The example performance measure above is useful for tracking the condition of the air *resource*. From a resource management perspective, however, we must be aware of the *pressures* or driving forces that influence air quality. By maintaining awareness of the pressures that influence the resource and how they are changing, we can strive to formulate *responses* to help mitigate adverse impacts on the state of the resource. Continuing with the example, the performance measure "number of vehicle miles traveled" would be an example of a pressure performance measure; vehicle emissions are one of the most significant sources of air pollution. Then we might strive to promote the use of mass transit or use of vehicles that run on cleaner fuels such as electricity or propane to mitigate this impact. This leads to response-type performance measures such as "the number of mass transit trips per year."

NATURAL RESOURCE CATEGORIES

The Benchmarks Program concentrates on four primary natural resource categories: *climate, air, water, land* and *marine*. For each

of these resources, we have identified one or more resource, pressure and response benchmark measures. If historical data is

available, we chart it to show trends. For newly-formulated performance measures, historical data may not be available. In these cases, we plot first year baseline data and trends will become evident in future reports. Narratives explain trends in policies, regulation or issues that cannot currently be quantified to give a broader perspective on the status of the resources. The flow charts at the top of each benchmark's page and shown here, provide a visual representation of how the responses and pressures are connected to a specific resource.

DATA COLLECTION INTERVALS

When it is available, we will present new data annually noting whether the data is collected for the calendar year, County fiscal year (ending September 30) or State fiscal year (ending June 30). Some data, however, is not available on an annual basis.

INDICATOR OVERLAP

Sometimes an indicator may reflect upon more than one resource. For instance, development pressure as measured by the number of building permits, affects both land and water resources. When such overlap occurs, we show the indicator in both sections.

ENDNOTES

The last section of the report is *Endnotes*. Each benchmark has an associated set of endnotes which is comprised of four sections: (1) *measurement or narrative*, (2) *explanation*, (3) *trends* and (4) *data source*. The <u>measurement</u> provides some detail on how we calculated the specific performance measure or why it is included as a narrative. The <u>explanation</u> describes the significance of the performance measure with respect to how it might impact the resource. The <u>trends</u> section comments on how and why the benchmark has changed over time. Finally, the <u>data source</u> provides contact information for readers wanting additional information on the performance measure. You may contact the Natural Resources Administrator at (954) 519-1295 to obtain the data for any of the charts in this document.

We hope you find the report interesting and informative. This document may also be found on the Broward County web page under Environmental Protection and Growth Management Department (http://www.broward.org/EnvironmentAndGrowth/EnvironmentalProgramsResources/Publications/Pages/Publications.aspx)



CLIMATE

Climate. Global climate change has emerged as a phenomenon of critical concern worldwide. Global concentrations of greenhouse gases (GHG) have increased markedly as a result of human activities; global air and ocean temperatures are increasing; and average sea level is rising. Climate change is very much a part of any current discussion regarding the environment.

Climate change is a global phenomenon with significant regional impacts. Our low topography makes Broward County especially vulnerable to sea level rise. This section describes local indicators of the climate change, local contributors of greenhouse gases and ways that Broward County Government is responding to this growing environmental concern.





Endnotes for the Climate Benchmarks are on pages 59-63.



(B) Change of Annual Average Sea Level (inches) in Key West from the 1920 Baseline



Environmental Benchmarks Report 2010

PRESSURES ON CLIMATE

Greenhouse Gas Emissions Vehicles, energy consumption, and other sources emit carbon dioxide and other so called "greenhouse" gases (GHG). Increasing concentrations of these gases in the atmosphere is contributing to global warming and other climate impacts.



2007 Broward Community-Wide Greenhouse Gas Emissions



Endnotes for the Climate Benchmarks are on pages 59-63.



(C) Broward County Government Operations Greenhouse Gas Emission (tonnes eCO2)



Environmental Benchmarks Report 2010

RESPONSES TO THE PRESSURES ON CLIMATE



(B) Broward County Climate Change Task Force - On June 24, 2008, the Broward County Board of County Commissioners approved Resolution 2008-442 to create a Broward County Climate Change Task Force with the purpose of developing a countywide Climate Change Mitigation and Adaptation Program. The Task Force has completed a coordinated countywide strategy for mitigating the causes, and addressing the local implications, of global climate change. To learn more, see the endnote on page 59-63.

(C) Southeast Florida Regional Climate Change Compact -Recognizing the vulnerability of the Southeast Florida region to climate change, Palm Beach, Broward, Miami-Dade and Monroe County Commissioners entered into a cooperative agreement to coordinate positions on State and Federal legislation, seek adaptation funding, to develop a SE FL Regional Climate Change Action Plan with regional mitigation and adaptation strategies and to hold the SE FL Regional Climate Leadership Summit annually. To learn more, see the endnote on page 59-63.

Endnotes for the Climate Benchmarks are on pages 59-63.

AIR RESOURCES

Air is essential for life. In South Florida, we depend on clean air to allow residents and visitors to enjoy the warm weather and many natural resources the area has to offer. The Air Quality Program determines the air quality by measuring parameters which have the potential to impact human health and the ecosystem around us. A number of different parameters are used to generate an air quality index reading - a single number which tells us if the air quality is healthy or not. Two of the major parameters which impact the air quality index are the ambient concentrations of ozone gas (a byproduct of emissions, sunlight, and heat) and PM2.5 (particulate matter of aerodynamic diameters less than 2.5 mm which can travel deep into the lungs).

(A) Percentage of Days When

Outdoor Air Quality Was Good

100

95

90

85

80

75

2000









Endnotes for the Air Quality Benchmarks are on pages 63-71.

2006

2008

2002

2004

PRESSURES ON AIR QUALITY

What influences air guality? In Broward County, the main culprits are emissions from both on-road and non-road mobile sources (i.e., motor vehicles, trucks, construction equipment, and lawn equipment). However emissions from major industries (i.e., power plants and petroleum terminals) and small facilities (i.e., gas stations, dry cleaners, and auto body shops) also add to the pollution burden of the air over Broward County. Infrequently occurring extraordinary natural and anthropogenic events (i.e., Saharan dust, wild fires, and vegetative debris burning) can also have significant effects as well





Mobile Sources

A moving source of pollution

On-road

Examples: cars, trucks, motorcycles Non-road Examples: boats, trains, lawn-mowers, construction equipment

Stationary Sources

A place or object from which pollutants are released and which does not move around.

Major Industry: A stationary source that emits or has the

potential to emit any pollutant regulated under the Clean Air Act at a significant emission rate.

Examples: power plants, petroleum terminals

Small Operations: A stationary source that emits small amounts of air pollution.

Examples: dry cleaners, paint spray booths

PRESSURES ON AIR QUALITY - Mobile Sources



Endnotes for the Air Quality Benchmarks are on pages 63-71.

RESPONSES TO PRESSURES ON AIR QUALITY - Mobile Sources

Mobile Sources - To reduce the impacts of mobile sources on air quality, development and implementation of strategies to reduce the number of vehicles on the road and their associated emissions are important. . Responses that support reductions in mobile source emissions include educating the public about air guality issues and promoting the use of mass transit (i.e. buses and Tri-Rail), carpooling, vanpooling, ridesharing and the use of alternative fueled vehicles.





Endnotes for the Air Quality Benchmarks are on pages 63-71.







2004

2007





Environmental Benchmarks Report 2010

2001

PRESSURES ON AIR QUALITY - Regulated Stationary Sources



Endnotes for the Air Quality Benchmarks are on pages 63-71.

RESPONSES TO PRESSURES ON AIR QUALITY - Regulated Stationary Sources



Endnotes for the Air Quality Benchmarks are on pages 63-71.

Environmental Benchmarks Report 2010

PRESSURES ON AIR QUALITY - Other Sources

Air Quality Impacted by Unusual Events – Large quantities of dust, originating in the African Sahara desert, are periodically blown across the Atlantic Ocean and can, on certain days, impact air quality. Other factors, such as fireworks, wildfires, and open burning, can also have an effect on the air quality in Broward County. Tracking of these events began in 2006. To learn more, see the endnote on page 63-71.




RESPONSES TO PRESSURES ON AIR QUALITY - Other Sources

Open Burning Regulations: In Broward County, open burning is regulated under Broward County Code Chapter 27, Article IX. To reduce the impact of smoke from open burning operations in Broward County, open burning is subject to required operational practices including minimum set-back distances and prohibitions on certain materials. Broward County also coordinates with local officials and agencies to ensure comprehensive compliance with all open burning regulations. In the unusual event of a nearby large-scale fire (e.g. wildfires, forest fires, burning of sugar cane fields) that affects air quality in Broward County, the Broward County Air Quality Program issues public health advisories through the Air Quality Index, EnviroFlash, and local press releases. For more information please see the endnotes on page 63-71.





WATER RESOURCES



Water is what makes our planet unique. The availability of an adequate supply of clean water is one of the primary criteria that allow human and ecological communities to exist in a given location. South Florida hosts a network of canals, an underground source of drinking water called the Biscayne Aquifer, and distinct cycles of seasonal and annual rainfall. A growing human population is competing with the Everglades and urban wetland, upland and coastal ecosystems to use these resources for drinking water, recreation and irrigation, and has the potential to greatly influence the quality of water reaching these natural areas.



WATER RESOURCES - Surface Water



Surface Water - Surface water includes our vast network of urban canals and lakes, the brackish estuarine waters of tidal rivers, the Intracoastal Waterway, and the natural areas that encompass the Everglades ecosystem. The water quality requirements and standards differ among these different environments. In this section, we see how the existing water quality compares to the 2012 goals.



(B) Urban Freshwater Quality in the C-13 Canal Percent Improvement over 1995 Baseline







Endnotes for the Water Resource benchmarks are on pages 71-91.

PRESSURES ON WATER QUALITY - Surface Water



(A) Urban Storm Water Runoff - Urban storm water is a major contributor of pollutants to our waterways. Fertilizers, pet waste, roadways, and poorly managed construction sites are part of the problem. In addition, older areas of the County were built without the infrastructure to clean up the runoff before it enters our waterways. For more information, read the endnote on page 71-91.

(B) Building Permits - New Structures/ Non-Residential Addition Approvals Issued



(C) Percentage of Developed Land Not Subject to Surface Water Management Regulation





Endnotes for the Water Resource benchmarks are on pages 71-91.

RESPONSES TO PRESSURES ON WATER QUALITY - Surface Water



Endnotes for the Water Resource benchmarks are on pages 71-91.

RESPONSES TO PRESSURES ON WATER QUALITY - Surface Water





(D) C-11 West Basin/ Broward Everglades Working Group Activities – This group (BEWG) was convened in 2004 to bring greater focus to pollution reduction efforts in the C-11 West Canal Basin in support of Everglades Restoration. The BEWG has developed a plan to reduce phosphorus entering the Everglades. To learn more, see the endnotes on page 71-91. (E) Clean Water Act TMDL- A Total Maximum Daily Load, or TMDL, is the amount of a pollutant a surface water body can assimilate and still meet water quality standards. TMDLs are established by the State for all waters designated as impaired for one or more pollutants. The goal is to reduce pollutant loads to impaired waters to allow the water body to recover and meet its designated use. To learn more, see the endnotes on page 71-91.

Endnotes for the Water Resource benchmarks are on pages 71-91.

RESPONSES TO PRESSURES ON WATER QUALITY - Surface Water



(A) Active Construction Sites within BC Jurisdiction



(B) Total Surface Water Management Construction Licenses Issued Since 1989



Endnotes for the Water Resource benchmarks are on pages 71-91.

Construction Activities and Surface Water Management (SWM) Licenses - Inspection of sites during construction ensures that muddy runoff does not end up in our waterways. The SWM license ensures that storm water is held on site for pretreatment by swales, wet and dry retention areas (see below) and other means.



WATER RESOURCES - Ground Water



Endnotes for the Water Resource benchmarks are on pages 71-91.

(B) Percentage of Monitoring Wells With Changing Ground Water Levels

canals and lakes.



Ground Water - The overwhelming majority of our

drinking water comes from the Biscayne Aquifer. Protecting the quality of that drinking source from hazardous materials and other pollutants is paramount. Ground water levels must be maintained

to prevent impacts to wetlands, to hold back salt

water intrusion and to meet design elevation for

Atlantic

PRESSURES ON WATER QUALITY - Ground Water



Endnotes for the Water Resource benchmarks are on pages 71-91.

PRESSURES ON WATER QUALITY - Ground Water



Endnotes for the Water Resource benchmarks are on pages 71-91.

RESPONSES TO PRESSURES ON WATER QUALITY - Ground Water



(A) Local Surface Water Management – Broward County has been investigating innovative ways to improve surface water management to increase storage and water quality treatment within the secondary canal system. Such improvements reduce pollutant loads to the Everglades and coastal ecosystems and serve to increase aquifer recharge. To learn more, read the endnote on page 71-91.



(C) Percent of Solid Waste Recycled



Endnotes for the Water Resource benchmarks are on pages 71-91.

RESPONSES TO PRESSURES ON GROUND WATER QUALITY







(C) Percent Licensed Hazardous Material Sites Inspected and Found to Be in Compliance



Endnotes for the Water Resource benchmarks are on pages 71-91.

Environmental Benchmarks Report 2010

Goal

2012

PRESSURES ON WATER QUANTITY - Ground Water





(B) Potable Wellfield Withdrawals from the Biscayne Aquifer (Million Gallons/Day)



(C) Broward County Water and Wastewater Services Water Consumption (Gallons/Day/Person) Goal 160 140 120 1995 1998 2001 2004 2007 2010 (D) Regional Surface Water Management - The Comprehensive Everglades Restoration Plan and recent policy changes at the SFWMD are reducing freshwater flows into urban Broward County. This may have impacts on local ground water levels, urban wetland systems and salt water intrusion. To learn more, read the endnote on page 71-91.

Endnotes for the Water Resource benchmarks are on pages 71-91.

RESPONSES TO PRESSURES ON GROUND WATER QUANTITY





Example of Alternative Water Supply – Pompano reclaimed wastewater distribution

(A) Maintenance of Urban Ground Water Levels – Urban ground water levels are directly connected to the integrity of the Biscayne Aquifer, the health and function of urban wetlands, the operation of drainage infrastructure, and Everglades restoration. To learn more about efforts to maintain the ground water levels, read the endnote on page 71-91.

(B) Alternative Water Supply Development – Broward County will need a source of water to deliver an additional 100 million gallons of water each day to meet water demands projected for 2025. Due to the pressing need to reduce urban reliance on the Everglades system as a source of water, future water needs will not be met through traditional water supplies. As such, local water utilities are being urged to develop alternative water supplies, independent of the Biscayne Aquifer and the Everglades. To learn more, read the endnote on page 71-91. (C) Percent Participation of Local Water Managers in County-wide Planning Efforts



Endnotes for the Water Resource benchmarks are on pages 71-91.

RESPONSES TO PRESSURES ON GROUND WATER QUANTITY







(B) Water Matters Day Attendance



 Water Matters Day Booths

Endnotes for the Water Resource benchmarks are on pages 71-91.

LAND RESOURCES

Land Resources - Our critical land resources include natural areas which preserve habitat (Quantity), the extent to which those lands reflect indigenous Florida plants and animals (Quality) and the Urban Landscape. This last resource encompasses how public and private entities create human and natural habitats integrated into the urban area.







LAND RESOURCES - Natural Land Quantity



LAND RESOURCES - Natural Land Quantity



(A) Acres of Protected Lands, Thousands





(B) Acres of Unprotected (Developable) Land



(C) Everglades Water Conservation Areas -

Approximately two-thirds of Broward County lands exist as Water Conservation Areas (WCA's) in the Everglades. Four WCA's serve as a buffer between developed regions and the Everglades while providing wetland habitat. To learn more about WCAs, see the endnotes on page 92-109.

Endnotes for the Land benchmarks are on pages 92-109.

PRESSURES ON NATURAL LAND QUANTITY









(C) Wetlands Licensed for Development, Acres





Endnotes for the Land benchmarks are on pages 92-109.

RESPONSES TO PRESSURES ON NATURAL LAND QUANTITY



(A) Public Dollars Spent to Preserve Natural Lands, Millions





(B) Environmental Review - All proposed developments are reviewed to ensure proper land use and to protect natural

impacts. Wetland

(C) Acres of Mitigation Licensed in Broward County 400 300 land resources from permitting ensures that 200 mitigation for impacts is kept within Broward. For 100 more information, see the endnotes on page 92-109. 2000 2002 2004

(D) Mitigation on Public Lands -

Wetlands provide recreation, habitat, water filtration and storage values that no other ecosystem can. Because of these values, Broward County tries to retain mitigation for impacts to wetlands as close to the impact as possible. Due to increasing limited mitigation areas, the County is attempting to utilize public lands as sites for wetland mitigation projects. For more information, see the endnotes on page 92-109.

Endnotes for the Land benchmarks are on pages 92-109.

2008

2006

LAND RESOURCES - Natural Land Quality



Environmental Benchmarks Report 2010

Broward County, FL

PRESSURES ON NATURAL LAND QUALITY





(A) Invasive Exotic Vegetation – Many species of plants from other countries have naturalized in Florida's subtropical climate. These non-native, invasive exotic plants provide less benefit to our ecosystem than do our native plants. The exotics have a high potential to crowd out indigenous vegetation that native Florida wildlife relies on for food and shelter. The problem is widespread from your backyard throughout the Everglades. To learn more, see the endnotes on page 92-109. (B) Natural Lands Under Hydrologic Stress – Many natural wetland areas in Broward County have been altered by historical development and drainage practices. The construction of the canal systems altered the ground water level. While this provided flood protection for residents, it also impacted wetlands by depressing water levels necessary for maintaining wetland plant species. To learn more, see the endnotes on page 92-109. (C) Fire Suppression on Natural Lands – Fire has long been a factor in maintaining a healthy balance in certain South Florida ecosystems. However, prescribed burning in urban areas is difficult to accomplish without impacting local residents. Areas that have been without fire for long periods of time may accumulate a high fuel load and begin succession to a different type of habitat. To learn more about the need for prescribed burning, see the endnotes on page 92-109.

RESPONSES TO PRESSURES ON NATURAL LAND QUALITY



Resource Management Plans – For all acquired natural lands, Resource Management Plans are created to direct how the resources should be managed to ensure that they remain viable natural communities. These plans include securing the site, removing trash and debris, removing invasive exotic species, replanting native vegetation, and providing for public access. The resource management plans may include ecological restoration, re-watering of impacted wetland, or plans for burning fire dependent communities.





(B) Land Stewardship – Resource Management Plans are a small part of a larger effort to provide stewardship for the land. Other efforts include the initiation of two new grant programs "Parks for People" and "Partners in Preservation". The County recently created a land stewardship program. For more information, see the endnotes on page 92-109. (C) Comprehensive Everglades Restoration Plan – While twothirds represents a large quantity of Broward County lands established as conservation areas, the issue of quality must be considered. The function and water quality of WCA's are being addressed through projects undertaken as a part of the Comprehensive Everglades Restoration Plan. For more information, see the endnotes on page 92-109.

Endnotes for the Land benchmarks are on pages 92-109.

RESPONSES TO PRESSURES ON NATURAL LAND QUALITY





Restoring Hydrologic Function to Natural Lands - Many natural wetland areas in Broward County have been altered by historical development practices and other drainage alterations. Broward County has undertaken efforts to restore hydrologic function to some of the damaged wetlands. Pumps are been installed to increase water flow to the wetlands and raise ground water levels to support native wetland plants. To learn more, read the endnote on page 92-109.



Controlled Burn or Alternative Management Methods – Prescribed burning accomplishes many land management objectives including reducing the risk of wildfires while recycling nutrients into the soil. Native fire-tolerant species, including wildflowers and grasses, become established in open areas created by fires thus increasing the overall diversity of the plant community. To learn more, read the endnote on page 92-109

LAND RESOURCES - URBAN LANDSCAPE



Environmental Benchmarks Report 2010

Broward County, FL

PRESSURES ON URBAN LANDSCAPE



Endnotes for the Land benchmarks are on pages 92-109.

RESPONSES TO PRESSURES ON URBAN LANDSCAPE

(A) Public Education - In response to urban forestry issues following Hurricane Wilma, the Broward County Environmental Protection Department (now the Environmental Protection and Growth Management Department) created the "Trees After the Storm - Replanting Storm-Safe Trees" web-site to answer frequently asked tree questions, sponsored the Broward Beautiful Trees & Hurricane Impact Summit, purchased and distributed 30,000 Florida Urban Forestry Council brochure posters Right Tree Right Place - Selecting and Planting Trees for the South Florida Urban Forest Brochures, and created the NatureScape publication "Gone With The Wind...Storm." For more information, see the endnote on page 92-109.





(B) Trees Planted in Broward County Parks After Storm Events - Many trees which provide shade and scenery for Broward County park users were lost due to recent tropical storms. Since 2005, the Parks and Recreation Division has replaced over 10,000 trees with species that can better withstand future storms. To learn more, read the endnote on page 92-109.

RESPONSES TO PRESSURES ON URBAN LANDSCAPE







(C) Greater Ft. Lauderdale Flyways Cities Coalition-Flyways are corridors of bird migration. They feature sites that offer food, shelter, and areas for congregation. The Coalition goals include improving key habitats and encouraging community stewardship of flyways. To learn more, read the endnote on page 92-109.



Endnotes for the Land benchmarks are on pages 92-109.

RESPONSES TO PRESSURES ON URBAN LANDSCAPE









(D) Trees Funded for Planting Thru the Tree Trust Fund

Endnotes for the Land benchmarks are on pages 92-109.

MARINE RESOURCES



Marine Resources - The coastal environmental of Broward County is a major contributor to our quality of life and our economy. The beach and coral reefs provide natural habitat, tourism destinations and protection from storms. These marine resources include endangered sea turtles and manatees.



MARINE RESOURCES - Reef Quality



Coral Reefs - Coral reefs and their associated sea life are important natural resources for recreational fishing and diving industries in Broward County. The sound ecological condition of the reef community is a key indicator of the general condition of all marine resources of the Broward coastline.







MARINE RESOURCES - Reef Quantity



Coral Reefs - The abundance of corals, sponges, and fish are dependent upon the structure of the reef, the water quality and conditions around the reefs. All of these components are important to create a functional ecosystem. In Broward County, three reefs run parallel to the shoreline at various depths.



(B) Octocoral and Sponge Density



(C) Number of Fish Surveyed on the Reef



Endnotes for the Marine Resources benchmarks are on pages 109-132.

PRESSURES ON REEF RESOURCES





RESPONSES TO PRESSURES ON REEF RESOURCES



(A) Marine Protected Areas - MPAs have been used effectively to conserve biodiversity, manage natural resources, protect endangered species, reduce user conflicts. provide educational and research opportunities, and enhance commercial and recreational activities in other areas. MPAs are a tool that could be used to preserve Broward's reefs. Florida Department of Environmental Protection's Southeast Florida Coral Reef Initiative has developed local strategies for managing coral reef resources in SE Florida including evaluating the potential of a scientifically-based marine zoning plan. To do this, they will identify criteria useful for zoning reef resources as special, sensitive and representative areas needing enhanced management through local input in order to develop zoning alternatives by county. To learn more, read the endnotes on pages 109-132.

Alaal bloom smotherina (C) Algal - Twenty County an the prese learn mor pages 109

(C) Algal Bloom Monitoring Efforts - Twenty five sites off Broward County are monitored annually for the presence of algal blooms. To learn more, read the endnotes on pages 109-132.

RESPONSES TO PRESSURES ON REEF RESOURCES





(A) Acres of Constructed Habitat



(B) Number of Shipwreck Reefs





RESPONSES TO PRESSURES ON REEF RESOURCES





(A) Marine Debris Clean-up Campaigns, Pounds of Litter Collected/Participant/Event Pounds collected participants & lbs collected 40 -······ Participants 8000 pounds/participant Pounds/participant 30 6000 No event held 20 009-2010 4000 10 2000 # 0 2002 2004 2006 2010 2000 2008



(C) Number of Tires Removed From the Reef Zone


MARINE RESOURCES- Beach Quality and Quantity





(C) Percent of Non-critically Eroded Beaches



(B) Average Beach Width at High Tide, Feet



Endnotes for the Marine Resources benchmarks are on pages 109-132.

2009

Environmental Benchmarks Report 2010

2003

(A) Percent of Beach Water Quality

Results Rated "Good"

100

95

90

85

80

2000

FL DOH Annual Goal >92%

2006

PRESSURES ON BEACH RESOURCES



(A) Presence of Inlets – Inlets, composed of jetties and dredged channels, interrupt the movement of sand, causing buildup to the north and erosion to the south of the channel. To learn more, read the endnote on page 110-134.

(D) Over Development – Coastal development, in areas prone to tropical storms, can place lives and property at risk and stress natural resources. Properly controlling beachfront development leads to more sustainable economies and environmental resources. To learn more, read the endnote on page 110-134.

(E) Trash on the Beach – The coastline receives trash from careless people, up land sources like wind blown trash and from the ocean side where vessels may throw or lose debris overboard. To learn more, read the endnote on page 110-134.

Endnotes for the Marine Resources benchmarks are on pages 109-132..

RESPONSES TO PRESSURES ON BEACH RESOURCES





(A) Sand Bypass - Sand bypassing is conducted to reduce erosion of beaches which are impacted by stabilized inlets like Port Everglades. Sand bypassing captures sand which accumulates on the updrift side of a stabilized inlet or that might be lost into the channel and mechanically move the sand to the downdrift side. To learn more, read the endnotes on pages 109-132. (B) Beach Nourishment - By acquiring sand of a similar grain size, composition, and color, Broward County has been able to restore its eroding beaches to their historical width and slope. Beach nourishment is performed to increase storm damage prevention to coastal properties, to provide increased recreational opportunities and to restore sea turtle nesting habitat. To learn more about future plans, read the endnotes on pages 109-132. (C) Monitoring the Condition of the Beach – Monitoring the condition of the beach is essential to understanding how the beach behaves. Monitoring includes regular surveys of the extent and elevation of the sand. Aerial photos are often used for this purpose. To learn more, read the endnotes on pages 109-132.

RESPONSES TO PRESSURES ON BEACH RESOURCES





(A) Regulatory Comment on Beach Resources – Florida's Department of Environmental Protection (FDEP) administers the statewide Coastal Construction Control Line Program (CCCL). This program provides protection for beaches, dunes and their associated wildlife, while assuring reasonable use of private property. Broward County staff refers prospective permittees to the proper contact points at FDEP and provides information to potential developers of beachfront property regarding the state's CCCL permitting requirements. To learn more, read the endnotes on pages 109-132.



Endnotes for the Marine Resources benchmarks are on pages 109-132.

MARINE RESOURCES- Marine Wildlife







(B) Percent of Sea Turtle Nesting Success



(C) Florida West Indian Manatee Population



Endnotes for the Marine Resources benchmarks are on pages 109-132.

Environmental Benchmarks Report 2010

PRESSURES ON MARINE WILDLIFE - Sea Turtles





(A) Beaches Without Turtle-Friendly Lighting - Even active enforcement of lighting ordinance enacted in 5 of the 8 coastal municipalities in Broward County has not resulted in enough light reduction to have areas of the beach considered "turtle friendly". To learn more, read the endnote on pages 109-132.











Endnotes for the Marine Resources benchmarks are on pages 109-132.

Environmental Benchmarks Report 2010

RESPONSES TO PRESSURES ON MARINE WILDLIFE - Sea Turtles









Endnotes for the Marine Resources benchmarks are on pages 109-132.

RESPONSES TO PRESSURES ON MARINE WILDLIFE - Sea Turtles





(A) Beach Nourishment - Adding sand to restore the historical width and slope of the beaches also serves to preserve critical nesting habitat for sea turtles. Grain size and composition of the replacement sand is important. To learn more, read the endnotes on pages 109-132.

(B) Regulatory Comment on Beach Resources – The statewide Coastal Construction Control Line Program includes review of the application by the Florida Fish and Wildlife Conservation Commission for impacts to sea turtles and certain shorebirds. County staff may serve as liaison between the state and the applicant to protect sea turtles and their habitat. To learn more, read the endnotes on pages 109-132.

PRESSURES ON MARINE WILDLIFE - Manatees









(C) Number of Boat Slips in Broward County



Endnotes for the Marine Resources benchmarks are on pages 109-132.

RESPONSES TO PRESSURES ON MARINE WILDLIFE - Manatees

RESOURCE



Manatee Poster Contest Winner 2003. First Place in the Beginner's Category, Jenin Mohammed from Sunshine Elementary.

Manatee Protection - Broward County has completed the Broward County's Boat Facility Siting Plan (BFSP) and incorporated it with the previously-approved Boating Safety and Manatee Education elements of the Manatee Protection Plan (MPP). In December 2007, the MPP received approval from the Florida Fish and Wildlife Conservation Commission (FWC) and the US Fish and Wildlife Service (FWS). Broward County maintains numerous education and awareness efforts alone and in conjunction with other government and non-profit environmental agencies. The efforts include regular distribution of educational materials, public forums, informational kiosks, educator toolboxes, and a manatee webpage on the Broward County website. For more information, see the endnotes on pages 109-132.

ENDNOTES

CLIMATE

DEVIATION OF THE ANNUAL AVERAGE TEMPERATURE IN FORT LAUDERDALE FROM THE 1950-1970 BASELINE

Measurement: This is the change in annual average temperature as measured against the baseline of average annual temperature for the period of 1950-1970 at the Fort Lauderdale weather station number 083163 located at lat 26 06 N and between long 80 09W and 80 12 W since 1948. The data is from the National Climatic Data Center historical listing for National Weather Service Cooperative Network (http://www.sercc.com/cgi-bin/sercc/cliMAIN.pl?fl3163).

Explanation: Local weather changes from year to year. As cities develop, the physical infrastructure impacts the local weather. In addition, global events such as El Niño or volcanic explosions influence local weather. The change in temperature from a twenty-year period beginning five decades ago demonstrates the influence of local and global changes on local climate.

Trends: Since 1971, only five of the 18 years have shown an average annual temperature below the 1950-1970 baseline. In 2008 and 2009, the average annual temperature was nearly a degree above the baseline but almost a full degree lower than 2007.

Data source: Calendar year data. Raw data from the Southeast Regional Climate Center and North Carolina State University, <u>sercc@climate.ncsu.edu</u>. Calculations made by Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management, Nancy J. Gassman, PhD (954) 519 - 1295

CHANGE OF ANNUAL AVERAGE SEA LEVEL (INCHES) IN KEY WEST FROM THE 1920 BASELINE

Measurement: This is the change in annual average sea level at station 940/071, Lat 24 33 N Long 81 48 W, located in Key West using the average annual sea level from 1920 as a baseline.

Explanation: One impact of global climate change is the melting of the polar ice caps and other land based ice sheets. This increases the volume of water in the world's oceans resulting in a change in sea level. As ocean temperatures increase, the water expands also contributing to rising sea levels. As an oceanic peninsula with relatively flat topography, Florida's coastline is particularly vulnerable to significant deviations in mean sea level.

Trends: The trend since 1920 has been a variable increase in sea level. In 2008, the average sea level was 9.57 inches greater than the 1920 baseline. In 2009, the annual average was slightly lower at 9.25 inches.

Data source: Calendar year data. Raw data is from the Permanent Service for Mean Sea Level (PSMSL) based in Liverpool at the Proudman Oceanographic Laboratory (POL) which is a component of the UK Natural Environment Research Council (NERC) (<u>http://www.pol.ac.uk/psmsl/psmsl_individual_stations.html</u>). Calculations made by Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management, Nancy J. Gassman, PhD (954) 519 - 1295

PRESSURES ON CLIMATE

GLOBAL AVERAGE CARBON DIOXIDE (PARTS PER MILLION)

Measurement: Carbon dioxide and other greenhouse gases are measured at a global network of air sampling sites maintained by the Global Monitoring Division of National Oceanographic and Atmospheric Administration's Earth System Research Laboratory (NOAA/ESRL). They analyze the data and calculate the global average carbon dioxide concentration based on these sites. Data are expressed as parts per million (ppm). Annual uncertainty is estimated at 0.10 ppm.

Explanation: This benchmark demonstrates the trend in mean carbon dioxide globally averaged over the marine surface sites. Increasing concentrations of carbon dioxide in the atmosphere create a greenhouse effect causing an increase in the heat retention of the Earth's atmosphere. The burning of fossil fuels for electrical generation and transportation is a major source of greenhouse gases. Efforts are underway globally and locally to control and reduce the amount of gas emissions to attempt to stabilize and eventually reduce the atmospheric concentration of greenhouse gases.

Trends: Although these concentrations are only shown from 1980 to the present, the level of carbon dioxide in the atmosphere has been on the rise for over one hundred years. The carbon dioxide concentration in 2009 was 386 ppm with an increase of 1.68 ppm from the previous year. *Data source:* Calendar year data. Raw data obtained from the National Oceanographic and Atmospheric Administration's Earth System Research Laboratory at http://www.esrl.noaa.gov/gmd/ccgg/trends/#global_data, Dr. Pieter Tans, NOAA/ESRL, www.esrl.noaa.gov/gmd/ccgg/trends/#global_data, Dr. Pieter Tans, NOAA/ESRL

GREENHOUSE GAS EMISSIONS GENERATED IN BROWARD COUNTY IN 2007

Measurement: This is a measurement in the total amount of greenhouse gas emissions (GHG) generated in Broward County. GHG emissions generated by human activities in Broward County come from a variety of sources including vehicles, energy consumption, waste generation, etc. On November 13, 2008, the Board adopted Resolution 2008-822 establishing a GHG reduction target of eighty percent below the current year (2007 emissions inventory) by 2050, and Resolution 2008-823 authorizing membership in the International Council for Local Environmental Initiatives (ICLEI) and supporting the Cities for Climate Protection Campaign. Broward County is following ICLEI's Five Milestones Process for the development of a community-wide action plan. The inventory of community-wide GHG emissions is a critical step in this framework and will help in developing Broward County's climate action strategy. This community-wide inventory provides the basis for completing other elements of a climate action plan, including the establishment of a numerical reduction target and the development of specific strategies to help achieve emissions reduction goals. This 2007 inventory will serve as the foundation for measuring the success of regional efforts to reduce emissions, and provide the basis for identifying improvements in the regional strategy, as needed. The Broward County Community-wide Emissions Inventory is available at http://www.broward.org/NaturalResources/ClimateChange/Documents/finalcommwidereport.june09.pdf.)

Explanation: One of the main factors contributing to global climate change is carbon dioxide (CO_2) emissions. Due to human activities such as the combustion of fossil fuels, the concentration of atmospheric carbon dioxide has increased by about 35% since the beginning of the age of industrialization.

Trends: Broward County community-wide GHG emissions were analyzed within the Residential, Commercial, Industrial, Transportation, Waste and Other sectors using ICLEI (Local Governments for Sustainability) methodology and Clean Air Climate Protection (CACP) software. During calendar year 2007, the Broward community as a whole emitted approximately 22,366,933 metric tons (tonnes) of eCO₂ or 12.8 tonnes of eCO₂ per capita (a "tonne" is approximately 2,200 pounds).

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Maribel Feliciano (954) 519 – 1220

BROWARD COUNTY GOVERNMENT OPERATIONS GREENHOUSE GAS EMISSIONS

Measurement: This is a measurement of the total amount of GHG emissions from Broward County government operations by source category for 1997, 2007, 2008 and 2009. The CACP 2009 Software was used as the methodology for the development of the GHG emission inventory. The CACP software was developed by the ICLEI and Torrie Smith Associates. The CACP Software calculates the GHG emissions generated by energy use, fuel use, and solid waste. The total amount of GHG emissions (CO_2 , nitrous oxide [N_2O] and methane [CH_4]) by a source are aggregated by the software and reported in units of carbon dioxide equivalents (eCO_2), a commonly used unit that combines GHG of differing impact on the earth's climate into one weighted unit.

Explanation: In response to well substantiated and compelling scientific evidence supporting the validity and urgency of climate change and the public's desire for action, a political environment has been created for local, state, and federal lawmakers to press for real changes in public policy related to energy consumption/climate change. On June 12, 2007, the Broward County Board of County Commissioners adopted Resolution 2007-391 to reduce greenhouse gas (GHG) emissions in Broward County and to support the U.S. Mayors' Climate Protection Agreement. Broward County developed a Broward County government operations report in 2008, including a GHG emissions inventory for baseline year 1997, a reduction target, and recommendations on GHG reduction strategies. The Broward County Government Operations Climate Change Report is available at http://www.broward.org/NaturalResources/ClimateChange/Pages/BrowardCountyClimateChangeReport.aspx. Annual progress reports include that GHG emissions inventories and GHG reduction actions implemented are available at http://www.broward.org/NaturalResources/ClimateChange/Pages/GovernmentWorkgroup.aspx.

Trends: From 2007 to 2009 Broward County government has experienced a reduction in GHG emissions. Broward County's government operations 2009 carbon footprint is 256,227 tonnes of eCO₂, a reduction of 8,130 tonnes eCO₂ from 2008. Broward County's target is to reduce GHG emissions 7% below 1997 levels by 2015.

Data source: Fiscal year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Maribel Feliciano (954) 519 - 1260

RESPONSES TO CLIMATE

BROWARD COUNTY GOVERNMENT OPERATIONS GREENHOUSE GAS EMISSIONS REDUCTION

Measurement: This is a measurement of the total amount of GHG emission reductions from Broward County government operations by source category implemented from 1997-2008. The CACP 2007 Software was used as the methodology for the development of the GHG emission reduction inventory. The CACP software was developed by the ICLEI and Torrie Smith Associates. The CACP Software calculates the GHG emission reductions achieved by energy efficiency measures, fuel savings, and waste reduction initiatives at government level. The CACP Software calculates CO_2 emission reduction directly from the amount of fuel or energy saved and from the amount of waste recycled or incinerated. The total amount of GHGs (CO_2 , nitrous oxide [N_2O] and methane [CH_4]) reduced by a source are aggregated by the software and reported in units of carbon dioxide equivalents (eCO_2), a commonly used unit that combines GHG of differing impact on the earth's climate into one weighted unit. **Explanation:** On June 12, 2007, the Broward County Board of County Commissioners adopted Resolution 2007-391 to reduce greenhouse gas (GHG) emissions in Broward County and to support the U.S. Mayors' Climate Protection Agreement. Broward County developed a Broward County government operations report, including a GHG emissions inventory for baseline year 1997, an inventory of early voluntary actions to reduce GHGs and recommendations on GHG reduction strategies. The Broward County Government Operations Climate Change Report is available at http://www.broward.org/NaturalResources/ClimateChange/Pages/BrowardCountyClimateChangeReport.aspx.

Trends: From 1997 to 2008 Broward County implemented measures that resulted in 59,199 tonnes eCO_2 emissions reductions. The most significant reductions were achieved in the Buildings and Vehicle Fleet sectors. The measures implemented in 2008 resulted in an estimated reduction of 10,184 tonnes eCO_2 emissions. Despite the implemented reductions, the 2007 and 2008 GHG emissions are higher than in 1997, due to an increase in government operations and facilities. Annual progress reports that include GHG emissions inventories and GHG reduction actions implemented are available at http://www.broward.org/NaturalResources/ClimateChange/Pages/GovernmentWorkgroup.aspx.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Maribel Feliciano (954) 519 – 1260

BROWARD COUNTY CLIMATE CHANGE TASK FORCE

Narrative: On June 24, 2008, the Broward County Board of County Commissioners adopted <u>Resolution 2008-442</u> to create a Broward County Climate Change Task Force.

Explanation: Global climate change has emerged as a phenomenon of critical concern worldwide. According to the Intergovernmental Panel on Climate Change: warming of the climate system is unequivocal; global concentrations of GHG have increased markedly as a result of human activities; global air and ocean temperatures are increasing; and average sea level is rising globally. The Broward County Board of County Commissioners approved the creation of a Climate Change Task Force to develop recommendations for a coordinated countywide strategy in mitigating the causes, and addressing the local implications, of global climate change.

The goals of the climate change program include:

* development and implementation of projects and incentives for residents, businesses, and organizations to conserve energy and reduce greenhouse gases (GHG);

* development and implementation of adaptation strategies to alleviate the likely adverse consequences of climate change;

* provision of education and outreach to encourage Broward County residents, businesses and organizations to participate in the program; and

* pursuit of federal and state grants, energy cost savings, and other financial resources to offset program costs.

Trends: The Broward County Climate Change Task Force completed work on and approved the <u>"Broward Climate Change Action Plan -Addressing</u> <u>our Changing Climate</u>" at their March 18, 2010 meeting. The Action Plan was developed in fulfillment of the Broward County Board of County Commissioners' charge to the Task Force to develop recommendations for a countywide climate program designed to mitigate the causes of and adapt to the consequences of climate change. The Board approved the Action Plan on May 4, 2010. Implementation is underway. The action plan and other Task Force materials are available at <u>http://www.broward.org/NaturalResources/ClimateChange</u>.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Nancy J. Gassman, PhD (954) 519 – 1295

SOUTHEAST FLORIDA REGIONAL CLIMATE CHANGE COMPACT

Narrative: Recognizing the vulnerability of the Southeast Florida region, Palm Beach, Broward, Miami-Dade and Monroe County Commissioners entered into a cooperative agreement to accomplish four things. The Counties agreed to coordinate positions on State and Federal legislation and seek adaptation funding. They initiated the creation of a regional climate team to develop a SE FL Regional Climate Change Action Plan with regional mitigation and adaptation strategies. Recognizing the value of regional discussions, they determined that the SE FL Regional Climate Leadership Summit should be held annually.

Explanation: The first Southeast Florida Regional Climate Leadership Summit was held Friday, October 23, 2009, hosted by the Broward County Board of County Commissioners in partnership with Palm Beach, Miami-Dade, and Monroe counties. Participating were local officials, federal and state legislators, regional transportation, planning and water management authorities and members of the regional Climate Change/Green Task Forces representing the four counties. The purpose of this precedent-setting summit was to develop a regional collaboration that will support a

coordinated climate change strategy. At the conclusion of the summit, the four participating County representatives endorsed a landmark <u>Regional Climate Change Compact</u>, later approved by all four county commissions, in which they agreed to an ongoing collaboration on regional climate change issues.

Trends: The Compact Counties have formed a steering committee and coordinated on numerous policy statements including one to ban oil drilling in Florida waters and encourage alternative forms of fuel. The next summit will be held on October 20, 2010.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Nancy J. Gassman, PhD (954) 519 – 1295

AIR RESOURCES

PERCENTAGE OF DAYS WHEN OUTDOOR AIR QUALITY WAS GOOD

Measurement: This performance measure shows the percentage of monitored days when the air quality is rated good based on the highest pollutant concentration measured that day. The Air Quality Program monitors air quality throughout Broward County (site map at http://www.broward.org/PollutionPrevention/AirQuality/AirMonitoring/Pages/MonitoringAirQuality.aspx) for a variety of different pollutants used to determine daily air quality.

Explanation: Poor air quality can affect public health, especially the health of children, the elderly, and people with pre-existing respiratory problems, such as asthma. The United States Environmental Protection Agency (U.S. EPA) has established National Ambient Air Quality Standards (NAAQS) for the criteria pollutants [ozone (O_3), particulate matter (PM), oxides of nitrogen (NO_x), sulfur dioxide (SO_2), carbon monoxide (CO), and lead (Pb)] to ensure adequate public health and environmental protection. The U.S. EPA developed the national Air Quality Index (AQI) to reflect air quality on any given day. An AQI is calculated for each of the criteria pollutants monitored based upon the methods established by the U.S. EPA and the highest AQI value of these for any given day is designated as that day's AQI. Daily AQI information for Broward available dialing (954) 519-1280 the County is to the public by or on web at http://www.broward.org/POLLUTIONPREVENTION/AIRQUALITY/Pages/Default.aspx.

Trends: NAAQS and AQI are dynamic systems designed to accomplish two objectives: 1) to establish acceptable air guality standards; and 2) to inform the public about the level of air pollution in their community and the associated health risks. The NAAQS and the AQI are routinely scrutinized by the U.S. EPA's Clean Air Scientific Advisory Committee to ensure that the latest medical and health related research are considered when the NAAQS are set. Therefore, the concentration ranges associated with the different levels of the AQI may change from year to year. Further complicating trend analysis and comparative studies of air guality are the local and regional variations in meteorological conditions which play a large part in dispersing or retaining air pollutants in our urban area. In Broward, yearly ambient air guality is a measure of the percentage of days in a calendar year that are ranked in the "good" category based upon the current AQI. Recent trends show a period of improvement in yearly ambient air quality (2001-2003) followed by a slight decrease (2004). The improvement was due to control technology implemented to prevent high ozone days. The decrease was due to the addition of PM25 real-time data to the AQI determination. This better reflected the impact of smoky conditions on the AQI. The ability to monitor PM25 concentrations in real-time was due to new instrumentation previously not available or approved for real time PM25 monitoring. Therefore, ambient air guality was not necessarily worsening; rather the new standards made it more challenging for any given day to achieve a rating of "good" on the AQI. Additionally, changes by the U.S. EPA to the NAAQS for ozone may affect future trends. In previous editions of the Environmental Benchmark Report, an "AQI goal" for the year was included in the graph of this resource. However, it has been removed from the report because changes made to the NAAQS have changed the way the U.S. EPA calculates the AQI. These changes have made it difficult to determine an appropriate goal for this resource. The AQI was in the good range for 325 days (89%) and in the moderate range for 40 days (11%) in 2009. This translated into a 4% increase in good air quality

days as compared to 2008.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Monica Pognon (954) 519 - 1476

AVERAGE ANNUAL OZONE CONCENTRATIONS, ppm

Measurement: Ozone (O_3) is not usually emitted directly into ambient air; rather it is created by a chemical reaction between oxides of nitrogen (NO_x) and volatile organic compounds (VOC) in the presence of high temperatures and sunlight at ground level. It is measured in units of parts per million by volume (expressed as ppm). The unit ppm is used to describe very dilute concentrations. In quantifying the concentration of O_3 , the unit basically states that per one million liters of air there are the stated numbers of liters of O_3 . Eight-hour average ozone concentrations are used to determine the AQI. The annual ozone compliance values are shown in this report.

Explanation: Motor vehicle exhaust, some industrial emissions, gasoline vapors, and emissions of chemical solvents, as well as some natural sources, contribute NO_x and VOCs to the atmosphere. These compounds along with the required ambient conditions (heat and sunlight) cause ozone formation. Ozone can irritate lung airways and cause inflammation much like sunburn. Repeated exposure to ozone pollution for several months may cause permanent lung damage. Ozone also damages the leaves of trees and other plants, reduces crop and forest yields, and increases plant vulnerability to disease.

Trends: Over the past ten years, the average annual concentrations have remained relatively uniform. The major source of pollution in Broward County (including VOC and O_3) is motor vehicles. While vehicle miles traveled has increased from the previous year, emissions from motor vehicles are expected to decrease due to cleaner-emitting new vehicles and turnover of the vehicle fleet. Ozone formation is also dependent on sunlight and high temperatures, thus it is very dependent not only on NOx and VOC emissions but on weather and climate. In 2007, the NAAQS for O_3 was changed from 0.08 ppm to 0.075ppm. Broward County has been in attainment with the ozone standard since 1997. Attainment is reached when the three year average of the annual fourth highest daily maximum eight hour average, which is the ozone compliance value, does not exceed the standard. Broward County's ozone compliance value for the three year period 2005-2007 is 0.067 ppm, 2006-2008 is 0.068 ppm, and 2007-2009 is 0.063 ppm. Broward County is part of the Southeast Florida Airshed, along with Miami-Dade and Palm Beach Counties. For example with Broward County's ozone compliance value for 2007-2009 at 0.063 ppm, Miami-Dade County at 0.065 ppm; the compliance value for the airshed would be 0.068 ppm. Our neighboring counties have significantly influenced on our ozone levels because we shared the same air shed. The US EPA are revising the standard in 2010, making the standard more stringent than before.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Monica Pognon (954) 519 - 1476

AVERAGE ANNUAL PARTICULATE CONCENTRATION, $\mu g/m^3$

Measurement: Fine particulate Matter ($PM_{2.5}$) is a complex mixture of small particles and liquid droplets (aerosols). $PM_{2.5}$ refers to particles of aerodynamic diameter 2.5 μ m or smaller. Concentrations of these particles or aerosols are reported in micrograms per cubic meter of air (μ g/m³). Continuous 24-hour average concentrations are used to determine the Air Quality Index. Annual average concentrations are shown in this report.

Explanation: Any component of ambient air that is not a gas is considered a particle. Particle pollution includes acid aerosols (such as nitrates and sulfates), organic compounds, metals, and soil or dust particles. The smaller the particles, the easier those particles pass through the nose, throat, trachea, and primary bronchi, and enter the lungs. Once inhaled, these particles can affect the lungs and heart and may cause serious health effects. These particles can be directly emitted from sources or form in the atmosphere through photochemical reactions.

Trends: The last few years have reflected a relatively consistent $PM_{2,5}$ annual average between 8.3 - 8.7 μ g/m³. Broward County has been in attainment for $PM_{2,5}$. The NAAQS for $PM_{2,5}$ is 15 μ g/m³ for the annual average and 35 μ g/m³ for the 24-hour average. Attainment for the annual standard is reached when the 3-year of the annual means is less than or equal to the annual standard. Broward County's $PM_{2,5}$ compliance value for the annual standard for 2005-2007 is 8.55 μ g/m³, for 2006- 2008 is 8.2 μ g/m³, and for 2007-2009 7.69 μ g/m³. Attainment for the 24-hr standard is obtained when the 3-year average of the annual 98th percentile values is less than or equal to the 24-hour standard. Broward County's $PM_{2,5}$ compliance value for the 24-hour standard for 2005-2007 is 20.3 μ g/m³, for 2006- 2008 is 20.7 μ g/m³ for 2007-2009 is 19.4 μ g/m³. *Data source:* Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention,

Remediation and Air Quality Division, Monica Pognon (954) 519 - 1476

AIR RESOURCES - PRESSURES FROM MOBILE SOURCES

MOBILE SOURCE EMISSIONS, THOUSANDS OF TONS/YEAR

Measurement: This performance measure tracks the amount of volatile organic compounds (VOC), oxides of nitrogen (NO_x), and carbon monoxide (CO) emissions from mobile sources (automobiles and trucks). The Air Quality Program staff used the U.S. EPA MOBILE 6.2 model to obtain emission factors that were used to calculate the mobile source emissions. These emissions were calculated using the Vehicle Miles Traveled (VMT) data from the 2009 Florida Department of Transportation Public Roads Mileage and Miles Traveled Report.

Explanation: Emissions from mobile sources remain a major air quality concern in Broward County. VOC and NO_X emissions from mobile sources are precursors for ozone, the pollutant of concern in Broward County. Exceedances of the air quality standard for ozone not only result in poor air quality but can also trigger additional costly regulatory controls and loss of federal funding for construction/transportation development.

Furthermore, benzene emissions from motor vehicles are the primary factor contributing to respiratory cancer risk to drivers in the U.S., including Broward County, according to the 1999 National Air Toxics Assessment (NATA, <u>http://www.epa.gov/ttn/atw/nata1999/</u> and

<u>http://www.broward.org/PollutionPrevention/AirQuality/Pages/NationalAirToxicsAssessment.aspx</u>. Through more stringent fleet performance and fuel quality standards, and voluntary initiatives, the U.S. EPA is implementing additional programs to offset the increase of mobile source emissions due to population growth and vehicle miles traveled. In addition, due to updates in federal vehicle emission standards, older vehicles built to less stringent emission standards are replaced in the fleet by newer vehicles built in compliance with more stringent standards.

Trends: The total level of pollution from mobile source emissions in Broward County, measured in tons per year (TPY), has been steadily decreasing since the year 2000. In 2009 the total level of pollution from mobile sources decreased by 7.52% from the previous year. The level of CO emissions in Broward County decreased by 6.88% and the levels of both NO_x and VOC decreased by 8.04% and 9.54% respectively from 2008 to 2009. All of these reductions can be attributed to a combination of the mandatory phase-in of cleaner fuels, computerized onboard emissions diagnostic systems, reduction in vehicle miles traveled, and cleaner burning engines.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Maribel Feliciano (954) 519 – 1260

PERCENTAGE OF OVER-CAPACITY ROADWAY SEGMENTS

Measurement: This performance measure tracks the relative proportion of roadway segments operating below the designated level of service standard in the specified calendar year.

Explanation: The established roadway level of service standard used in the Broward County Comprehensive Plan (<u>http://www.broward.org/PlanningAndRedevelopment/ComprehensivePlanning/Documents/2010cycleia_transgops.pdf</u>) defines "overcapacity" segments as those operating at levels of service worse than Level of Service "D." This performance measure supplements the information provided by the two "Vehicle miles traveled" performance measures. It provides a more comprehensive picture of how vehicular traffic and the adequacy of the roadway

system can affect the environmental quality of life in a county experiencing continuing urbanization. More information is available at http://www.browardmpo.org/mpo/welcome.htm.

Trends: Data was not available for 2009.

Data source: Calendar year data. Metropolitan Planning Organization, 954-876-0033

THOUSANDS OF VEHICLE MILES TRAVELED/DAY/1000 PEOPLE

Measurement: This benchmark is a measurement of vehicular traffic and represents the total vehicle miles traveled per day in Broward County for the indicated calendar year by 1,000 people, based upon population estimate figures provided by the Bureau of Census. The vehicles miles traveled data was obtained from the FDOT Public Road Mileage and Miles Traveled Report which includes the estimates include roads on the state highway system, roads off the state highways system (collectors and above) and local roads. The source of the data from previous benchmark reports was the MPO traffic counts report and did not include the same road types.

Explanation: This benchmark is different from the "Vehicle miles traveled" benchmark below; it is unbiased to population increase and reflects vehicle miles traveled trends that can be n indicator of improvements in the transportation sector, land use planning and technological improvements.

Trends: The vehicle miles traveled per day per thousand people has been on a steady increase until 2007 in Broward County however there has been a 3% decrease since 2007. The VMT has decreased from 25,699 in 2008 to 24,911 to 2009, which translated to a 3% drop.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Matthew R Anderson (954) 519-1482

VEHICLE MILES TRAVELED/DAY, MILLIONS

Measurement: This is a measure of vehicular traffic representing the total miles traveled (VMT) in Broward County for the indicated calendar year. The vehicles miles traveled data was obtained from the FDOT Public Road Mileage and Miles Traveled Report which includes the estimates include roads on the state highway system, roads off the state highways system (collectors and above) and local roads. The source of the data from previous benchmark reports was the Broward Metropolitan Planning Organization (MPO) traffic counts report and did not include the same road types.

Explanation: Poor air quality affects public health, especially of children and the elderly. In Broward County, vehicular traffic is a major source of air pollution and a major source of precursors for the pollutant ozone. The level of vehicular traffic directly impacts air quality and Broward County's ability to meet the National Ambient Air Quality Standard for ozone. Ozone exceedances result not only in poor air quality but can also trigger additional costly regulatory controls and loss of federal funding for construction/transportation development. Through more stringent fleet performance standards and air quality improvements, the 1990 Clean Air Act implemented additional programs to offset the increasing VMT, due to population increase.

Trends: The vehicle miles traveled per day in Broward County has been on a slight decreasing trend over the past three years. During fiscal year 2008 to 2009 the vehicle miles traveled per day decreased by 2.2% percent from 45,005,744 to 44,004,875 respectively.

Data source: Florida Department of Transportation website. <u>http://www.dot.state.fl.us/planning/statistics/mileage-rpts/</u>

AIR RESOURCES - RESPONSES TO PRESSURES FROM MOBILE SOURCES

NUMBER OF AIR QUALITY OUTREACH EVENTS

Measurement: The Pollution Prevention, Remediation and Air Quality Division is responsible for the development and implementation of numerous air quality educational outreach programs and events. This benchmark is a measurement of the number of educational programs coordinated throughout the fiscal year indicated ending on September 30th.

Explanation: Providing educational opportunities about Broward County's air quality issues and regulations to government officials, regulated facilities, business owners, students and residents will increase awareness about local issues and help educate our community about the importance of maintaining, protecting and improving overall air quality.

Trends: In 2009, the number of educational outreach programs and events increased by 5% (106 to 112) as compared to 2008. In 2006, the Air Quality Program developed a Five-Year Outreach Plan to provide a clear strategy for conducting outreach in conformance with federal, state and local goals and objectives. The plan includes a description of activities to be conducted in a five-year period and incorporates measures of success to evaluate performance annually. A few of this year's outreach programs included two major tri-county educational campaigns: Clean Air Month and Car Care Month; educational programs in support of the School Board Partnership Agreement such as the Character Education E-Newsletters, environmental contests; educational presentations for residents and civic groups; radio announcements and more.

Data source: County fiscal year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Maribel Feliciano, (954) 519-1260

NUMBER OF PEOPLE REACHED THROUGH AIR QUALITY OUTREACH EVENTS

Measurement: The Pollution Prevention, Remediation and Air Quality Division is responsible for the development and implementation of numerous air quality educational outreach programs and events. This benchmark is a measurement of the number of individuals that are reached through educational programs coordinated throughout the fiscal year indicated ending on September 30th. The number of people reached through outreach events provides an account of the number of people that attends and participates in air quality outreach events and activities. It includes educational programs for schools; regulated facilities; residents; civic organizations; and community events. It does not include web site visitors, mass media social marketing or electronic newsletters.

Explanation: Providing educational opportunities about Broward County air quality issues and regulations to government officials, regulated facilities, business owners, students and residents will increase awareness about local issues and help educate our community about the importance of maintaining, protecting and improving overall air quality.

Trends: The benchmark tracking began in 2007. That year the Air Quality Program reached a total of 15,123 individuals. In 2008 the number of individuals reached through outreach events dropped to 13,564 due to a shift of resources to provide technical support in the development of GHG emissions inventories to climate change initiatives. However, in 2009 the number of people reached through the Air Quality Program's outreach events rose to 17,238, a 27% increase. **Data source:** County fiscal year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Maribel Feliciano, (954) 519-1260

NUMBER OF MASS TRANSIT PASSENGER TRIPS, MILLIONS OF TRIPS/ YEAR

Measurement: The number of trips made by the citizens of Broward County utilizing mass transit (i.e., buses, shuttles, SFRTA) in the fiscal year indicated ending September 30th.

Explanation: Alternative means of transportation such as buses, shuttles, and trains, reduce road traffic activities and improve air quality. In Broward County, vehicular traffic is a major source of air pollution, posing threats to both public health and the environment. It is also a major source of precursors for ozone, the pollutant of major concern in the area. Poor air quality affects public health, especially children and the elderly. The use of public transportation services will help to meet stringent air quality standards and therefore reduce air pollution, reduce single occupancy vehicle trips, and improve transit efficiency.

Trends: In fiscal year 2009, mass transit numbers decreased 15.9% from 46,566,336 passengers to 39,186,498 compared to 2008. Broward County Transit implemented on their fixed route system, a fare increase, along with some minor service reductions, which resulted in a 4.3% loss in ridership.

Data source: County fiscal year data. Broward County Office of Transportation, Robert Fossa (954) 357-8336 and South Florida Regional

Transportation Authority, Marketing Department, Marcin Gadek (954) 788-7950

COMMUNITY SHUTTLE RIDERSHIP, THOUSANDS OF TRIPS/YEAR

Measurement: The fleet size is the number of vehicles (mid-size buses) operated by municipal and local governments, Transportation Management Associations (TMAs), public/private partnerships, and other neighborhood/civic associations. Ridership is the number of trips made by the users of the Community Bus Services in the fiscal year indicated ending September 30th.

Explanation: The Broward County Mass Transit Division (BCT) in cooperation with the Community Transportation Initiative (CTI) of the Environmental Protection and Growth Management Department are promoting the efficient mobility of persons and goods through the Community Bus Service program. The Community Transportation Initiative encourages the use of alternative fuel vehicles (AFV) for neighborhood buses, addressing issues of air quality and traffic congestion, while providing user-friendly transit services.

Trends: As the community shuttles/bus system now stands at 22 cities, BCT scheduling, marketing and outreach programs to assist and improve cities abilities in operating the community bus program are continuous. BCT staff continues its support with collection and analysis of ridership data, which is used in designing and refining the route alignments to serve and meet local needs, diverting and connecting to the Broward County Fixed Route Transit System which is always improving its service. Schedules are being posted in many public locations including neighborhood shops, parks, churches and libraries. Funding for Community Bus Shuttles were reduced by 25% due to budget reductions in FY2009 resulting in a 16.7% drop in ridership. The community bus service fleet total dropped from 104 in 2008 to 71 community buses in 2009. To access the website, go to http://www.broward.org/bct/Pages/Default.aspx.

Data source: County fiscal year data. Broward County Office of Transportation, Service Development Team, Robert Fossa (954) 357-8336 and the Broward Metropolitan Planning Organization, Congestion Management/Intermodal Section, Enrique Zelaya (954) 357-6635

AIR RESOURCES - PRESSURES FROM REGULATED STATIONARY SOURCES

NUMBER OF REGULATED STATIONARY SOURCES

Explanation: The types of regulated air pollution sources include, but are not limited to, electric power plants, waste incinerators, various product manufacturing operations, crematories, dry cleaners, printing facilities, wastewater treatment plants, concrete batch plants, petroleum product transfer and storage facilities, as well as painting and repair shops. This category includes both major industries and small operations. Major industries are generally large facilities that emit or have the potential to emit any pollutant regulated under the Clean Air Act at a significant emission rate. Major industries are issued Title V State of Florida air permits. Small operations are mid to small stationary sources that emit pollutants in amounts significantly under regulated thresholds and/or hardly emit large amounts of criteria pollutants. However, small operations are more numerous than major industries and therefore are regulated because collectively, they contribute a significant amount of air pollution emissions. Small operations located in Broward County are issued minor State of Florida air permits or County Air Licenses depending on the type of work conducted and the amount of emissions generated.

Trends: The Air Quality Program began reporting the number of regulated stationary sources in 2006. In 2009, there was an overall increase in the total number of facilities, compared to 2008. We observed a 6.6% increase in State of Florida air permits issued to major industries and small operations. As part of the county's air quality program, the unpermitted facilities inspection program identifies unpermitted sources of air emissions and ensures that these facilities come into compliance by obtaining either a State of Florida air permit or a Broward County Air License. The Air Quality Program as a part of the unpermitted facilities inspection program, identifies that are operating without a permit and takes the appropriate enforcement action. This program and other business factors contributed to the increase in the number of regulated facilities in 2009. Also, there was a 4% increase in the number of county licenses issued to small operations in 2009.

Data: Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and

EMISSIONS FROM POWER PLANTS, TONS/YEAR

Measurement: The amount of criteria pollutants (carbon monoxide-CO, sulfur dioxide-SO₂, nitrogen oxides-NO_X, particulate matter-PM and volatile organic compounds-VOC) emitted by power plants in Broward County in a calendar year. The data is reported by Florida Power & Light Company, annually.

Explanation: Emissions from power plants contribute to air pollution in Broward County. Sulfur dioxide and nitrogen oxides are precursors for acid rain that in turn contribute to poor air and water quality. VOC and NO_x are important emission categories because they are the primary contributors to the formation of ground-level ozone. Some VOCs fall into the category of Air Toxics. Some Air Toxics can (with prolonged exposure) lead to cancer and non-cancer respiratory health effects or neurological effects.

Trends: Total power plant emissions have fluctuated over the past few years. Emissions from power plants are influenced by the amount of electricity generated and, to a great extent, by the type of fuel that is burned. Natural gas is a cleaner burning fuel than oil so that emissions are generally lower during those periods when natural gas is fired. However, FPL's decision to burn oil or gas is principally an economic one depending on fuel prices and fuel availability. Therefore, year-to-year fluctuations can be generally explained by the variability in the type of fuel used. Other factors such as equipment outages and facility outages can also be significant. In the case of the Port Everglades Power Plant, FPL began a phased modification of the facility in 2005 to install low-NOx burners to control NOx emissions and electrostatic precipitators to control emissions of particulate matter (PM). The project was concluded in 2007. During the phased construction period, at least one of the four boiler units was offline at any one time. Following is a summary of changes in reported emissions. In 2009, CO emissions decreased by 10.6%, NOx emissions decreased by 7%, PM dropped by 64% and VOC emissions were reduced by 11% compared to 2008 levels. Conversely, SO₂ emissions increased slightly by .5% in 2009 as compared to 2008 levels.

Data source: FPL Annual Operating Report data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Clifton Bittle (954) 519-1208

TOTAL AND PER CAPITA ELECTRICAL POWER CONSUMPTION, KILOWATT-HOURS [KWH]/YEAR

Measurement: This is a measure of the total annual electric power consumed in Broward County. Total electrical consumption includes residential and nonresidential users. Per capita includes only residential consumption.

Explanation: The production and consumption of electric energy are significant sources of air pollution. Generating electricity by burning oil and natural gas generates emissions of volatile organic compounds (VOCs), nitrogen oxides (NO_x), carbon monoxide (CO), sulfur dioxide (SO₂) and carbon dioxide (CO₂). VOCs and NO_x are precursors for ozone, whereas CO_2 is a greenhouse gas that contributes to climate change. NO_x and SO₂ are also precursors for acid rain that in turn contribute to poor air and water quality. Poor air quality affects public health, especially of children and the elderly.

Trends: Total Electrical Consumption has been increasing from 1997 to 2007 (only calendar year 2004 saw a decrease of 1.46% due in part to outages caused by tropical storms). However for the last three years the total electrical consumption has been on a decreasing trend.

The Per Capita Electrical Consumption has fluctuated overtime with a steady per capita consumption from 2004-2007. However data from 2007-2009 has reflected a significant decrease of 29% in the per capita electrical consumption for residential accounts in Broward County. Since 2007 the number of residential accounts has increased drastically by 54, 462. However, the total residential energy consumption has decreased from 12,581,575,551 kWh in 2007 to 10,504,782,298 kWh in 2009.

Data source: Calendar year data. Florida Power & Light Co., Lynn Shatas

AIR RESOURCES - RESPONSES TO PRESSURES FROM REGULATED STATIONARY SOURCES

NUMBER OF COMPLIANCE INSPECTIONS OF REGULATED STATIONARY SOURCES

Measurement: The compliance inspections are included as a benchmark in order to track one of the regulatory tools used by the Air Quality Program to ensure that operations at major industries and small operations comply with local, state, and federal regulations.

Explanation: Natural Resource Specialists periodically conduct inspections of regulated facilities in Broward County to ensure that the operations are conducted within the regulatory parameters. This measure includes inspections of both major industries and small facilities operating in the County. Regulated Stationary Sources are any air pollutant sources at a fixed location that have been issued an air pollution license or permit by Broward County or the State of Florida.

Trends: The Air Quality Program implemented a Quality Assurance Program for tracking air compliance inspections starting with the 2006 calendar year. In 2009, the total number of inspections increased by 16% compared to 2008.

Data source: Calendar year data, Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Clifton Bittle (954) 519-1208

COMPLIANCE RATE OF REGULATED STATIONARY SOURCES

Measurement: The compliance rate is the percentage of inspected facilities found to be in compliance with the permit/license conditions issued by the Broward County Air Quality Program.

Explanation: The compliance rate is calculated by taking the total number of licensed and permitted facilities and comparing that to the number of license & permitted facilities with enforcement actions issued for the year.

Trends: The Air Quality Program began tracking the compliance rate during the 2007 Fiscal Year. The 2008 benchmark report marked the first year that the compliance rate was included. Data was included from the previous fiscal year. In 2009, the percentage of inspected facilities found to be in compliance was 90% which was a 5% drop from the previous fiscal year.

Data Source: Fiscal year data, Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Clifton Bittle (954) 519-1208

CHANGES IN STATIONARY SOURCE REGULATIONS

Narrative: In 2006, the Board of County Commissioners approved revisions to Broward County's air quality code (Article IV, Broward County Code of Ordinances Chapter 27, Pollution Control) that require the owners and operators of human and animal crematories to periodically conduct air pollutant emissions tests. These tests are intended to help protect the public by assuring compliance with the State of Florida's air pollution emission limitations for crematories. These requirements were amended in 2008 in order to consider revisions that were made to Florida Administrative Code. *Explanation:* On a regular basis, the Pollution, Prevention, Remediation and Air Quality Division evaluates the need to update Broward County's air quality code in order to address new developments and needs.

Trends: The Broward County's air quality code was revised in 2000, 2006 and 2008.

Data source: Calendar year data, Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Clifton Bittle (954) 519-1208

AIR RESOURCES - PRESSURES FROM OTHER SOURCES

DAYS AIR QUALITY WAS IMPACTED BY AN UNUSUAL EVENT

Measurement: This measure represents the number of calendar days that the Air Quality Index was impacted by atypical meteorological events. **Explanation:** Large quantities of dust, originating in the African Sahara, are periodically blown across the Atlantic Ocean and can, on certain days, impact air quality. Other factors such as fireworks, wildfires and open burning can also have an effect on the air quality in Broward County. **Trends:** The Broward County Air Quality Program did not record any days during 2009 where the air quality was affected by wildfires or by Sahara Dust.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Monica Pognon (954) 519 – 1476

AIR RESOURCES - RESPONSES TO PRESSURES FROM OTHER SOURCES

OPEN BURNING REGULATIONS

Narrative: In Broward County, open burning is regulated under Broward County Code Chapter 27, Article IX.

Explanation: To reduce the impact of smoke from open burning operations in Broward County, open burning is subject to required operational practices including minimum set-back distances and prohibitions on the burning of certain materials. In the unusual event of a nearby large-scale fire (e.g., wildfires, forest fires, burning of sugar cane fields) that affects air quality in Broward County, the Broward County Air Quality Program issues public health advisories through the Air Quality Index, EnviroFlash, and local press releases.

Trends: In 2007 the Board of County Commissioners approved revisions to Broward County's open burning code. These changes were deemed necessary to provide for consistency with State of Florida requirements, and to establish comprehensive requirements to reduce the impact from burning of vegetative debris generated by natural disasters.

WATER RESOURCES - SURFACE WATER QUALITY

EVERGLADES WATER QUALITY - PHOSPHORUS AT THE S-9 PUMP STATION, ppb

Measurement: This measure tracks the influence of urban stormwater discharges from the C-11 West Basin (Griffin Road Canal) in Broward County on water quality in the Everglades for the indicated water year (WY) ending April 30th.

Explanation: Phosphorus has been identified as one of the primary pollutants impacting water quality and ecological function in the Everglades. The freshwater Everglades is a highly oligotrophic system (characterized by extremely low nutrient concentrations) that is considered phosphorus-limited. Historically, such low phosphorus concentrations have favored the growth of plants with low nutrient requirements (like saw grass) and have inhibited the growth of plants with higher nutrient requirements (like cattails). However, urban and agricultural discharges rich in phosphorus have created a nutrient imbalance and an environment that now favors the growth of invasive cattails over slower-growing saw grass. As cattails sprout and thicken, they push out native saw grass, wading birds and fish, fill in open water areas, and lower dissolved oxygen levels. To support restoration of the Everglades, the State of Florida has proposed a phosphorus criterion for discharges to the Everglades of 10 parts per billion (ppb). Since the S-9 pump station located in the C-11 West Basin of Broward County is a major source of urban phosphorus pollution to the Everglades, the goal is to reduce average phosphorus concentrations in stormwater and landscape runoff to consistently achieve 10 ppb phosphorus at this site. Water quality improvements are being sought through broad implementation of best management practices such

as source controls on pollution, changes in water management operations, and improvements in surface water quality treatment.

Trends: The phosphorus concentration in discharges leaving the C-11 West Basin via at the S-9 pump station has trended downwards. Annual concentrations averaged 16.7 between WY 01 and WY 05 and 12.7 ppb between WY 06 and WY 10. Average annual phosphorus concentrations measured during the last 5 years have consistency been below the period of record average of 14.62 ppb.

Data source: Water Year - May 1 to April 30, Grab Samples. South Florida Water Management District, DB Hydro Database. Data summary, Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Dr. Jennifer Jurado (954) 519-1464

URBAN FRESHWATER QUALITY IN THE C-13 CANAL, PERCENT IMPROVEMENT OVER THE 1995 BASELINE

Measurement: This performance measure is calculated based on four quarterly sampling events per calendar year obtained from Environmental Protection and Growth Management Department's surface water quality monitoring network along the fresh water portion of the C-13 (Middle River) canal (University Drive to Interstate 95) as measured at Environmental Protection and Growth Management Department station numbers 12, 13 and 14. Station 13 was dropped from the monitoring network in 2006. Percent improvement is measured by comparing the overall annual average water quality index of these three stations against their 1995 (baseline) overall annual average water quality index. The index is calculated using the Florida Department of Environmental Protection's Florida Stream Water Quality Index (WQI) to rate the quality of fresh water systems. The WQI is based on the measurement of six water quality categories: water clarity, dissolved oxygen, oxygen-demanding substances, bacteria (total and fecal coliform), nutrients and biological diversity with each category potentially having more than one parameter. Total coliform was dropped as a parameter in 2006. We converted annual average raw data for the six categories to index values from 0-99 and assigned a percentile value based on Florida stream water quality data. The Environmental Protection and Growth Management Department WQI is based on the five water chemistry parameters as biological diversity measurements are not available for Broward County surface waters.

Explanation: County and federal governments have developed and improved regulations and programs intended to impact surface water quality positively since 1995. These regulations and programs encompass three areas: 1) redevelopment of areas constructed before the implementation of surface water management regulations, 2) the 5-year renewal of surface water management licenses issued before 1989, and 3) the Broward County National Pollution Discharge Elimination System Municipal Separate Storm Sewer System Permit. The C-13 Canal basin was selected because most of the basin is outside independent drainage districts and is subject to Environmental Protection and Growth Management Department's surface water management regulations.

Trends: Both natural and human events impact this measure causing variability. Rainfall and stormwater runoff are particularly strong influences on water quality. Readers interested in this benchmark should look at long term trends not annual variability. In 2006, total nitrogen concentrations were 44% lower than the previous year resulting in the improved water quality index. In 2007, total nitrogen concentrations were higher but improvements in the concentrations of dissolved oxygen, total phosphorus and fecal coliform resulted in overall improved water quality. In 2008, a 21% increase in total nitrogen concentrations over 2007 levels, coupled with a decline in dissolved oxygen levels resulted in a decline in overall water quality. In 2009, total dissolved nitrogen concentrations decreased and dissolved oxygen levels increased slightly. However, these improvements were offset by over a 2 fold increase in the annual average of fecal coliform for these two sites resulting in an overall decline in water quality. The large increase in fecal coliform levels could be attributed to an extremely high fecal coliform count at site 14, second quarter. There was a decline in the 2009 WQI, but overall water quality remains good.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention Remediation and Air Quality Division, Nancy Craig PhD, (954) 519-1411

ESTUARINE WATER QUALITY IN THE C-13/C-14 CANALS, PERCENT IMPROVEMENT OVER THE 1995 BASELINE

Measurement: This performance measure is calculated based on four quarterly sampling events per calendar year obtained from Environmental Protection and Growth Management Department's surface water quality monitoring network within the tidal portion of the eastern C-13 (Middle

River and Coastal Basin) and eastern C-14 Canals (Cypress Creek and Pompano Canals, east of I-95) as measured at Environmental Protection and Growth Management Department station numbers 5 and 10. Percent improvement is measured by comparing the overall annual average Tropic State Index (TSI) of these two stations against their 1995 (baseline) overall annual average TSI. The index is calculated using the Florida Department of Environmental Protection's Trophic State Index, to rate the quality of estuarine systems. The annual TSI is based on raw annual average measurements of chlorophyll and nutrients. Calculating an overall TSI value requires both nitrogen and phosphorus measurements. *Explanation:* County and federal agencies have developed and improved regulations and programs to affect surface water quality positively since 1995. These regulations and programs encompass three areas: 1) redevelopment of areas constructed before the implementation of surface water management regulations, 2) the 5-year renewal of surface water management licenses issued before 1989, and 3) the Broward County NPDES Municipal Separate Storm Sewer System Permit. The C-13 and C-14 Canal basins were selected because most of the basins are outside independent drainage districts and are subject to Environmental Protection and Growth Management Department surface water management regulations.

Trends: Both natural and human events impact this measure causing variability. Rainfall and stormwater runoff are particularly strong influences on water quality. Readers interested in this benchmark should look at long term trends not annual variability. In 2006, the index was impacted by chlorophyll readings 2.8 times higher than the previous years. Total nitrogen values were actually 28% lower. In 2007, the average chlorophyll value was approximately four times less than 2006 and total nitrogen values fell resulting in an improvement in water quality over the 1995 baseline. In 2008, total nitrogen and chlorophyll concentrations increased over 2007 values by 48% and 18% respectively. The 2008 TSI indicates an increase in productivity compared to the 2007 TSI value, however, water quality remains good in this system. In 2009, there was a 28% increase in chlorophyll but TN and TP declined 10 and 21% respectively resulting in a slight improvement in overall water quality based on the Trophic State Index.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention Remediation and Air Quality Division, Nancy Craig PhD, (954) 519-1411

PRESSURES ON SURFACE WATER QUALITY

URBAN STORMWATER RUNOFF

Narrative: Urban stormwater runoff has been identified as the major source of pollution to our surface waters. This runoff is often referred to as non-point source pollution because its origins are diverse and difficult to trace and it is generally representative of pollution captured over a broad area.

Explanation: Nutrients are one of the major pollutants of concern since their input to waterways can stimulate high levels of algal growth, reductions in oxygen concentrations, and stresses on aquatic life. Where nutrients are present in discharges to the Everglades and coastal areas, the impacts can be especially deleterious, resulting in significant shifts in the composition of aquatic plant communities. Fertilizers and pet waste are known to be significant sources of nitrogen and phosphorus (the most critical nutrients), but sediments can also pose a problem. Sediments can be introduced to surface waters when rainfall washes across roadways and during construction projects. Rainfall can pick up more than sediments. Other pollutants of concern are heavy metals, hydrocarbons, and certain trace elements. Many of the County's efforts to reduce urban stormwater runoff have included source controls. Development projects are now required to provide more on-site retention and pretreatment systems that help remove pollutants from runoff. The County encourages the integration of creative stormwater designs into permitted site plans through its green building goals, priorities and informative websites. "Green" infrastructural approaches to stormwater management serve to infiltrate, evapotranspirate or reuse stormwater. A number of training programs have also been implemented, with courses

in construction and landscape best management practices. Other efforts include street sweeping programs, storm drain cleaning and community outreach.

Trends: As older properties undergo development and redevelopment, these sites are required to comply with current surface water management regulations. This means that fewer and fewer sites contain drainage systems that predate today's modern standards. Redevelopment accounts for the majority of construction projects underway in Broward County and it is expected to continue to be prominent during the next several decades. While the development process itself creates an opportunity for sediment erosion and loading, strict sediment controls and dewatering practices help to minimize the disturbance and potential impacts, and the new stormwater management system is generally a substantial improvement to the site. Local governments and communities throughout the State have been growing increasingly concerned with nutrients due to improper landscape practices. In 2008, the County launched a stormwater website at http://www.broward.org/stormwater/ which provides information on new approaches, often referred to "green techniques," that mimic natural processes and integrate stormwater management within the landscape to create multi-functional site designs.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Dr. Jennifer Jurado, (954) 519-1464

BUILDING PERMITS - NEW STRUCTURE/NON-RESIDENTIAL ADDITION APPROVALS ISSUED

Measurement: Before the issuance of construction permits for all new buildings and additions to non-residential buildings within Broward County, developers must obtain environmental review approval from the Broward County Development and Environmental Regulation Division (DER). The approval process includes an evaluation of potential environmental impacts of the proposed construction. To find the number of approvals issued, we query the DER POSSE Construction Application System for the number of approvals issued during the calendar year.

Explanation: A measure of pressures on our natural resources is the number of building permits issued by municipalities and Broward County for all new buildings and additions to non-residential buildings. All building permits require review and approval by DER. Readers should interpret the data with the understanding that developers must obtain building permits for both new construction on vacant land and renovations of existing buildings. Furthermore, a developer may not actually start the construction of an approved project even though they have the permits in hand.

Trends: The economic down turn and surplus of available existing commercial and residential buildings has slowed new construction and has resulted in a decrease in the number of new buildings and additions to non residential buildings over previous years.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Monthly Reports and DER POSSE Construction Application System data base - Environmental Review Section, Martin Weigand, (954) 519-1251

PERCENTAGE OF DEVELOPED LAND NOT SUBJECT TO SURFACE WATER MANAGEMENT REGULATION

Measurement: The percentage of developed land not subject to surface water management regulation is estimated utilizing the South Florida Water Management District GIS surface water management coverage (including the conceptual permits for the independent drainage districts) and the average number and size of developments licensed by Environmental Protection and Growth Management Department and its predecessor agencies.

Explanation: Developed property can contribute a significant amount of non-point source pollution to receiving water bodies. Before the 1970s, runoff from developed property and the associated non-point source pollution was directed away from the property as quickly as practical. Development regulations in effect since the 1970s that instituted surface water management practices have mitigated the water quality and quantity impacts of construction activities. Regulation of the redevelopment of the areas developed before the 1970s will result in improved water quality and quantity in receiving water bodies. Most of the areas not currently under surface water management licenses are in the eastern portion of the developed county.

Trends: The percentage of developed land not subject to surface water management regulation continues to decrease as the County continues its

licensing/permitting activities for new projects and redevelopment projects. The average size of each project has decreased in recent years as the available undeveloped land is exhausted and significantly smaller redevelopment projects now constitute a substantial portion of the projects permitted. Therefore, the percentage decrease has begun to taper off and will likely continue to do so.

Data source: Calendar year data. The South Broward Drainage District, Kevin Hart (954) 680-3337 and the South Florida Water Management District, Tony Waterhouse (561) 686-8800. Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Leonard Vialpando, (954) 519-1473

RESPONSES TO PRESSURES ON SURFACE WATER QUALITY

MILES OF STREETS SWEPT

Measurement: This measure tracks the amount of street sweeping performed as a best management practice (reported in linear miles) in municipal and unincorporated areas included under the National Pollutant Discharge Elimination System (NPDES) permit managed by Broward County. **Explanation:** Streets, roads, highways and parking lots accumulate significant amounts of pollutants that contribute to stormwater pollutant runoff to surface waters. Pollutants, including sediment, debris, trash, and trace metals can be minimized by street sweeping. Street sweeping can also improve the aesthetics of municipal roadways, control dust and decrease the accumulation of pollutants in catch basins. An effective municipal street sweeping program can meet regulatory requirements, assess street sweeping effectiveness, and minimize pollutants in roadways. Weekly to bimonthly sweeping programs can achieve reductions of up to 80 percent in annual total suspended solids and associated pollutants.

Regular sweeping of impervious roadways and parking areas is a best management practice (BMP) recommended by the United States Environmental Protection Agency as part of the NPDES program. Broward County, 26 local municipalities, and the Florida Department of Transportation are copermittees under a shared NPDES permit requiring local implementation of pollution reduction activities to reduce pollutant loads to local water bodies. Street sweeping is just one of the BMPs implemented by co-permittees in the NPDES permit, but can provide an indication of the level of resources and effort being invested by local partners to achieve compliance with the NPDES permit, with the total number of miles swept serving as a proxy for the overall effectiveness of the NPDES program activities in achieving environmental/water quality improvements.

Trends: The overall trend shows an increase in the number of miles swept each year. The increase in miles swept beginning in 2008 reflects better tracking and reporting by select municipalities.

Data source: Calendar year data. Annual NPDES report as summarized by the Florida Department of Environmental Protection. Data summary, Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Ashok Raichoudhury, (954) 519-1490

TOTAL NUMBER OF CERTIFIED NATURSCAPE SITES

Measurement: This measure tracks the total number of properties that have been certified as NatureScapes based on the creation and maintenance of landscapes in a manner consistent with the NatureScape Broward program principles (<u>http://www.broward.org/naturescape/</u>). **Explanation:** Landscape design and maintenance have the ability to exert tremendous influence on the quantity and quality of Broward's water resources. Landscape irrigation is estimated to account for as much as 50% household water consumption and landscape runoff is identified as a major source of water pollution. In 2002, NatureScape Broward program was created as an environmental initiative with the goals to conserve water quantity, protect water quality, and create wildlife habitat through environmentally-friendly landscape practices that include the use of native and other drought tolerant plants, and the prudent use of our water resources. NatureScape properties adhere to the principles of Right Plant, Right Place, Get the Water Right, and other landscape best management practices (including integrated pest management and the use of low and no phosphorus fertilizers). In 2005, Broward County achieved recognition by the National Wildlife Federation (NWF) as a Certified Wildlife

Habitat based in large part on the number of certified NatureScapes registered by the County and the environmental standards by which landscapes are evaluated. The County's certification program serves to recognize those properties that exemplify the NatureScape principles and includes those properties certified under similar programs administered by the NWF and Florida Yards and Neighborhoods Program. NatureScapes include residential, commercial, public, and educational properties, and can range in size from several tens of feet to many acres in total area. In 2006, Broward County and the School Board of Broward County entered into an historical partnership agreement to NatureScape certify all school properties as an environmental goal.

Trends: The total number of NatureScape certified sites reached 2,789 in 2009. The number of certified NatureScapes in Broward County has steadily increased since program inception, with annual increases of 85% in 2004, 50% in 2005, 24% in 2006, 36% in 2007, 24% in 2008, and 10% in 2009. To date, 91 school properties (both public and private) have been certified as NatureScapes, with 24 of those relandscaped under the 2006 School Board Agreement.

Data source: Calendar year data. Data maintained by Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Diana Guidry (954) 519-0317

NUMBER OF EDUCATIONAL PROGRAMS DELIVERED

Measurement: This measure tracks the total number of water resources educational programs delivered on an annual basis beginning in County fiscal year 2005. The data reported is for the fiscal year indicated ending September 30th.

Explanation: The NatureScape Broward, Know the Flow and Water Matters Day components of the County's Integrated Water Resources Plan are part of an educational outreach campaign designed to produce long-term water demand reductions and water quality improvements. NatureScape Broward promotes "Florida-friendly" landscaping through classes, workshops, and presentations conducted by County staff, the NatureScape Broward website, and dissemination of printed materials. Participants are taught about the benefits of using native plants in landscapes, landscaping best management practices, and protecting water quality through prudent use of lawn chemicals. Under a partnership agreement with the School Board of Broward County, NatureScape Broward principles are being integrated into school landscapes and the educational curriculum at middle schools throughout the County. Through landscape make-overs, students, teachers and school maintenance staff learn the value of native landscaping and landscape best management practices that conserve water and reduce pollution. The Know the Flow Water Management District. This course provides a comprehensive overview of water management in Broward County and encourages participants to adopt environmentally sound landscaping and stormwater best management practices to help protect water resources while maintaining essential flood control. The County's premier environmental educational event is Water Matters Day, an annual community outreach event that educates homeowners about the role they play in managing water resources in their homes, yards and communities. Water Matters Day features water related educational booths, plant giveaways, workshops and family entertainment to help residents understand the importance of protecting our water resources and to learn how to maintain environmentally-friendly landscapes.

Trends: Since 2005, 484 water resource-related educational programs have been delivered by County staff to 22,248 people, including residents, Master Gardners, teachers, students, government employees, and civic and business groups. The 2009 goal to deliver 90 programs was exceeded by 180% with the delivery of 162 programs. Through the NatureScape Broward and School Board partnership, 37 District teachers and 42 custodial/maintenance staff were trained and program information was provided to an additional 765 teachers, administrators, custodial staff and other school board employees. Over 9,100 Broward County students have directly participated in educational lessons that raised their consciousness on the importance of environmental stewardship. Know the Flow seminars totaled 47, attended by 1097 participants. The Seventh Annual Water Matter Day event held in March, 2009 was attended by 3,200 participants, and in 2009 the NatureScape Broward and Water Resources websites had 35,373 visits.

Data source: County fiscal year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning

and Management Division, Robert Rudolph, (954) 519-0328

C-11 WEST CANAL BASIN/ BROWARD EVERGLADES WORKING GROUP ACTIVITIES

Narrative: The State's Long-term Plan for Achieving Water Quality Goals in the Everglades Protection Area Tributary Basins(2003) (LTP) was developed to bring greater focus to pollution reduction efforts relating to Everglades Construction Project (ECP) and Everglades Stormwater Program (ESP or Non-ECP). The ultimate goal of the LTP was to detail the methods by which pollution reductions would be achieved, consistent with the State's proposed water quality criterion of 10 parts per billion (ppb) phosphorus for discharges into the Everglades. In response to the LTP's recommendations, and through the efforts of the Broward County Natural Resources Planning and Management Division and the South Florida Water Management District, the Broward Everglades Working Group (BEWG) was convened in 2004 to develop and implement strategies to achieve water quality improvements in Broward County in support of Everglades restoration. There are three ESP Basins in Broward County (North Springs Improvement District, North New River Canal Basin, and C-11 West Basin).

Explanation: The C-11 West Basin is the County's major source of stormwater discharge and urban pollution to the Everglades, so controlling polluted stormwater discharges to the Everglades from the C-11 West Basin is the primary goal of the BEWG. Stakeholder groups in the C-11 West Basin, including municipalities, drainage and water control districts, the agricultural industry and others, were invited to identify and implement specific strategies for reducing phosphorus pollution in urban landscape which contributes to the degradation of the Everglades. The result was the C-11 West Basin Pollution Reduction Action Plan, which stakeholders are currently working to implement. The BEWG meets regularly to review progress relative to water quality goals and pollution reduction commitments, and to identify strategies for enhancing efforts.

Trends: Since the first meeting was convened in May 2004, a total of fourteen BEWG meetings have been held. The collaborative, inclusive, and voluntary process by which the BEWG has operated serves as a model for similar local pollution reduction efforts. Participants representing drainage districts and municipalities approved the final draft of the C-11 West Basin Pollution Reduction Action Plan, which was subsequently adopted as part of the LTP. In 2009, the BEWG meet two times, and will continue to meet to report activities, assess progress, and modify pollution reduction actions as needed to meet water quality goals. In January 2009, Broward County and the South Florida Water Management District amended the Non-ECP Basins Public Information and Education contract to provide Know the Flow program delivery, staff training and educational materials in support of water quality protection and Everglades restoration within Broward County's Non-ECP basins. This agreement complements efforts to improve and protect water quality within the C-11 West Basin and provides for education to residents, property managers, business owners and the regulated community in Non-ECP basins on the relationship between the Everglades and our urban landscape and water management practices. Information on the Know the Flow program can be found at http://www.broward.org/knowtheflow/.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Robert Rudolph, (954) 519-0328

CLEAN WATER ACT - TOTAL MAXIMUM DAILY LOAD PROGRAM

Narrative: A Total Maximum Daily Load, or TMDL, is the maximum amount of a pollutant a surface water body can assimilate and still meet State water quality standards. TMDLs are established by the State for all waters that have been deemed impaired for one or more pollutants, such as nitrogen, phosphorus, bacteria and heavy metals. The goal of the TMDL program is to reduce pollutant loads to impaired waters to levels that allow them recover and meet their designated uses.

Explanation: Section 303(d) of the Federal Clean Water Act requires the development of TMDLs for all surface waters nationwide which the States have identified as impaired, or not meeting State water quality standards. The U.S. Environmental Protection Agency is ultimately responsible for TMDL development, but in the State of Florida this task has been largely delegated to the Florida Department of Environmental Protection (FDEP). In response, the FDEP developed a science-based methodology for assessing waters statewide and adopted it by rule (Impaired Waters Rule, or IWR, Rule 62.303, FAC). The FDEP develops TMDLs for waters that have been verified impaired through application

of the assessment methodology in the IWR. The TMDL development process requires significant interagency collaboration and information sharing among the FDEP, Counties, Water Management Districts and other stakeholders on appropriate methods of assessment to ensure the most comprehensive assessment of surface waters possible. Broward County has provided the State with water quality data for the assessment of County surface waters for many years, and has been a key contributor to the development of TMDLs and implementation strategies.

Trends: Six water bodies in Broward County are currently on the State's verified list of impaired waters. The County's first TMDL was completed in June, 2008 for the Pompano Canal and a Basin Management Action Plan (BMAP) was developed to accomplish the goals of the TMDL. The complemented BMAP relies upon measures the County has already implemented in the Pompano Canal basin since the time of its impairment listing to achieve the necessary pollutant load reductions and in considered complete based on realized water quality improvements. In 2010 the FDEP completed a reassessment of the County's surface waters under the IWR and prepared a draft list of impairments. County staff are coordinating with the FDEP on finalization of the draft list which is anticipated in late 2010. Information on the State's TMDL program can be found at http://www.dep.state.fl.us/water/tmdl/index.htm.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Dr. Jennifer Jurado, (954) 519-1464

ACTIVE CONSTRUCTION SITES WITHIN BROWARD COUNTY JURISDICATION WITH SURFACE WATER MANAGEMENT LICENSES

Measurement: This measure tracks the number of surface water management system construction authorizations issued outside of the independent drainage districts.

Explanation: Construction activities represent a significant potential for pollution runoff to surface waters as a result of the exposure of bare soils to precipitation and dewatering of soils for foundation and underground utility installation. Improper management of sediment and erosion or inadequate dewatering controls may result in turbidity-related pollution events in adjacent water bodies. Excess sediment in a water body (turbidity) makes it difficult for aquatic plants to receive the sunlight necessary for growth, smothers aquatic habitat, clogs fish gills, and over time impedes navigation by reducing the water depth. The turbidity associated with construction activities may pose significant risk for aquatic communities as the violations often involve high levels that can be sustained over several weeks if not quickly controlled. In addition, sediments that remain suspended are generally negatively charged and will therefore attract positively charged molecules such as phosphorus, heavy metals and pesticides that are then released slowly into the water column. The Florida Stormwater, Erosion, and Sedimentation Control Inspector's Manual contains BMPs for construction activities during and after construction to reduce erosion and sedimentation and to properly manage runoff for both stormwater quantity and quality.

Trends: The total number of open construction authorizations remains high, which may indicate that a growing number of projects are taking longer to complete due to recent changes in the real estate market. In addition, Senate Bill 360 from the 2009 legislative session and Senate Bill 1752 from the 2010 legislative session granted two-year extensions to a number of open construction projects.

Data source: Calendar year data. Surface Water Management licensing databases, FOXPRO and POSSE. Data summary, Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Leonard Vialpando, (954) 519-1473

TOTAL SURFACE WATER MANAGEMENT CONSTRUCTION LICENSES ISSUED SINCE 1989

Measurement: This measure tracks the total number of surface water management licenses issued since 1989 each calendar year.

Explanation: The Surface Water Management Program is responsible for licensing all construction of surface water management systems as required under Broward County Code of Ordinances, Chapter 27, Article V, renewal of operation licenses, and certain environmental resource, wetland resource and surface water management permitting, compliance and enforcement responsibilities under part IV, Ch 373, F.S. and the rules promulgated thereto as set forth in the Delegation Agreement Among the Florida Department of Environmental Protection, the South Florida Water Management District and the Broward County Board of County Commissioners. Please reference the ERP Delegation Boundary Map

depicting the areas for which Broward County has delegated authority for the Environmental Resource Permit (ERP) program (<u>http://www.broward.org/EnvironmentAndGrowth/EnvironmentalProgramsResources/Applications/Pages/Applications.aspx</u>). Properly designed, constructed, operated, and maintained drainage systems remove pollutants from storm runoff prior to discharging into Broward County's surface waters and provide the required levels of flood protection in accordance with established criteria for proposed developments. There are currently 35,700 acres of existing pre-regulation developed land without a required surface water management license in the ERP delegated areas.

Trends: The total number of surface water management licenses issued is dependent upon the real estate market and population growth and includes major redevelopment or expansion of existing developed areas.

Data source: Calendar year data. Surface Water Management licensing databases, FOXPRO and POSSE. Data summary, Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Leonard Vialpando, (954) 519-1473

WATER RESOURCES - GROUNDWATER QUALITY

PERCENT OF POTABLE WATER WELLS MEETING DRINKING WATER STANDARDS

Measurement: This measure tracks the percent of public water supply wells that do not contain regulated substances exceeding the drinking water standards. Supply wells from 39 public wellfields are sampled quarterly for regulated substances stored, handled, used and produced by businesses located in the source water assessment area of each supply well. Regulated substances are hazardous chemicals listed in Article XIII, Appendix A of the Broward County Code of Ordinance - Pollution Control (Chapter 27).

Explanation: The purpose of wellfield protection is to prevent contaminants from reaching and polluting the public water supply. We designed compliance inspections and water monitoring plans to ensure the proper storage, handling, use and production of hazardous materials, some of which contain regulated substances, at businesses located in the public wellfields. Monitoring wells are constructed and sampled by businesses in the public wellfields to monitor releases from the businesses. Raw water is sampled from public supply wells to verify that regulated substances are not contaminating the public water supply. In 2001, we began to upgrade the Wellfield Protection Program through a Source Water Assessment and Protection Program grant from the Florida Department of Environmental Protection. The ultimate goal of this program is to identify all potential sources of contaminants within the public wellfields, maintain an inventory of all active public supply wells, reduce the quantity of chemicals containing regulated substances in the public wellfields, and monitor businesses using these chemicals for compliance with *Chapter 27*.

Trends: The percent of public supply wells that do not contain regulated substances exceeding the drinking water standards continues to remain at 100%. More than 3.5 million gallons of liquid hazardous materials and more than 1.5 million pounds of solid hazardous materials are stored, handled, used and produced within the public wellfields. We continue to provide protection for the water supply from these chemicals through inspections, public education, water monitoring plans and enforcement.

Data source: Calendar year data. Quarterly raw water sampling data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Harvey I. Schneider, PhD, (954) 519-1439

PRESSURES ON GROUND WATER QUALITY

PERCENT SALTWATER MONITORING WELLS WITH CHANGING CHLORIDE CONCENTRATION, 2000 BASELINE

Measurement: This performance measure reflects the potential for saltwater intrusion to impact potable water supplies. It is based upon data from monitoring of the Regional Saltwater Intrusion Monitoring Network in Broward County. The changes are classified as the percentage of all monitored wells in the Regional Network whose chloride concentration increased or decreased, expressed as a logarithm, by 0.5 or remained unchanged from the baseline year (2000). Individual well chloride concentrations are annual averages recorded for the well in the calendar year indicated with the exception of the current year which is as of June 30th.

The following wells, using their USGS identification numbers, are monitored for this performance measure:

G-2149	G-2445	G-2693	G-2697	G-2752	<i>G</i> -2785
G-2893	G-2894	G-2896	G-2897	G-2898	G-2899
G-2900	G-2901	G-2902	G-2903	G-2904	G-2906

Explanation: The presence of elevated levels of chloride in potable water supplies can cause treatment problems because it cannot be removed by certain types of treatment plants and the treated water is subject to the secondary water quality standard for chloride. We think that changes in chloride concentrations, expressed as the common logarithm of 0.5 tend to correlate with the degree of coastal saltwater intrusion, and low values indicate a lack of saltwater contamination at the monitoring point. As of 2002, Well G-2901 has been deleted from the network due to a leaky casing giving false readings. A data correction for well G-2693 (previously G-2694) resulted in a change in 2001 which previously caused a false indication of declining chlorides in that well. As of 2003, G-2894 was destroyed reducing the network to 16 wells. Find additional technical information at <u>http://www.sflorida.er.usgs.gov/edl_data/text/brw_gw.html</u>.

Trends: Complete data for 2009 and partial data for 2010 show three wells where the increase in chloride concentrations exceeds a 0.5 logarithm change (G-2693, G-2898, G-2899). This result suggests the saltwater intrusion front may be advancing in the areas monitored by these wells. Seven other wells (G-2697, G-2893, G-2896, G-2897, G-2900, G-2904 and G-2906) show a lesser increase in chloride concentration compared to the 2000 baseline. However, the change in chloride concentration in these seven increasing wells does not exceed a 0.5 logarithm change. Wells G-2149, G-2445, G-2752, G-2785, G-2902, and G-2903 appear to be leveling off if not showing small decreases.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Michael Zygnerski, (954) 519-1450

PERCENT BROWARD COUNTY WHERE CENTRAL DOMESTIC SEWER SERVICE IS NOT AVAILABLE

Measurement: The percentage of the developed portion of the County without central sewage service is estimated utilizing the Environmental Protection and Growth Management Department GIS coverage and the average number and size of developments licensed by the Environmental Protection and Growth Management Department. We assume on-site sewage treatment facilities, such as septic systems serve areas without central, domestic sewer service.

Explanation: Broward County's drinking water comes primarily from the Biscayne Aquifer, a shallow ground water aquifer. Its proximity to the surface leaves it vulnerable to various types of contamination including septic systems. In older areas of the County, aging tanks and drain fields may cause the septic system to fail to treat incoming sewage and household waste effectively. A reduction of these systems especially in industrial areas will lower the contamination threat to the aquifer.

Trends: The percentage of area where central domestic sewer service is not available continues to decrease. In previous years, the percentage decreased as new subdivisions were developed. More recently, redevelopment activities have increased while new subdivisions have decreased. The City of Fort Lauderdale and unincorporated Broward County continue to provide central sewage system connections where properties had been served by on-site treatment and disposal facilities.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Leonard Vialpando, (954) 519-1473

TOTAL SOLID WASTE PRODUCED, MILLION TONS/YEAR SOLID WASTE PRODUCED, TONS/YEAR/PERSON

Measurement: This performance measure tracks the quantity of solid waste produced in Broward County. Broward County Waste and Recycling Services (WRS) provide data on waste production by Broward County to the Florida Department of Environmental Protection (FDEP). The FDEP, Bureau of Solid and Hazardous Waste, Division of Waste Management, publishes the data in the Solid Waste Management in Florida Annual Report (<u>http://www.dep.state.fl.us/waste/quick_topics/publications/default.htm</u>). The total waste tonnage includes construction and demolition debris. Per capita amounts are based upon Census 2000 figures.

Explanation: Tracking of the handling, management and disposal of solid waste helps to prevent illegal dumping and allows the maintenance of sufficient disposal options for future generations.

Trends: For the first time since 1997, the total waste produced in Broward County has decreased (0.4% between 2006 and 2007), perhaps associated with the downturn in the economy.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Sermin Unsal, (954) 519-1460

NUMBER OF CONTAMINATED SITES

Measurement: This is the total count of sites with petroleum contamination that are being cleaned up or are awaiting cleanup.

Explanation: One of the greatest threats to our drinking water supply is contamination from leaking underground petroleum

storage tanks. The Biscayne Aquifer, Broward County's sole source of drinking water supplies, lies very close to the surface, making it extremely vulnerable to contamination from surface and near-surface pollution sources. Underground petroleum storage tanks are the most common of these sources.

Trends: Overall, the historical data shows continued variability in the number of contaminated sites, with a 2.3% increase in the number of contaminated sites since 2005. Under State rules, many underground fuel tanks need to be replaced by the end of 2009; as tanks are replaced, new contamination is discovered and, therefore, this number is anticipated to increase through 2009.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Lorenzo Fernandez, (954) 519-1249

NUMBER OF HAZARDOUS MATERIAL AND STORAGE TANK LICENSES

Measurement: This is the number of hazardous materials and storage tank licenses issued by the Pollution Prevention, Remediation and Air Quality Division (PPRAQ). It includes facilities with current facility management licenses for hazardous materials, storage tank, or wellfield hazardous materials activities. It also includes the number of facilities with current consolidated facility management licenses for hazardous materials/storage tank activities and wellfield hazardous materials/storage tank activities. A current license is one that the PPRAQ issues before the end of the quarter and that expires on or after the end of the quarter. The number does not include un-issued new licenses in process or facilities facing enforcement action for non-renewal or operating without a license through September 30th of the year given.

Explanation: Businesses that handle and store hazardous materials represent a potential threat to ground and surface water quality. PPRAQ licenses and inspects facilities operated by these businesses to minimize this threat. Licensing information is available to the public on the web at http://dpep.broward.org/ENVIROS/.

Trends: Though some new licenses continue to be issued, there has been an increase in licenses lost to closures of small businesses. As a result of the ongoing economic downturn, we expect that the number of licensed facilities will continue to decease slightly as there are fewer new

businesses opening and businesses continue to close at a higher-than-normal rate. Also, the number of storage tank facilities have decreased as a result of the

Data source: County fiscal year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Connie Boden, (954) 519-1405

AMOUNT OF HAZARDOUS MATERIALS HAULED, MILLION GALLONS

Measurement: This measure tracks the amount of discarded hazardous material, sludge, and biomedical waste transported to, from and within Broward County. Environmental Protection and Growth Management Department licensed waste transporters submit a report to Environmental Protection and Growth Management of the total amount of waste they transport on a monthly basis.

Explanation: In Broward County, certain discarded hazardous material, sludge, and biomedical waste hauling are regulated to eliminate deleterious effects upon the quality of air, waters, soils, and human health from improper disposal. Tracking of these wastes helps to prevent illegal dumping.

Trends: The total amount of discarded hazardous material, sludge, and biomedical waste hauled decreased approximately 16% during year 2006 due. Currently, EPD cannot attribute this decrease to any particular issue.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Sermin Unsal, (954) 519-1460

NUMBER OF NEW REPORTED DISCHARGES

Measurement: This measure tracks the total number of discharges reported (mostly from petroleum storage tank facilities) during the County fiscal year which ends on September 30 of the year shown.

Explanation: Discharge Reporting Forms (DRFs) are required to be completed and submitted to the Pollution Prevention, Remediation and Air Quality Division within 24 hours of determination that a discharge has occurred. These reports are usually based on analytical results or visual observations of a spill of regulated substances that may have impacted the soil, groundwater or surface waters of the County. Upon receipt of DRFs, field staff perform discharge investigation inspections, verify that a discharge has actually occurred, complete their inspection reports electronically utilizing FDEP's database, and initiate cleanup tracking activities.

Trends: As storage tank technology improves, both the County and the State require all facilities to upgrade to tanks meeting the next level of safety by a specific year. The number of reported discharges has historically correlated to storage tank systems' upgrade years. This occurs because discharges are observed and identified in the process of removing/upgrading the old tanks. Facility owners/operators steadily reported discharges to a peak around an upgrade year, a post-peak drop thereafter and a steady increase until the next upgrade event. The final upgrade requirement deadline was December 31, 2009. In FY07, a 41.3% jump in reported discharges was mostly attributed to discharges discovered when facilities upgraded their single wall storage tank systems in anticipation of the December 31, 2009 deadline. By the end of FY07, the majority of the storage tank systems had met the upgrade requirements, and any associated discharges represented the post-peak downward trend associated with the mandatory upgrades. In FY08, a 38.5% drop in reported discharges has again dropped by 22.5%, continuing the post-peak downward trend associated with the December 31, 2009 upgrade deadline. Currently, as of July 30th, 2010, some 97% of the storage tank systems within the County have met the upgrade requirements.

Data source: County fiscal year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Ali Younes, (954) 519-1486

RESPONSES TO PRESSURES ON GROUND WATER QUALITY

LOCAL SURFACE WATER MANAGEMENT

Narrative: Surface water management improvement projects designed to increase the storage of stormwater and landscape runoff within the secondary canal system serve to increase aquifer recharge and can raise ground water levels. Aquifer recharge is an important means of combating saltwater intrusion.

Explanation: Broward County consists of a diverse water management community with dozens of discrete water management entities, including municipalities, drainage/water control districts, water suppliers, and water managers. Water is a regional resource, however, with management implications that extend well beyond the jurisdictional boundaries of individual entities. The need for a coordinated approach among water managers to effectively meet the County's future water supply needs and water resource goals resulted in the establishment of the County-wide Integrated Water Resources Plan (IWRP). The IWRP is implemented by the Broward County Natural Resources Planning and Management Division, in partnership with local governments, water providers and water managers, to further efficient and effective water resource planning and management activities with a focus on coordination and cooperation. Elements of the IWRP include water resource assessments; development of technical tools to aid in planning and management decisions; development and implementation of diverse traditional and nontraditional water management strategies; a comprehensive water conservation outreach and education program; and projects that are multi-jurisdictional in nature and that have multiple water resource benefits. A principle water management strategy of the IWRP has been to better utilize its existing canal infrastructure to move water to areas where it can be used for a number of beneficial uses, including recharge of our existing groundwater supplies, rehydrating urban wetlands, and preventing saltwater from intruding into our coastal wellfield areas. Information on the Integrated Water Resource Plan can be found at http://www.broward.org/IWRP/Pages/Default.aspx.

Trends: Since 2006, and through the IWRP, the County has provided interlocal partners with cost share funding for numerous projects to improve surface water management, enhance wellfield recharge and stormwater reuse, and to investigate ways to abate saltwater intrusion into coastal wellfields. Broward County has partnered with the United States Geological Survey to develop saltwater intrusion models for northern, central and southern Broward County. These models will provide water managers with a better understanding of the degree to which climatologic factors and water management operations influence saltwater intrusion, and will guide future efforts in effective management of saltwater intrusion. The County has developed an advanced hydrologic model to assist local water managers in identifying and quantifying the benefits of various secondary canal improvement projects and it is being applied in the development of a County-wide Water Management Master Plan for surface water and groundwater resources.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Dr. Jennifer Jurado (954) 519-1464

NET GAIN/LOSS IN SEPTIC SYSTEM WASTEWATER FLOW, THOUSANDS OF GALLONS/DAY

Measurement: This is the net gain or loss in wastewater flow handled by septic tank facilities (also known as on-site treatment) associated with certain building permit approvals granted for the subject period. The flow figures used are those identified for new septic tank installations minus those identified for septic to sewer conversions by calendar year.

Explanation: This performance measure compliments the information provided by the "Percentage of the county where central domestic sewer service is not available" performance measure. This measure of progress is designed to deal with both sides of the equation. It provides a comparative analysis of development approvals that either involve flows associated with new on-site treatment and disposal system (septic) installations or add to the total flows handled by sanitary sewer facilities.

Trends: The County's Neighborhood Improvement Projects and City of Fort Lauderdale's "Water Works 2011" projects continue to be completed in phases and released for use resulting in a large influx of septic to sewer conversions. These Neighborhood Improvement Projects are ongoing and we anticipate this trend of high septic to sewer conversions for the next several years.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Monthly Reports - Environmental Review Section, Martin Weigand, (954) 519-1251

PERCENT OF SOLID WASTE RECYCLED

Measurement: This performance measure tracks the percent of recyclable materials separated from the total waste stream.

Explanation: Tracking of the handling, management and disposal of solid waste helps to prevent illegal dumping and allows the maintaining of sufficient disposal options for future generations.

Trends: The percentage of solid waste recycled increased substantially in 2008, but the metric, overall, reflects a downward trend.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Sermin Unsal, (954) 519-1460

PERCENTAGE OF CONTAMINATED SITES CLEANED UP TO STATE STANDARDS

Measurement: This is the cumulative percentage of contaminated sites cleaned up to state standards in the indicated calendar year.

Explanation: One of the greatest threats to our drinking water supply is contamination from leaking underground petroleum storage tanks especially where these sources are within drinking water wellfield zones. The Biscayne Aquifer, Broward County's sole source of drinking water supplies, lies very close to the surface, making it extremely vulnerable to contamination from surface and near-surface pollution sources. Underground petroleum storage tanks are the most common of these sources.

Trends: The historical data shows a continued increase in the percentage of sites cleaned up. However, new discharges make the cleanup of all sites a moving target. For example, under State rules, many underground fuel tanks need to be replaced by the end of 2009; as tanks are replaced, new contamination is discovered which will need to be cleaned up.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Lorenzo Fernandez, (954) 519-1249

NUMBER OF LICENSED HAZMAT SITES INSPECTED

PERCENT OF LICENSED HAZMAT SITES INSPECTED AND FOUND TO BE IN COMPLIANCE

Measurement: This is a measure of the field activities of the Pollution Prevention, Remediation and Air Quality Division to inspect the holders of hazardous material management licenses in Broward County during the fiscal year indicated. The total number of inspections and their respective outcomes is compiled by using the Pollution Prevention, Remediation and Air Quality Division's Licensing and Inspection database, POSSE – <u>P</u>ublic <u>One Stop SE</u>rvice. A POSSE query provides the number of inspections completed, the number of those inspections that resulted in an incompliance or out-of-compliance status, and the number of licensed facilities inspected in any given time period, regardless of how often some facilities may have been visited in that same time period. For the purposes of this report, annual figures are compiled for the fiscal year indicated, beginning on October 1st and ending September 30th.

Explanation: Compliance with hazardous material and storage tank regulations will generally result in decreased incidences of pollution. Furthermore, site visits by the Pollution Prevention Section staff, general knowledge within the regulated community of an ongoing inspection program, and the potential of enforcement action for non-compliance will also result in increased compliance. The Pollution Prevention, Remediation and Air Quality Division designed these metrics to track both the activity and outcome associated with the number of satisfactory hazardous material facility inspections.

Trends: The number of licensed hazardous material facilities inspected has, for all intensive purposes, leveled off with minimal impact at 3,205 in
FY09, down from 3,218 (0.4% drop) in FY08. Recall that this metric had decreased by 16.8% between FY07 and FY08. That decrease had ended an upward trend that had begun back in 2004; and was attributed, in part, to the economic crisis and the associated budget cuts that had resulted in a reduction of inspection personnel. Furthermore, the number of times inspectors visited a given facility (frequency of facility inspection) increased in FY08, contributing to the decrease in the number of facilities visited. On average, in FY08, licensed facilities were inspected 1.8 times per year versus 1.45 times in FY07. In FY09, this facility inspection frequency has held steady at 1.8. The primary reasons for this frequency of facility inspections are: 1. On average, storage tank system installation activities may take up to eight (8) site visits to complete the installation inspection. 2. Closure inspections may also take up to three (3) site visits. 3. Out-of-compliance facilities are revisited as needed to eventually achieve compliance, and 4. Response to complaints and reported discharges often result in additional site This continued steady performance along with the unwavering number of facilities inspected reflect an effective revisits/inspections. allocation of staff to maintain the inspection activities, and address a surge in the installation and/or closure inspections at licensed facilities due to the rising emergency preparedness needs (emergency power generator tanks) and the Dec. 31st, 2009 upgrade schedule requirements for single wall storage tank systems. The percentage of licensed facilities inspected determined to be in compliance averaged at 69.8% over the past three years, with 71.5% in FY07, 69% in FY08 and again 69% in FY09. The steady trend (69% compliance rate) of this metric continues to be due to a specific focus on Wellfield and Drycleaner facilities, and the inability of single wall storage tank system/facility owners/operators to maintain compliance and secure/maintain pollution liability insurance or provide proof of financial responsibility as required. For instance, in FY08, 67% of the Significant Non-Compliance violations cited at storage tank facilities were related to liability insurance/financial responsibility issues. Furthermore, an additional 22% had to do with release detection. In FY09, those statistics measured at 74% and 20% respectively. Both of these requirements directly correlate to single wall storage tank systems required to have upgraded to double wall by Dec. 31st, 2009. Data source: County fiscal year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention, Remediation and Air Quality Division, Ali Younes, (954) 519-1486

WATER RESOURCES - GROUND WATER QUANTITY

PERCENTAGE OF GROUND WATER MONITORING WELLS WITH CHANGING GROUND WATER LEVELS

Measurement: This measure tracks the change in ground water levels with respect to a long-term (16 year) average at seven (7) ground water monitoring wells representing northern, central, and southern parts of Broward County and extending from west to east. The response is presented as the percentage of total wells with changes in ground water levels that are considered "substantial." A change is termed "substantial' if the difference between the current annual average compared to the historic mean is greater than one standard deviation as measured over the baseline period of record (1983 to 1999).

Explanation: Surface water management operations in Broward County support a finely-calibrated system. The County's elaborate canal network generally moves water from western portions of the County to the east, providing necessary drainage and flood control while at the same time enhancing aquifer recharge. One of the County's main water management objectives is to maintain the urban hydrology to meet urban water supply needs, whether through wetland and wellfield recharge or efforts to abate saltwater intrusion. During recent years, saltwater intrusion has begun to threaten some of the County's more coastal wellfields, resulting in imposed constraints on wellfield operations and in some cases leading to the development of additional wellfields to the west. The threat of saltwater intrusion is exacerbated when ground water levels decline. By measuring ground water levels at various points throughout the County, the goal is to attempt to identify general trends in Broward's urban hydrology and respond with changes in surface water management and/or wellfield operations accordingly.

Trends: In general, ground water levels have been relatively constant during the last ten years. However, a notable increase has been measured in groundwater levels measured in the northern saltwater intruded area. In this region, the ground water levels during the last 4 years have averaged 1.44 feet above the historical long-term average with increases in groundwater levels measured in 2008 and 2009 considered

significant. This observation is likely explained by the topography and presence of various water control structures and interconnects that allow water to be moved effectively through the area to increase recharge and thus groundwater levels. Additionally, the City of Pompano Beach has transferred much of its water demand to more inland potable water wells located at the Palm Aire wellfield, allowing for some recovery in groundwater levels further east. Ground water levels in the southern saltwater intruded area have averaged 0.35 feet above the long-term average between 2006 and 2009. Ground water levels in other parts of the County show little change.

Data source: Calendar year data. Data sets maintained by the United States Geological Survey and the South Florida Water Management District. Data summary, Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Michael Zygnerski, (954) 519-1450

PRESSURES ON GROUND WATER QUANTITY

INCHES OF ANNUAL RAINFALL

Measurement: This measure tracks the average annual rainfall measured across Broward County, in inches. This is provisional data based on numerous rain gauges located throughout the County and monitored as part of a network by the South Florida Water Management District. *Explanation:* Local rainfall significantly influences surface and ground water hydrology in Broward County. Annual rainfall in Broward County averages 58 inches per year (30-year average, 1976-2005, computed by the SFWMD), approximately 50% of which serves to recharge the Biscayne Aquifer, the County's current primary source of drinking water. The remaining 50% is lost to the atmosphere through evapotranspiration. Water management efforts in Broward County are heavily focused on the management of this annual rainfall. The vast majority of annual precipitation falls between the months of May and November. Unfortunately, the County is unable to take full advantage of this rainfall since there is little topography and hence long-term surface water storage is a challenge. As a result, despite the apparent seasonal abundance of rainfall, during drier months, reduced rates of rainfall and aquifer recharge can stress local water supplies and wetland systems by causing reductions in ground water levels. This is particularly true during the winter and spring months when irrigation demands increase and the region's population expands with winter residents. Such strains are greatest during prolonged periods of drought when surface water recharge of potable water wellfields can leave eastern wellfields vulnerable to saltwater intrusion. With such close connection between local rainfall, groundwater levels, wellfield management, and surface water management operations, it is of great value to monitor changes in each of these areas, assess potential short- and long-term implications for Broward's urban hydrology, and ideally respond with appropriate water management operations that can help to protect the County's local water resources.

Trends: Annual rainfall in Broward County measured over a 30-year period of record averages 58 inches. Annual Broward County rainfall has exceeded this long-term average in just two of the last ten years (2001 and 2009), suggesting a pattern of dryer than normal weather conditions during the decade. Rainfall has been lowest during this ten-year period in 2004, 2006, 2007, and 2008 when total rainfall ranged from 45 to 53 inches, much less than the historical average. In 2009, the annual average rainfall was 63 inches.

Data source: Calendar year data. Data provided by the SFWMD and are considered provisional, summarized by Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Dr. Jennifer Jurado, (954) 519-1464

POTABLE WELLFIELD WITHDRAWALS FROM THE BISCAYNE AQUIFER, MILLION GALLONS/DAY

Measurement: This measurement tracks the total amount of water withdrawn from the Biscayne Aquifer by public and private water utilities, in millions of gallons per day (MGD), for the purpose of meeting urban water supply demands in Broward County.

Explanation: The Biscayne Aquifer has been the primary water source used by Broward County, Miami-Dade County, and the southeast portion of Palm Beach County to meet urban water supply needs. The Biscayne Aquifer is also one of the most productive aquifers in the world, as it is

relatively shallow (only 6 feet below ground in some areas) and consists of highly permeable and porous limestone, which allows for high rates of recharge and transmissivity. Recharge of the Biscayne Aquifer is provided by local rainfall (which averages 58 inches per year in Broward County) and ground water seepage and surface water deliveries from the Everglades. In recent years, concern has grown about reliance upon the Everglades as a water source for aquifer recharge, and in the carrying capacity of the Biscayne Aquifer for potable water demands. Establishment of the regional water availability rule by the South Florida Water Management District now limits demands on the Biscayne Aquifer and the regional system to rates of withdrawal permitted and realized prior to April 2006. With Broward County's urban population expected to reach 2.2 million by 2030, planning efforts have focused on the development of alternative water supplies in order to ensure an adequate and reliable water supply is available, regardless of climatologic conditions, while working to ensure regional water is reserved for restoration of the Everglades, consistent with the intent of the federal Comprehensive Everglades Restoration Plan. Wellfield withdrawals by public and private water suppliers provide a measure of the degree to which utilities are maintaining or reducing wellfield withdrawals through conservation programs and the development of alternative water supplies.

Trends: Wellfield pumpage was relatively constant from 2000 through 2007 averaging 260 MDG. A decline of 27 MGD (or 10%) was measured between 2000 and 2001 when restrictions on landscape irrigation were imposed. Pumpage was highest in 2004 at 270.4 MGD when annual rainfall measured 45 inches, or 13 inches less than the 30-year long-term average of 58 inches for Broward County. Pumpage was reduced again in 2008 to just 237.5 when a regional drought led to reestablishment of irrigation restrictions. Withdrawals increased to 258.6 MGD in 2009 when rainfall recovered and drought conditions were relieved, despite the fact that water restrictions remained in place.

Data source: Calendar year data. Data provided by the SFWMD and summarized by Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Dr. Jennifer Jurado, (954) 519-1464

BROWARD COUNTY WATER AND WASTEWATER SERVICES WATER CONSUMPTION, GALLONS/DAY/PERSON

Measurement: This performance measure reflects trends in the consumption of water resources by the residents of Broward County. The data are based upon total finished and purchased water distributed annually in each Broward County Water and Wastewater Services (WWS) district divided by our best estimate of population derived from the 2000 census and projected forward for each WWS district. The methodology for determining per capita rates is outlined in the 2008 Broward County 10 Year Water Supply Plan.

Explanation: Per capita water consumption reflects residents' attitudes regarding water use and conservation as indicated by customers within all WWS water service districts.

Trends: Overall per capita consumption continues to reduce as a result of several factors.

- 1. The WWS Neighborhood Improvement Program, which is 87% complete, has replaced over 25% of our underground infrastructure, thereby reducing leaks and per capita consumption.
- 2. All new construction is required by Broward County Ordinance to use more efficient, low-flow plumbing fixtures.
- 3. 2009 Per Capita Consumption was flat compared with 2008 with slight decreases in demands and slight increases in population.
- 4. We project that WWS's ongoing Water Conservation Program, including the 2009 approved refund program for low-flow fixtures, will continue to reduce per capita consumption.
- 5. 2009 was the fourth consecutive year with drought conditions and/or mandatory Stage II or Stage III water restrictions imposed by the SFWMD or by Broward County Ordinance for the entire year.

Data source: Calendar year data. Broward County Public Works, Water and Wastewater Services, Terry Karda, (954) 831-3066

REGIONAL SURFACE WATER MANAGEMENT

Narrative: Implementation of the Comprehensive Everglades Restoration Plan and the Regional Water Availability Rule, and associated changes in regional water policy results in modified surface water management operations with implications for urban water supply.

Explanation: Surface water deliveries from the regional, or the Everglades system, are an important component of Broward's hydrologic system.

While local rainfall provides the vast majority of water needed to meet Broward's urban water supply needs, rainfall is seasonally variable and unpredictable. During the dry season and periods of drought, Broward County's reliance upon surface water deliveries from the Everglades system increases as this water is used to maintain canal and aquifer levels. Maintenance of adequate water levels is critical in maintaining the hydration and viability of urban wetlands, preventing saltwater intrusion into potable wellfields, and for protecting water management infrastructure from erosion. When Water Conservation Areas located in western Broward County lack the water necessary to provide for urban water deliveries, recharge of the County's canal network can be temporarily suspended (as occurred during spring 2007). Furthermore, the regional water availability rule adopted by the South Florida Water Management District limits urban demands on the regional system by restricting pumpage from the Biscayne Aquifer to levels measured prior to April 2006. Regional policies and climatologic variability necessitates efficiencies in surface water management and the development of alternative source waters to meet consumptive use demand and for canal and aquifer recharge.

Trends: The relationship between urban water management and the Everglades Biscayne Aquifer systems is in transition. As part of the Comprehensive Everglades Restoration Plan, and pursuant to adoption of the Regional Water Availability Rule, regional water management practices and policies are being modified to retain a greater volume of water within the Everglades system and Biscayne Aquifer for Everglades restoration and to reduce overall urban reliance upon the Everglades and the Biscayne Aquifer as sources of water. Local governments will need to identify and develop alternative water supplies to meet future water demands, and to offset some portion of current water demands. Broward County is pursing regional alternative water supply solutions in partnership with local water providers, neighboring counties, and the South Florida Water Management District. Hydrologic modeling efforts are underway to identify local alternative water supply projects, points of distribution, and secondary canal routing needed to provide for the County's long-term water demands and in compliance with regional policies and management constraints. In addition, the Broward Water Resources Task Force was established and initially convened in September, 2008 to provide a forum in which to discuss effective alternative water supply strategies to meet current and future regional water demands.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Dr. Jennifer Jurado (954) 519-1464

RESPONSES TO PRESSURES ON GROUND WATER QUANTITY

MAINTENANCE OF URBAN GROUND WATER LEVELS

Narrative: The County is supporting a sub-regional water planning effort to develop long-term strategies for meeting the County's future water supply needs and water resource goals. These strategies include alternative water supply development and coordinated surface water management operations that serve to reduce urban demands on groundwater supplies while enhancing canal and aquifer recharge with deliveries from alternative water sources.

Measurement: This measure tracks improvements and progress in water management operations, projects, and partnerships that are undertaken as part of a County-wide effort to maintain urban ground water levels.

Explanation: A direct connection exists among urban groundwater levels, the integrity of the Biscayne Aquifer, the health and function of urban wetlands, the operation of drainage infrastructure, and Everglades restoration. As groundwater levels decline, wetland systems can dehydrate, urban wellfields can become impacted by saltwater intrusion, the operation of drainage infrastructure can become compromised due to erosion, and induced rates of ground water seepage from the Everglades can increase. The County has committed many resources to the development of technical tools to better manage surface water resources for the purposes of aquifer, wetland, and wellfield recharge and has supported numerous surface water management projects designed to improve the retention of stormwater and landscape runoff and enhance aquifer recharge. In FY '10 and as part of the IWRP, the County is partnering with the City of Fort Lauderdale on a secondary canal interconnection to improve recharge to the C-12 canal, and the City of Coral Springs and the Sunshine Water Control District to design of a secondary canal

interconnect that will provide wellfield recharge. Another effort involves the design of a secondary canal interconnection between in the C1 and C2 canals in northern Broward County to enhance surface water management and recharge. The County is also participating in efforts to identify sub-regional alternative water supply projects that will help reduce urban demands on the Biscayne Aquifer and the Everglades. All of these undertakings are designed to protect the water resources needed for the County's urban and natural areas, including the Everglades.

Trends: The County's activities in recent years have focused in large part on the construction of secondary canal projects to make more efficient use of existing water resources. While the County's secondary canal system will likely continue to constitute a fundamental part of our local water management system, efforts are underway to identify and pursue other sub-regional alternative water supply projects to replace and augment existing water resources as part of the activities of the Broward Water Resources Task Force.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Dr. Jennifer Jurado (954) 519-1464

ALTERNATIVE WATER SUPPLY DEVELOPMENT

Narrative: This benchmark measures progress toward development of alternative water supplies to meet future County water demand.

Explanation: Broward County is estimated to need an additional 20 to 47 million gallons of water each day (mgd) to meet water demands projected for 2025. Due to uncertainties about the carrying capacity of the Biscayne Aguifer (the County's current source of potable water) and the pressing need to reduce urban reliance on the Everglades system as a source of water in support of Everglades restoration, future water needs will not likely be met through traditional water supplies. As such, local water utilities are required to develop alternative water supplies, independent of the Biscayne Aquifer and water deliveries from the Everglades system. Potential alternative water supplies are the Floridan Aquifer, aquifer storage and recovery wells, wastewater reuse, stormwater reuse, and desalination. Chapter 373, Florida Statutes, requires that local governments provide for the planning, design, construction, operation, and maintenance of alternative water supply development projects; the formulation and implementation of alternative water supply development strategies and programs; and encourages multi-jurisdictional water supply projects. The Water Resources Policy and Planning Program has implemented the County-wide Integrated Water Resources Plan (IWRP) which provides for water resources technical assessments, water management strategies, and water conservation activities that will help the County and all of its water providers to comply with this mandate in a coordinated and cost-effective approach. IWRP implementation has included development of technical tools and a County-wide Integrated Water Resource Management Master Plan, with municipal, water utility and drainage/water control district partners, to help guide these efforts and to effectively meet the County's water supply needs and water resource goals for the benefit of all water users. This latter project includes modeling of proposed Floridan Aguifer water supply projects, analysis of a regional surface water reservoir project concept, and assessment of proposed sub-regional alternative water supply concepts developed by the Broward Water Resources Task Force.

Trends: A number of efforts are underway in the County to identify alternative water supply options. Broward County is partnering with the United States Geological Survey to conduct a geotechnical study of the Upper Floridan Aquifer to benefit the development of alternative water supplies. Modeling is being conducted in support of developing the C-51 Reservoir as an alternative water supply. IWRP cost share grants continue to be offered to support the development of alternative water supplies, further water conservation, and improve water management efficiencies. Regional collaborations have been enhanced through the efforts of the Broward Water Resources Task Force which was convened in 2008 to identify and evaluate opportunities for regional and subregional alternative water supply projects and water conservation strategies. Their report of recommendations was completed in June 2010 and will be presented for approval by the various partner entities in fall 2010. For more information on the activities of the Task Force, visit http://www.broward.org/NaturalResources/WaterResources/Pages/TaskForce.aspx. At the same time, local water utilities are making significant progress in their alternative water supply planning efforts, including plans for development/expansion of Floridan Aquifer systems (withdrawals in 2009 were 0.6 MGD) and plans to develop beneficial reuse projects (currently producing 9.74 MGD) in compliance with the 60% reuse requirements of the 2008 ocean outfall legislation.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management

PERCENT PARTICIPATION OF LOCAL WATER MANAGERS IN COUNTY-WIDE PLANNING EFFORTS

Measurement: This measure tracks municipal and drainage/water control district participation in sub-regional water management activities and planning efforts through support of water resource planning initiatives implemented as part of the Broward County-wide Integrated Water Resources Plan (IWRP).

Explanation: The overall goal of the Broward County-wide Integrated Water Resources Plan (IWRP) is to provide the tools and information to develop high quality, reliable water for all of Broward County. In 1997, Broward County began development of the IWRP as a strategy for meeting its long-term water supply needs and water resource goals. The South Florida Water Management District (SFWMD) was invited to participate in the effort and has been an important partner in both development and implementation of the plan. The Plan has four main goals: (1) To make the most of our local water resources through a comprehensive water conservation program so that Broward's long-term water supply needs are met; (2) To coordinate a diverse water management community ensuring the efficient and effective management of our water resources; (3) To match up local water sources and users to ensure that water supplies are available when and where they are needed; and (4) To diversify water supplies so that the needs of urban and natural systems are met under wet and dry conditions.

With an urban population expected to reach 2.2 million by 2030, water demands are expected to increase at least 25% during the next 20 years, equating to an additional water demand of 59 million gallons per day. At the same time, constraints are increasing on our ability to use current water resources to meet future water demands. These constraints are closely linked to the health of the Everglades and the integrity of the Biscayne Aquifer. One way we are working to ensure the sustainability of the Broward's urban and natural systems is through coordinated water management efforts, community outreach and educational initiatives, and the pursuit and promotion of sub-regional projects that meet multiple water resource needs. The success of these efforts can be measured, in part, by the level of participation and support of other governmental entities, including municipalities and drainage/water control districts in these efforts and planning committees. Our goal is to achieve 95% participation by our local partners in one or more of these IWRP initiatives, whether that includes staff attendance at Know the Flow courses, participation in the Broward Everglades Working Group, membership in the Water Advisory Board or its Technical Advisory Committee, or one of the many other initiatives included under the IWRP.

Trends: Participation by the municipalities and major water control/drainage districts in IWRP projects increased from 83% in 2004 (when tracking began) to 90% in 2008. IWRP participation declined in 2009 as a result of a reduced cost-share participation in the NatureScape Irrigation Service due to budgetary constraints. Fifteen IWRP-related activities and programs were provided support in 2009 with many entities participating in multiple IWRP initiatives.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Dr. Jennifer Jurado (954) 519-1464

NATURESCAPE IRRIGATION SERVICE, MILLION GALLONS SAVED/YEAR

Measurement: This measure tracks the total number of gallons of water saved in a year as a result of irrigation system repairs and modified irrigation system operations following site assessment and recommended improvements provided by Broward County's NatureScape Irrigation Service.

Explanation: The NatureScape Irrigation Service (NIS) is a water conservation service offered by the County in cooperation with 22 municipal and water utility partners, the County's Water and Wastewater Services, and the School Board of Broward County. Goals of the NIS are to reduce urban water consumption and improve the quality of surface waters through more efficient irrigation operations and environmentally-friendly landscape practices. The NIS partners are dedicated to protecting water as a valuable resource and are focusing their efforts on large properties, such as parks, schools, and residential complexes, where water conservation efforts can produce the greatest water savings. The NIS provides water users with irrigation system evaluations and recommendations for improving irrigation system efficiency and operation,

through basic site assessment, inspection of existing irrigation systems and operational schedules, measurement of current water usage, and a general landscape analysis. Property managers are provided with a summary of recommended improvements, which can include such things as reducing the frequency and duration of turf grass irrigation, removal of water-thirsty plants, replacement of sprinkler heads to improve uniformity in water application, and the repair of leaky pipes and faulty pumps. Quite often, significant water savings can be achieved with minor repairs and a basic irrigation system tune-up. Water savings are documented based on these initial recommendations and follow-up evaluations. Property managers are also provided with information on the NatureScape Broward program and are encouraged to pursue NatureScape certification of their landscapes, if appropriate. Since the NIS is focused on delivering only the amount of water that can be effectively used by plants in the landscape plus typical losses to evaporation, many of the problems associated with inefficient and excessive irrigation are reduced, including the growth of dollar weed, presence of fungus, and proliferation of pests. Improvements implemented based on NIS recommendations result in water, energy, time and money savings, and the improved health of turf grass and landscape plants. Such improvements translate into a reduced demand for fertilizers and other lawn care products, producing additional environmental benefits and cost savings.

Trends: Since beginning operations in 2005, the County's NIS has saved over 624 million gallons of water. In 2009, 245 evaluations were completed and a total water savings of 140 million gallons was achieved. Water savings were highest in 2006 before the imposition of regional water restrictions in 2007 and the later adoption of permanent water conservation measures relating to landscape irrigation in 2010.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Dr. Jennifer Jurado (954) 519-1464

WATER MATTERS DAY ATTENDANCE

Measurement: This measure tracks the total number of South Florida visitors and residents who attend the annual Broward Water Matters Day event held annually in March.

Explanation: Water Matters Day is a key component of Broward County's effort to educate residents about the importance of water conservation (http://www.broward.org/watermatters/). This fun, activity-filled event focuses upon teaching County residents about the need to conserve and protect our water resources. It is geared toward making a connection between our daily activities and the impact of those activities upon local water resources and adjacent natural systems. The Water Matters Day water conservation message is largely focused upon outdoor water uses, such as irrigation, because they account for about half of all household water usage. Equally important is protection of water guality, and to that end, the event provides educational opportunities to residents on proper fertilizer and lawn chemical application methods that reduce runoff to adjacent surface waters. Participants learn about local water management, Everglades restoration, and how our canals interconnect the County's urban and natural systems. Residents also learn about indoor conservation, and how water-wise practices save money as well as water. Personal responsibility is emphasized as attendees gather information about how to maintain their swales, reduce stormwater runoff, and ensure the proper function of stormwater systems. Water Matters Day is about education, but it is also about fun. It is packed with workshops, giveaways, children's activities, and entertainment. While parents learn about choosing the right plants for their yards, children can learn about the creation of backyard wildlife habitats as they participate in a birdhouse-building workshop. Giveaways include rain gauges, automatic shut-off devices for irrigation systems, native trees and plants, and garden mulch. Not only are these giveaways popular, but they help attendees apply what they've learned when they get home. Perhaps the most significant benefit of Water Matters Day is imparting the message that water conservation and environmental stewardship should be a conscience part of our daily activities, from selection of plants for our landscaping to the methods we use to irrigate and maintain landscapes.

Trends: The first Water Matters Day event in 2003 was attended by 1,300 individuals. Attendance increased by 46% in 2004 with an estimated 1,900 attendees and continued to increase in the years that followed. The total number of attendees was estimate to be 4,000 in 2007 and 2008. More precise tracking was employed in 2009, and in 2010 the event attracted 3,409 attendees and the support of more than 100 volunteers. **Data source:** Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Dr. Jennifer Jurado (954) 519-1464

OUR LAND RESOURCES - NATURAL LAND QUANTITY

Natural Land Quantity

ACRES OF PROTECTED LAND AND UNPROTECTED LAND o Conservation and passive recreational land ACRES OF UNPROTECTED (DEVELOPABLE) LAND o Potential Conservation Land and Green Space acquisitions o Potential Open Space acquisitions

Measurement: The Land Preservation Section maintains an inventory of Conservation Lands, Green Spaces and Open Spaces targeted for preservation through the Land Preservation Bond program (2000 Safe Parks and Land Preservation Bond Referendum). The protected lands inventory includes lands successfully acquired through the Bond program in addition to those lands already managed as natural areas and passive parks. The unprotected lands are those for which Broward County is pursuing preservation through acquisition. The data is calculated through the end of August of the calendar year given.

Protected Land

Conservation and passive recreational land: This category consists of environmentally sensitive lands and passive recreational parks.

Active recreational land: This category includes active recreational facilities and parks. These are no longer being tracked by this Department. Other protected land: This category contains mitigation sites and other public or private lands managed for conservation, but are no longer being tracked by this Department.

Water Preserve Area: These sites have been acquired by the South Florida Water Management District.

Unprotected Land

Potential Conservation Land, Green Space and Open Space acquisition: These parcels have been approved for preservation by the Broward County Board of County Commissioners through acquisition.

Conservation Land: Land which contains one or more native vegetative communities, rare, endangered, threatened or endemic flora and fauna, or outstanding physiographic or archaeological features, or land which functions as an integral and sustaining component of an existing ecosystem.

Green Space: Land where only some aspects of the native vegetative community still remain; or greenway component; or land with a potential use as buffer to environmental lands and conservation lands, or connector to existing protected natural lands and parks.

Open Space: Undeveloped land within the urban area of Broward County where the native vegetative community has been cleared or replaced; or agricultural land such as row crops, nurseries, groves, or pasture, or, solely for the purpose of Resolution 2000-1230, developed land selected for acquisition to be reclaimed to open space in perpetuity.

Explanation: Natural resource lands are important to the community as examples of Broward's ecological history and provide important habitat for local and migratory wildlife and indigenous plants. We wish to protect these lands from development, the effects of invasive plants, over-drainage and other deleterious effects to maintain or regain their function and values.

Trends: To date, over 275 acres of Conservation Land and Green Space sites have been acquired through the 2000 Safe Parks and Land Preservation Bond program. Additionally, over 700 acres of Open Space sites are protected.

Data source: Calendar year as of August. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Donald Burgess, (954) 519-0305

Everglades Water Conservation Areas

EVERGLADES WATER CONSERVATION AREAS

Narrative: Approximately two-thirds of Broward County lands exist as Water Conservation Areas (WCA's) in the Everglades. Four WCA's serve as a buffer between developed regions and the Everglades while providing wetland habitat.

Measurement: WCA 2A has an area of approximately 164.7 square miles, a portion of which is located in north-central Broward County (99.2 square miles). The remainder is located in south-central Palm Beach County (65.5 square miles). WCA 2B, centrally located in Broward County, has an area of 43.8 square miles. WCA 3A has an area of 767.3 square miles and is located mostly in western Broward County (568.4 square miles) with a significant amount in northwestern Miami-Dade County (198.9 square miles). The WCA 3B basin has an area of 153.6 square miles with a portion located in south-central Broward County (30.5

square miles) and the majority located in north-central Miami-Dade County (123.1 square miles).

Explanation: One of the foremost functions WCA 2A serves is to receive, detain and store flood water. These flood waters are primarily from Palm Beach County, to the north, and are in the form of stormwater runoff from the Everglades Agricultural Area, and regulatory releases from Lake Okeechobee and WCA 1 for water supply during the dry season. Other functions include the prevention of urban flooding, the conveyance of Lake Okeechobee water to the Atlantic Ocean, and the supply of water to WCA 2B.

WCA 2B is an area of significant recharge to the Biscayne aquifer. Water supplied to the aquifer by way of WCA 2B is important to maintaining ground water levels in coastal areas, which, in turn, sustains municipal water supplies.

WCA 3A regularly receives untreated urban and agricultural stormwater runoff from the Western C-11 Canal basin. One of the primary functions of WCA 3A is to protect the urban and agricultural lands in Broward and Miami-Dade Counties from flooding and to supply water to Everglades National Park. Other functions include the storage of regulatory releases from Lake Seminble Indian Reservation Conservation Area 2A WILDLIFE MANAGMENT AREA 2 GLADES Conservation Area Conservation Miccosukee Area 2B Indian U.S. 84 Reservation URBANIZED AREA Conservation Area Conservation Area 3B Developable Area Non-Developable Area 2.5 - 5 10

Okeechobee and WCA 2A, the conveyance of excess water to Biscayne Bay and the storage of water for water supply use during the dry season. WCA 3B is an area of significant recharge to the Biscayne aquifer. Water supplied to the aquifer by way of WCA 3B is important to maintaining ground water levels in coastal areas. Other functions include the conveyance of water supply releases from Lake Okeechobee and WCA 3A to eastern Miami-Dade County and Everglades National Park, discharge of excess flood water to the tide, and to provide flood control for urban and agricultural land in Miami-Dade County.

Trends: While two-thirds represents a large quantity of Broward County lands established as conservation areas, the issue of quality must be considered. The function and water quality of WCA's are being addressed through projects undertaken as a part of the Comprehensive Everglades Restoration Plan. The South Florida Water Management District indicates project activities will include efforts to:

- Reduce seepage of water from the natural areas of WCA 3A and WCA 3B into urban areas;
- Improve Everglades water quality by capturing and diverting stormwater runoff previously discharged to WCA 3; and
- Provide supplemental water supply and aquifer recharge to urban areas, thus reducing demands on the natural system in the WCA's.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management

PRESSURES ON NATUAL LAND QUANTITY

BROWARD COUNTY POPULATION, MILLIONS

Measurement: Annual Broward County population estimates are based upon the 1990 and 2000 Census. The Bureau of Economic and Business Research at the University of Florida (<u>http://www.bebr.ufl.edu/</u>) provides the annual estimates.

Explanation: Population increases are a direct impact on our land resources. The temperate weather of South Florida is a powerful lure to the area and will result in continued land resource impacts. More information on population statistics may be found at Broward-by-the-Numbers at http://www.broward.org/PLANNINGANDREDEVELOPMENT/DEMOGRAPHICSANDECONOMICS/Pages/BrowardByTheNumbers.aspx. In

addition, current and historic county populations going back to 1972 can be found at

http://www.floridalcir.gov/UserContent/docs/File/data/FLcopops.xls.

Trends: We are seeing a lull in the population growth. Although the most recent Bureau of the Census estimate reported more people moving out of Broward than into Broward; this is expected to be a short-term trend related to recent escalation of housing costs. As soon as the relationship of housing cost to income is at a more acceptable level; the County will begin experiencing growth resulting from more people moving in than moving out. According to U.S. Census estimates of population, most of Broward's in-migrant growth is international indicating that Broward's demographic is changing as well as growing.

Data source: Calendar year data. 2009 data provided as reported in the Broward County Annual Report (<u>http://www.broward.org/PublicInfo/Documents/comm_dist.pdf</u>)

BUILDING PERMITS - NEW STRUCTURE/NON-RESIDENTIAL ADDITION APPROVALS ISSUED

Measurement: Before the issuance of construction permits for all new buildings and additions to non-residential buildings within Broward County, developers must obtain environmental review approval from the Broward County Development and Environmental Regulation Division (DER). The approval process includes an evaluation of potential environmental impacts of the proposed construction. To find the number of approvals issued, we query the DER POSSE Construction Application System for the number of approvals issued during the calendar year.

Explanation: A measure of pressures on our natural resources is the number of building permits issued by municipalities and Broward County for all new buildings and additions to non-residential buildings. All building permits require review and approval by DER. Readers should interpret the data with the understanding that developers must obtain building permits for both new construction on vacant land and renovations of existing buildings. Furthermore, a developer may not actually start the construction of an approved project even though they have the permits in hand.

Trends: The economic down turn and surplus of available existing commercial and residential buildings has slowed new construction and has resulted in a decrease in the number of new buildings and additions to non residential buildings over previous years.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Monthly Reports and DER POSSE Construction Application System data base - Environmental Review Section, Martin Weigand, (954) 519-1251

WETLANDS LICENSED FOR DEVELOPMENT, ACRES

Measurement: We obtain a value for this performance measure during the processing of the Environmental Resource License. We compute the data by adding the total acreage of impacted wetlands licensed during the 12-month period ending June 30th of the reported year and add that to the previous total.

Explanation: Wetlands serve as habitat for a variety of plant and animal life and can serve water storage and purification functions essential to

the maintenance of the county's water supplies. We track impacts on wetlands resulting from development activities through the Environmental Resource Licensing process. This process includes provisions for mitigation of any unavoidable impacts on wetlands.

Trends: The observed trend of diminishing wetland acres being licensed (historic east Everglades) correlates with the decreasing land availability in the County. The wetland acres available for development are diminishing. The current economic climate has also impacted the rate of development and the number of applications being submitted for review.

Data source: State fiscal year data. Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Linda Sunderland, (954) 519-1454

MITIGATION LEAVING BROWARD COUNTY, ACRES

Narrative: After avoidance, minimization, on-site and other in-county mitigation options are exhausted, a licensee is allowed to provide out-of-county wetland mitigation.

Explanation: Impacts to wetlands are reviewed during the processing of Environmental Resource License applications. Staff works with the applicant to avoid impacts to wetlands. If avoidance is not possible, impacts are minimized as much as possible. County regulations require impacts to wetlands to be mitigated (compensated) for by providing off-setting wetlands elsewhere. With the rising value of land, developers wish to construct the largest project possible. This impacts more wetlands and provides less area for on-site mitigation.

Trends: With the rising value of land, fewer natural areas within the County for mitigation options and cost of constructing on-site mitigation, applicants are requesting to use out-of-county wetland mitigation banks more frequently.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Linda Sunderland, (954) 519-1454

RESPONSES TO PRESSURES ON NATURAL LAND QUANTITY

Natural Land Quantity

PUBLIC DOLLARS SPENT TO PRESERVE NATURAL LANDS, MILLIONS

Measurement: The 2000 Safe Parks and Land Preservation Bond Referendum authorized \$200 million to acquire Conservation Land, Green Space, and Open Space, to provide for additional passive recreation opportunities.

Explanation: To date, 26 Conservation Lands, comprising more than 155 acres, have been acquired through the Bond Program as well as 21 Green Spaces totaling more than 119 acres. Due to the difficulty in acquiring additional natural lands, funds originally intended for their acquisition was reallocated to Open Space sites. Seventy (70) Open Spaces comprising more than 700 acres have been acquired to be managed by the municipalities in compliance with interlocal agreements and an approved management plan. Another component of the Open Space program is the Purchase of Development Rights (PDR); five sites with 66 acres consisting of horse farms, pasture lands and plant nurseries have been preserved through the PDR program to ensure a component of our rural past will remain in perpetuity.

Trends: As this program concludes and the last dedicated monies are spent, no additional land acquisition projects are proposed at this time. *Data source:* Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Donald Burgess, (954) 519-0305

ENVIRONMENTAL REVIEW

Narrative: All projects which are proposed on undeveloped parcels are reviewed by the Environmental Protection and Growth Management Department's Development and Environmental Regulation Division to evaluate any impacts to wetlands. Wetland permitting ensures that mitigation for impacts fully compensates for the functional loss caused by those impacts.

Explanation: Wetland impacts and mitigation requirements are regulated through Chapter 27 of the Broward County Natural Resource Protection Code.

Trends: Few undeveloped wetlands remain in urban Broward County so that aspect of licensing will slow down in the future. Interestingly enough, a current development trend is to try to develop existing mitigation areas for other uses. Another more qualitative trend is that with the increased cost and reduced amount of raw land, many developers are looking to take mitigation directly to a wetlands mitigation bank without doing any mitigation near the impact. Trying to locate mitigation close to the impact pursuant to Broward County Comprehensive Plan Policy 09.05.16 is becoming increasingly more difficult and time-consuming. Another aspect of the program which increases over time is the need for compliance monitoring. Some level of monitoring is necessary to ensure that mitigation areas are maintained in perpetuity as required pursuant to the conservation easement. The cumulative number of sites increases over time as more mitigation areas are being licensed.

Data source: Applications received year round. Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Linda Sunderland, (954) 519-1454

ACRES OF MITIGATION LICENSED

Measurement: The Wetlands Resources Section maintains an inventory of wetland mitigation projects which itemizes the acres of wetland impacts and acres of mitigation.

Explanation: Wetland impacts are evaluated using the Florida Unified Wetland Mitigation Assessment Method (UMAM). Step one of this methodology looks at the wetland function provided by the area based on hydrology, vegetation and community structure. Numeric values are assigned and the "function loss value" of wetlands for impacts to that wetland area is determined. Step two evaluates the proposed mitigation area, as it currently exists and how it is expected to function after the mitigation is complete, using the same criteria. Step three then determines the "functional gain value" the mitigation area will provide. The "functional loss" should be equal to the "functional gain". This is not an acre for acre replacement calculation.

Trends: Land available for large-scale developments has continued to decrease. Applications are trending toward redevelopment (i.e., several single family home sites merged for townhouse development) or single family home tracts that are now being constructed.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Linda Sunderland, (954) 519-1454

MITIGATION ON PUBLIC LANDS

Narrative: During development, impacts to wetlands areas are required to be mitigated. When mitigation is unavailable on or near the construction site, natural lands or wetlands are investigated in other areas. Public lands are now being considered as areas for potential mitigation.

Explanation: Wetlands provide values that no other ecosystem can such as improving water quality, providing flood protection, controlling shoreline erosion and providing opportunities for recreation and nature appreciation. Wetlands also serve as natural water filtration systems and water storage areas that provide flood protection. Because of these values, Broward County desires to retain the site of compensatory mitigation for impacts to wetlands as close to the impact as possible and, most specifically, within the County. Because of rising land costs, the licensee often desires to fully develop their property and mitigate off site. In order to achieve both of these goals, the County is attempting to utilize public lands as sites for wetland mitigation projects. The created wetlands serve as stormwater retention areas for the park and provide additional passive recreational opportunities to park visitors such as nature appreciation and wildlife observation. This partnership helps to allow development while retaining wetland values in Broward County.

Trends: The County will continue to create partnership with municipalities to help to allow development while retaining wetland values in Broward County.

Data source: Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division,

OUR LAND RESOURCES - NATURAL LAND QUALITY

Natural Land Quality

NATURAL LANDS QUALITY

Narrative: Broward County Parks and Recreation Division manages over 3,200 acres of natural lands within the Broward County park system. These habitats are varied and include communities such as sand pine, pine flatwood, live oak hammock, cypress strand and mangrove swamp. Additionally, several municipalities are responsible for the management of over 100 acres of natural areas within their cities. In compliance with environmental resource licenses which authorize impacts to wetlands, 94 wetland mitigation areas comprising over 6,000 acres have been created or preserved.

Measurement: Currently, no comprehensive assessment of the "ecological health" of these natural areas has been performed. Invasive exotic plant species, altered hydrology, fire suppression and human disturbance have placed strain on these natural lands and many of these sites are in a state of decline.

Trends: The management of protected natural lands is handled through the various managing entities as time and funds are available. The wetland mitigation areas are to be maintained by the property owner which generally is a homeowners association with limited or no knowledge of natural area management. A regional approach to land management is not in place. Developing a comprehensive, County and regional approach to protecting, enhancing and restoring the remaining natural resources within Broward County remains a priority.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Donald Burgess, (954) 519-0305

PRESSURES ON NATUAL LAND QUALITY

Natural Land Quality

INVASIVE EXOTIC VEGETATION

Narrative: While non-native species may constitute a significant portion of the Broward County tree canopy, they provide less benefit to our native ecosystem.

Explanation: Non-native, invasive tree species have a high potential to crowd out indigenous vegetation that native Florida wildlife relies on for food and shelter. Public education is critical on both the value of native trees and the importance of contributing to a healthy urban landscape by choosing appropriate trees when planting. Further, the public needs to understand the harmful effects of invasive exotic species so they can make informed decisions when planting or removing trees. Efforts are being made to reduce coverage by invasive plant species. The Natural Resources Planning and Management Division, through the Land Stewardship Program, initiated the "Partners in Preservation" Grant Program. This program will provide funding (\$500,000 a year for five years) for the removal of invasive non-native vegetation and replanting with appropriate native plants on public properties in Broward County, which contain one or more defined native vegetative communities. Two grant cycles have been completed. This second year, fourteen grants were awarded, eleven to municipalities and three to County Parks for removal and management of invasive species and native species replanting. Reduction of invasive plant species also includes efforts by the SFWMD within the Water Conservation Areas, Broward County's largest area of natural land, as well as the efforts by County and city governments within the eastern, urban portion of Broward County.

Trends: To date, the Broward County Parks and Recreation Division has inventoried more than 722 acres of exotic species coverage on park lands. Of those 722 acres, over 100 acres of Australian pine-dominated lands has been documented. The County is focusing management efforts on these locations to minimize the effects of the invasive species and restore native canopy in these areas. Ecological Restoration dollars are available for conservation land sites acquired through the 2000 Safe Parks and Land Preservation Bond program and are being utilized to stabilize these sites through removal of exotic vegetation in compliance with the approved management plans.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Donald Burgess, (954) 519-0305

NATURAL LAND UNDER HYDROLOGIC STRESS

Narrative: Many natural wetland areas in Broward County have been altered by historical development practices, roadway construction, and other drainage alterations. Those predominantly forested wetlands have historically been drained by the construction and operation of drainage canals. *Explanation:* The alteration of Southeast Florida's hydrology by the elaborate canal systems designed to protect residents from flooding has impacted wetlands by decreasing the hydrology necessary for maintaining wetland plant species. Pollutants from storm runoff on streets and highways combined with the use of fertilizers and pesticides have increased the nutrients introduced into surface waters and degraded the water quality that supports wetland plant species.

Wetlands provide values that no other ecosystem can. These values include improving water quality, flood protection, shoreline erosion control and opportunities for recreation and nature appreciation. Wetlands serve as natural water filtration systems and water storage areas that provide flood protection. They serve as important aquifer recharge areas or areas where ground water is replenished. In addition, wetlands have recreational, historical, scientific and cultural values.

Trends: The Broward County Environmental Protection and Growth Management Department has undertaken efforts to restore some of the damaged wetlands, and contracted with Hartman & Associates, Inc. in 2002 to conduct studies in preparation for restoration efforts. Broward County will continue to seek opportunities to hydrologically restore damaged wetlands.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Donald Burgess, (954) 519-0305

FIRE SUPPRESSION ON NATURAL LANDS

Narrative: Pineland communities generally benefit from prescribed burning, an important long-term management tool in maintaining the natural quality of the land. However, prescribed burning in urban areas is very difficult to accomplish. As Broward County acquires and maintains additional natural lands, prescribed burning or alternative means will continue to be pursued to ensure the integrity of the resources are retained. *Explanation:* The natural fire regime of pineland communities has been disrupted by development and the encroachment of non-native plant species. A natural fire regime re-established to fire-dependent communities will help maintain the ecological integrity and increase the native herbaceous component found in open flatwoods communities. Prescribed burning in urban areas is very difficult to accomplish. The frequency and timing of burns is restricted by both the conditions required by the resource (weather, wind direction, humidity etc.) and proximity to smoke-sensitive sites such as schools and hospitals. Areas that have been without fire for long periods of time may accumulate a high fuel load, which further increases the challenges involved in re-establishing a burn schedule.

Trends: Broward County will continue to seek opportunities to conduct prescribed burns on acquired natural lands to ensure the integrity of the resources is retained.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Donald Burgess, (954) 519-0305

Natural Land Quality

PERCENT OF MUNICIPAL NATURAL LAND SITES WITH MANAGEMENT PLANS

Measurement: Percent of lands purchased under the 2000 Safe Parks and Land Preservation Bond program under municipal control who have an approved resource management plan in place.

Explanation: For all acquired natural lands, Resource Management Plans are created to direct present and future staff as to how the resources should be managed to ensure that they remain viable natural communities, in perpetuity. These plans include, at a minimum, securing the site, removing trash and debris, removing invasive exotic species, replanting native vegetation, and providing for public access. Depending upon the habitat present, the resource management plans may include ecological restoration, re-watering of impacted wetland, or plans for burning fire-dependent communities.

Resource Management Plans will include regular site monitoring to ensure that maintenance is ongoing and that management plans are complied with and amended as needed. A wide variety of monitoring techniques such as aerial photography analysis and seasonal plant diversity surveys, are used to assess changes in natural community composition and rare species population status. Monitoring can determine the status of natural processes essential to natural resource health and whether or not management actions have been effective. Monitoring will also document effects of human visitation and public use patterns on natural resources and other natural features protected within natural areas. The Land Stewardship section and staff are currently involved in a County-wide monitoring program for all sites acquired with 2000 Safe Parks and Land Preservation Bond Funds. This monitoring is in addition to the municipal management and helps to ensure all approved aspects of the management plan are being carried out. If shortfalls exist, municipalities will be notified of corrective actions to be taken.

Trends: Final Resource Management Plans are due within one year of the execution of the interlocal agreement for transfer of property to the municipality or reimbursement of the city for site acquisition. Broward County will continue to pursue management plans for all acquired sites. To date over 90% of the acquired sites have approved final management plans and we are actively working with the municipalities that have sites which still require final management plans.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Donald Burgess, (954) 519-0305

LAND STEWARDSHIP PROGRAM

Narrative: The Natural Resource Planning and Management Division of the Environmental Protection and Growth Management Department initiated the Land Stewardship Program, a five year capital improvements program which will oversee two new grant funding opportunities.

Explanation: One grant will fund the "Parks for People" grants for sites acquired through the 2000 Safe Parks and Land Preservation Bond Program, providing competitive matching funds of up to \$ 75,000 a year per project, for a period of five years. This grant will help to promote "green concepts" of water and energy conservation, native plantings, recycled materials amenities and other efforts which meet the comprehensive grant criteria. In year two of this program, thirteen grants were funded, helping to further the green components and get the parks open to the public as quickly as possible. The second grant program, "Partners in Preservation" will fund the ecological restoration of natural public lands within Broward County. This program, for the removal of invasive non-native vegetation and replacement with appropriate native plantings, has a maximum of \$ 50,000 per project and will also follow a five year cycle. This second year's cycle has funded fourteen projects, for both municipalities and County Parks which are located throughout Broward County.

Trends: These programs will assist Broward County cities to implement conservation measures and facilitate the opening of park and open space sites to the public.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division,

COMPREHENSIVE EVERGLADES RESTORATION PLAN

Narrative: The Water Conservations Areas (WCAs) are a large area of Broward County. Their protection and restoration will occur through the Comprehensive Everglades Restoration Plan.

Explanation: While two-thirds represents a large quantity of Broward County lands established as conservation areas, the issue of quality must be considered. The function and water quality of WCA's are being addressed through projects undertaken as a part of the Comprehensive Everglades Restoration Plan.

Trends: The South Florida Water Management District indicates project activities will include efforts to:

- Reduce seepage of water from the natural areas of WCA 3A and WCA 3B into urban areas,
- Improve Everglades water quality by capturing and diverting stormwater runoff previously discharged to WCA 3,
- Provide supplemental water supply and aquifer recharge to urban areas, thus reducing demands on the natural system in the WCA's.

Data source: Official website for the Comprehensive Everglades Restoration Plan, <u>http://www.evergladesplan.org</u>, Fact Sheet for Broward County Water Preserve Area, <u>http://www.evergladesplan.org/docs/fs_bcwpa_sept_2007.pdf</u>, Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Donald Burgess, (954) 519-0305

RESTORING HYDROLOGIC FUNCTION TO NATURAL LANDS

Narrative: The alteration of Southeast Florida's hydrology by the elaborate canal systems designed to protect residents from flooding has impacted wetlands by decreasing the hydrology necessary for maintaining wetland plant species.

Explanation: In developing an Integrated Water Resources Plan, the contractor documented volumes, sources, and facilities needed to supply water to rehydrate and improve eight hydrologically deficient wetlands. The work performed for each site included a topographic survey, monitoring well installation, slug testing, soil testing, and profiling. The data collected from these tests and the analytical results were used to simulate wetland hydroperiods, and to estimate the quantity of water needed to remediate hydroperiod alteration. Potential sources of supply were identified for each site, and quantities were documented to allow the County to apply for water reservation rights from the South Florida Water Management District. Estimated volumes of water needed for rehydration based on average rainfall conditions and on 10-year drought conditions, the potential sources of water, the distribution of the water sources, the timing, and the potential water conveyance facilities were determined for each site.

Trends: Presently, these restoration sites are in various stages of completion. According to Broward County Parks and Recreation staff, some sites such as Forman ESL and Tradewinds ESL North have been funded for construction according to the design specified in the original report. The Tradewinds Park North will propose a windmill as a pump and will be funded in the future by a park wetland mitigation project. The Coconut Creek Maple Swamp plans have changed due to the tendency for the site to flood and cause lift stations to back up. Damage has occurred as a result of recent hurricanes. This site may be reviewed in the future. For the Wiles Road Cypress Dome and Alpha 250, the County will apply for funds in the next round of grants from the Integrated Water Resources Plan to install the pump while still under their management. Coconut Creek may take over the Wiles Road site in the future. The Alpha 250 Cypress Dome is being managed by the Water and Wastewater Services. The Holmberg Road (County Park Sites) water level target is to fill the deepest "bowl", although eventually the elevation may be raised to flood $\frac{1}{2}$ acre, using 0.3 mgd.

Water use permits have been obtained for all projects. Environmental Resource Permits are still required. Negotiations are underway with most cities for permitting requirements. Design of Tradewinds ESL will be added to the master site plan for existing park. Negotiations are occurring between the city and private lake for withdrawal for the Forman site. Water to the Holmberg Road site is difficult due to water availability and is on hold. Coconut Creek, Alpha 250, Wiles Road Dome remain the same.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management

Division, Donald Burgess, (954) 519-0305

CONTROLLED BURN OR ALTERNATIVE MANAGEMENT METHODS

Narrative: Pineland communities are considered fire climax communities and are dependent upon periodic fires to encourage the germination of pines and grasses while decreasing the competition of hardwoods such as oaks.

Explanation: The following are three potential approaches to maintaining a mesic flatwood plant community: (1) prescribed burning alone, (2) chopping and then prescribed burning, and (3) chopping only. The first option of prescribed burning may have the highest ecological value, but it is the most difficult to conduct in urban settings, and carries risks due to the intensity of the burn. The second option, chopping and then prescribed burning, provides a desirable level of ecological benefit, reduces the height of fuel loads and the flame lengths making a planned fire easier to control. This option expands the range of conditions in which burning may be conducted, but it still carries some of the risks and difficulties of burning in an urban setting. The third option of chopping only has a greatly reduced and perhaps questionable ecological value but is easy to conduct. It should be stressed that any of these choices would be conducted in limited areas of project site, providing other areas as wildlife refugia during the burns and to help maintain site aesthetics.

Trends: Broward County will continue to seek opportunities to conduct prescribed burns on acquired natural lands to ensure the integrity of the resources is retained.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Donald Burgess, (954) 519-0305

OUR LAND RESOURCES - URBAN LANDSCAPE

Urban Landscape

URBAN LANDSCAPE

Narrative: The urban landscape of Broward County is influenced by a wide combination of natural and anthropomorphic inputs including natural lands left undeveloped, groups of trees preserved through development, trees planted by residents, trees that were dispersed and matured naturally, and landscape trees planted pursuant to site plan requirements. This includes native and non-native species. Changes to the urban landscape can occur from natural causes, such as hurricanes or tropical storms, and human causes, such as additional development or unauthorized tree removal. Improving the urban landscape by planting trees appropriate for this area can help mitigate effects from storms, as they are better-equipped to withstand storm impacts. Broward County code related to tree trimmer and removal licensing, and protection of trees from construction helps to mitigate effects of human-caused impacts.

Explanation: Native trees are an important part of a healthy urban landscape. In addition to the aesthetic value they provide to communities, they offer a variety of additional benefits. The Florida Urban Forestry Council (<u>http://www.fufc.org/</u>) describes a host of benefits that trees provide, including energy conservation, reduction in air pollution, reduction in stormwater runoff, value to wildlife, and economic value for homes and businesses. A healthy tree canopy can reduce energy costs by providing natural cooling through shade. Trees remove carbon dioxide from the air and contribute oxygen, improving air quality. They reduce stormwater runoff by retaining rainfall, which can help limit erosion as well. Native trees are very important for wildlife, providing food sources, nesting sites for birds, and stopover roosting sites for migratory birds. Trees also add economic value to homes and businesses. According to the Florida Urban Forestry Council, a home with healthy, mature trees may add from 5-7% to the sale price. They also provide reduction of noise pollution, character and privacy to neighborhoods.

Trends: The Citrus Canker Eradication Program and hurricanes in 2004 and 2005 caused considerable damage to the urban landscape. A number of programs including and NatureScape Broward can help mitigate some of the impacts.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Donald Burgess, (954) 519-0305

PRESSURES ON URBAN LANDSCAPE

Urban Landscape

NUMBER OF TROPICAL STORMS

Measurement: The number of all tropical cyclones (hurricanes and tropical storms) whose centers passed within 65 nautical miles of Broward County in 2009.

Explanation: As a peninsula of land projecting out between the Atlantic Ocean and Gulf of Mexico, Florida is in the potential path of tropical storms and hurricanes as history has recorded. The destruction to the urban landscape of Broward County caused by Hurricane Wilma in October 2005 highlighted the need to plant the right trees in the right places and to maintain them properly. To date, Broward County Parks has spent 6 million dollars to replant the "right" trees in Park areas severely damaged by hurricanes. This represents the planting of approximately 13,000 trees. Additionally, the Land Stewardship Program is promoting the planting of native trees and plants best suited for the location and

habitat of the desired site. This is a primary function of the Partners In Preservation Grant Program.

Trends: Climate scientists suggest that the Atlantic Ocean Basin will experience increased hurricane and tropical storm activity during the next several decades.

Data source: Calendar year data. National Oceanic and Atmospheric Administration 2009, Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Donald Burgess, (954) 519-0305

REDUCTION OF WILDLIFE HABITAT

Narrative: Continued development and redevelopment across Broward County further reduces natural lands and vacant areas needed to provide habitat for wildlife. The indirect consequences of habitat loss and fragmentation may be less obvious but often carry grave consequences for animal welfare and for conservation.

Explanation: Habitat can be destroyed or degraded in two basic ways: quantitative and qualitative losses. Quantitative losses involve a reduction in 115 W 105 W



the amount of habitat area. For example, if a wetland is paved over, then there has been a quantitative loss of wetland. Qualitative changes involve a change or degradation in the structure, function, or composition of the habitat. For example, a paper company discharging chemicals into a waterway and poisoning the water creates a qualitative loss. Sometimes a combination of quantitative and qualitative loss occurs as when a forest is fragmented or divided into many patches (from conversion to agricultural or residential land) providing less benefits to species than an intact forest.

If species are unable to tolerate extensive habitat modifications they may become threatened or endangered, even extinct. The loss of species reduces biological diversity and can also have economic, recreational, and aesthetic impacts.

Trends: Protected areas are essential for maintaining many forms of wildlife. However, not all land can be protected from human activity. Thus, our challenge is to create managed landscapes and alter our activities to provide for the survival of the maximum number of species, including our own.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Donald Burgess, (954) 519-0305

EMERGING PEST PROBLEMS

Narrative: Pest problems contribute pressures to urban landscapes in South Florida. We can expect new pests each year to enter our area through hurricanes, imported items, nursery trade, and human activity. In addition, naturally occurring wet and dry season weather patterns, longer-term climatologic conditions, such as drought, and hurricane activity may affect pest populations and the extent of their damage. It is unrealistic to strive for an insect, disease and weed-free yard or landscape.

Explanation: Broward County has been inundated over the past few years with blights, plagues and pest infestations with notable impacts to our landscapes. The detrimental effects have perhaps been compounded by diminished vegetative coverage and loss mature tree canopy following the 2005 hurricane season. An additional factor contributing to the extent of pest impacts is the lack of plant diversity often present in our landscapes, such that when a specific plant species or type is targeted by a pest population, observed impacts can be widespread. Selection of inappropriate plant material in landscape design poses another problem. Choosing the wrong place for a plant can stress it and make it susceptible to disease and less resilient to pests. In response, landscape managers and homeowners frequently intervene with control measures, most often, pesticides. However, pesticides kill more than the targeted pest, contributing to the demise of beneficial insects and the natural system of balance which can exacerbate the problem and allow pest populations to further increase. There is also concern about the casual use of incorrect or ineffective pesticides, which when applied may not fully eradicate the pest population and can actually allow pests to develop pesticide resistance, further compounding the problem.

Trends: Broward County landscapes bear the impacts of a growing number of plant pests and plagues. Specific ornamental, turf and landscapes pests and diseases that have impacted Broward landscapes in the past 3 years include, but are not limited to, the following:

Pests
Citrus White Fly
Lobate Lac Scale
Sri Lanka Weevil
Pink Hibiscus Mealy Bug
Red Palm Mite
Soft Scale (specific to crotons)
Fig Whitefly
Africanized Honey Bee

<u>Diseases</u>

Citrus Canker Citrus Greening Lethal Yellowing Cabbage Palm Disease Queen Palm Death Bay Wilt

Data source: Florida Department of Agriculture and Consumer Services and its agricultural regulatory unit, Division of Plant Industry, keep track of insects and diseases that have recently arrived in Florida and those that are projected to make an appearance. Information on pests and appropriate treatment measures are available through their materials and website at http://www.fl-dpi.com/enpp/pi-pest-alert.html. Additional Florida pest information is available on the University of Florida's (UF/IFAS) Pest Alert website: http://entnemdept.ufl.edu/pestalert/. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Diana Guidry (954) 519-0317

NUMBER OF TREE RELATED COMPLAINTS

Measurement: This measure tracks the number of tree abuse or tree removal complaints received during each calendar year.

Explanation: The three complaints that the Tree Preservation Section responds to are tree abuse or unlicensed tree removal. Tree abuse is basically improper tree trimming, unlicensed tree removal is removing trees without a Tree Removal License. A search was done of the licensing database to determine the number of complaints received per year.

Trends: The number of complaints in 2009 was down slightly from the previous year. This can be attributed to the economy. There were less development projects due to the slow economy which means less tree removal complaints.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Peter Burke, (954) 519-1224

NUMBER OF TREES LICENSED FOR REMOVAL

Measurement: This measurement tracks the number of trees licensed for removal each year. Tree removal is good indicator of development pressure.

Explanation: Trees are licensed for removal in a Tree Removal License when they meet the removal criteria listed in the Broward County Tree Preservation Ordinance. The removal criteria include such factors as unavoidable construction impacts, property damage and safety issues. A search was done of the licensing database to determine the number of trees licensed for removal per year.

Trends: The number of trees licensed for removal was down slightly in 2009. This was again was a result of a sluggish economy and less development projects.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Peter Burke, (954) 519-1224

RESPONSES TO PRESSURES ON URBAN LANDSCAPE

PUBLIC EDUCATION

Narrative: In response to urban forestry issues following Hurricane Wilma, the Broward County Environmental Protection and Growth Management Department (EPGMD) created the "Trees After the Storm - Replanting Storm-Safe Trees" web-site to answer frequently asked tree questions, sponsored the Broward Beautiful Trees & Hurricane Impact Summit, purchased and distributed 30,000 Florida Urban Forestry Council brochure posters "Right Tree Right Place - Selecting and Planting Trees for the South Florida Urban Forest" brochures, and created the NatureScape publication "Gone With The Wind...Storm." Additionally, the Natural Resources Planning and Management Division implements the NatureScape Broward program designed to help people create and maintain attractive low maintenance, low impact, healthy landscapes that reflect and help Florida's natural resources. The goal of NatureScape Broward is to protect water quality and quantity, and create natural wildlife habitat through appropriate landscaping practices, the prudent use of water resources, and the planting of native, non-invasive, and other drought tolerant plants in Broward County.

Explanation: Broward County experienced Category 2 hurricane conditions due to Hurricane Wilma in October 2005. Qualitative estimates of tree canopy loss due to Wilma range from 20% to 30%. Following hurricane Wilma, EPGMD made a focused effort to provide accurate public information to mitigate negative perceptions of trees as hurricane hazards, and to reinforce, encourage, and support positive actions towards replacing trees and also provide a wider perspective beyond "hurricane-resistant species" to include tree grades, selection, planting, care, and the principle of "right tree right place." The NatureScape Broward program has been an important part of this effort, promoting "Florida Friendly" yards and landscaped areas with plants that are selected and planted in appropriate locations based on their function and growth requirements.

The NatureScape Broward program also encourages adherence to established landscape best practices such as efficient irrigation, and the minimal and proper use of fertilizers, pesticides and chemicals. This approach to landscaping can help ensure the long-term sustainability of healthy Broward landscapes. NatureScape programs are offered in the classroom, through regularly scheduled classes and at the request of interested groups, such as garden clubs and community associations and events.

Trends: Broward County's tree canopy continues to recover from Hurricane Wilma and future storm activity is likely in the next decade. Right Tree Right Place public education will continue to be a priority. As a result of the NatureScape Program, over 2026 backyards, along with schoolyards, workplaces, public properties and homeowner communities have been certified as NatureScapes in Broward County.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Donald Burgess, (954) 519-0305

TREES PLANTED IN BROWARD COUNTY PARKS AFTER STORM EVENTS

Narrative: Trees provide many benefits to Broward County's Park system. They provide shade and scenery for park users as well as provide habitat to wildlife. In recent years, Broward County Parks have suffered a severe loss of tree canopy due to tropical storms. This is a loss that must be mitigated to maintain the value and enjoyment of the park system.

Explanation: The Broward County Parks and Recreation Division has undertaken an aggressive tree planting program to replace trees lost due to tropical storms. In 2009, 5070 trees were planted in County Parks. The trees planted will provide more tree canopy at maturity than what was lost. The tree species utilized should also be able to better withstand future storms, providing a more viable long lasting resource.

Data source: Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Peter Burke, (954) 519-1224

BROWARD BEAUTIFUL PROJECTS, THOUSANDS OF DOLLARS SPENT

Measurement: From 1998 to 2008, the Broward Beautiful program provided matching grants to non-profit organizations for environmentallyfriendly landscape projects through various grant programs. The Broward Beautiful Committee, an advisory board to the Broward County Board of County Commissioners, was established July 13, 1993 to initiate, develop, coordinate, and direct programs for county-wide beautification in cooperation with citizens, local governments, and businesses of Broward County. Funding for Broward Beautiful grants was reduced in FY07 to \$230,000. The Broward Beautiful committee allocated the entirety of this funding and an additional \$116,000 in carryover dollars to the Community Grants Program funding a \$316,000 in community grants. The FY08 budget allocated \$130,000 for Broward Beautiful grants.

Explanation: The figures reported represent County dollars approved for grant projects in the indicated calendar year. Because the grant programs require an applicant match, these figures represent approximately half of the actual impacts of these grant projects.

Trends: Funding for Broward Beautiful grant programs has steadily declined over the past two years due to exhaustion of the Tree Preservation Trust Fund that funded the Broward Beautiful GreenSHADE program and Greening Gateways program and reductions in the general fund allocation to Broward Beautiful programs. No funds were allocated for Broward Beautiful grants in the FY09 budget. On June 23, 2009 the Broward Beautiful committee was sunset. This year all remaining viable Broward Beautiful projects have been closed out and reimbursements paid. No further funding of Broward Beautiful projects is anticipated.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Donald Burgess, (954) 519-0305

TOTAL NUMBER OF CERTIFIED NATURSCAPE SITES

Measurement: This measure tracks the total number of properties that have been certified as NatureScapes based on the creation and maintenance of landscapes in a manner consistent with the NatureScape Broward program principles (<u>http://www.broward.org/naturescape/</u>).

Explanation: Landscape design and maintenance have the ability to exert tremendous influence on the quantity and quality of Broward's water resources. Landscape irrigation is estimated to account for as much as 50% household water consumption and landscape runoff is identified as a major source of water pollution. In 2002, NatureScape Broward program was created as an environmental initiative with the goals to conserve water quantity, protect water quality, and create wildlife habitat through environmentally-friendly landscape practices that include the use of native and other drought tolerant plants, and the prudent use of our water resources. NatureScape properties adhere to the principles of Right Plant, Right Place, Get the Water Right, and other landscape best management practices (including integrated pest management and the use of low and no phosphorus fertilizers). In 2005, Broward County achieved recognition by the National Wildlife Federation (NWF) as a Certified Wildlife Habitat based in large part on the number of certified NatureScapes registered by the County and the environmental standards by which landscapes are evaluated. The County's certification program serves to recognize those properties that exemplify the NatureScape principles and includes those properties certified under similar programs administered by the NWF and Florida Yards and Neighborhoods Program. NatureScapes include residential, commercial, public, and educational properties, and can range in size from several tens of feet to many acres in total area. In 2006, Broward County and the School Board of Broward County entered into an historical partnership agreement to NatureScape certify all school properties as an environmental goal.

Trends: The total number of NatureScape certified sites reached 2,789 in 2009. The number of certified NatureScapes in Broward County has steadily increased since program inception, and an increase of 10% was achieved between 2008 and 2009. To date, 91 school properties have been certified as NatureScapes, with 24 of those re-landscaped under the 2006 School Board Agreement.

Data source: Calendar year data. Data maintained by Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Diana Guidry (954) 519-0317

GREATER FT. LAUDERDALE FLYWAYS CITIES COALITION

Narrative: The Greater Ft. Lauderdale Flyway Cities Coalition is a collaborative effort between the National Wildlife Federation and the NatureScape Broward program with the goal to bring together diverse groups in a common mission to protect wildlife and regional habitats. As part of the Flyway Cities Coalition, the National Wildlife Federation will work with new cities each year to develop coalitions throughout the United States; the Greater Ft. Lauderdale area was chosen as the pilot site for launching this new initiative due to the already established NatureScape Broward program and the existing partnership between Broward County and the National Wildlife Federation. The Greater Ft. Lauderdale Flyway Cities Coalition celebrated a kick-off event in May 2008 and has convened quarterly since to develop strategies and implement projects designed to preserve, enhance and create wildlife habitat and migratory corridors.

Explanation: Flyways are pathways of bird migration from southern wintering grounds to northern breeding grounds. These migration routes are stopover points that offer food, shelter, and areas of congregation for migrating animals. In Broward County, we can expand the concept of flyways to include waterways as we have migratory marine animals, such as manatees and sea turtles.

The two major goals of the Flyway Cities Coalitions are:

1) To increase the quantity and quality of key habitats within the flyways corridors so that we can measure increases in native plants and populations of migratory and resident wildlife.

2) To foster a committed base of active citizens, including businesses, like-minded conservation groups, government agencies, and other people dedicated to sustain and expand the coalition over time.

These goals are focused on individual as well as community-based actions and can include efforts to create and/or maintain tracts of land that are connected and conducive to wildlife (including parks, right-of-ways, refuges, and even golf courses), school-based habitats reflective of district-wide commitments to provide education through the preservation of urban ecology, and businesses/commercial efforts to integrate green infrastructure in site development and/or rehabilitation.

Through activities of the NatureScape Broward program, the County will strive to achieve a 5-10% increase in the number of certified wildlife

habitats in Broward County, and will work to protect, restore and preserve native habitats within the flyways and waterways. **Trends:** Population growth and urban development present challenges in the preservation of natural areas and wildlife habitat. The effects of global climate change are expected to create additional challenges for resident and migratory wildlife as ecological zones shift and critical habitat is further diminished. Such stressors contribute to the fragmentation of natural ecosystems, isolated populations of plants and animals, and the lack of connectivity of green space and wildlife habitat along critical migratory paths. Through the Flyway Cities Coalition, governments, environmental groups, volunteers, schools, and others are now joining in coordinated efforts to ensure the preservation of wildlife habitat that contributes to healthier communities and is essential in maintaining the continued presence of resident and migratory wildlife.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Diana Guidry (954) 519-0317

EDUCATIONAL EVENTS TO REDUCE PEST PROBLEMS

Measurement: NatureScape Broward programming is delivered as part of professional and public education in the form of formal workshops, training sessions, presentations, educational booths, and participation in community events. The number of events is counted throughout the twelve month period ending September 30th of the year listed.

Explanation: The quality of Broward's landscapes is substantially influenced by the various exotic pests and new infestations of insects and diseases documented in recent years. The extent of these impacts is dependent upon the type and diversity of plant material in the landscape, the condition of the plant material, and the landscape practices implemented on-site. The NatureScape Broward program is focused on the enhancing the quality of our urban landscapes, protecting our water resources, and creating wildlife habitat through the use of native and other drought tolerant plants, the prudent use of our water resources, and the use of landscape best management practices, including right plant right place principles and integrated pest management. Staff in the NatureScape Broward program work with property managers, homeowners, maintenance personnel, municipalities and the Broward School District to help guide the creation and maintenance of hardy Florida-friendly landscapes. These Broward NatureScapes promote the use and proper placement of native plants that are uniquely adapted to South Florida's extreme conditions, efficient irrigation, minimal and proper use of fertilizers and other chemicals, and the use of the least toxic controls in managing pests and disease. As a result, it is believed that NatureScapes Broward, consistent with the recommendations of various state and local agencies, promotes the following actions to address emerging pest problems:

- Use of native plants and removal or management of exotic species;
- Targeted use of plants not subject to pest populations;
- Introduction of biological control agents such as predatory insects, including native and non-native species;
- Implementation of integrated pest management practices to reduce the need for pesticides;

• Accurate identification of the problem to determine the correct treatment. Some diseases can be controlled through mechanical or cultural methods rather than pesticides; and

• Education and understanding of beneficial insects and a more natural control of pests and weeds.

These environmentally friendly approaches will help to control the populations of present pests, maintain high quality urban landscapes, and reduce the need for future pesticide use. Reducing the amount of pesticides used in landscapes is an important part of the County's efforts to protect the quality of our surface waters and groundwaters.

Trends: Audiences for NatureScape programs in fiscal years 09 and 10 included residents and homeowners, licensed landscaping professionals, teachers and students, business groups, civic groups, Master Gardeners in training, and state and county employees.

Data source: County fiscal year data. Florida Department of Agriculture and Consumer Services and its agricultural regulatory unit, Division of Plant Industry, keep track of insects and diseases that have recently arrived in Florida and those that are projected to make an appearance. Information on pests and appropriate treatment measures are available through their materials and website at <a href="http://www.fl-dpi.com/enpp/pi-tetta.com/enpp/ti-tetta.com

<u>pest-alert.html</u>. Additional Florida pest information is available on the University of Florida's (UF/IFAS) Pest Alert website: <u>http://entnemdept.ufl.edu/pestalert/</u>. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Diana Guidry (954) 519-0317

ACTIVE TREE TRIMMER LICENSES

Measurement: This measures the number of tree trimmer licenses that are active in each year. This is a good indicator of how well the program is progressing.

Explanation: Tree Trimmer Licenses are required for all commercial tree services and governmental entities which do tree trimming. In order to get a license, training, insurance and other requirements must be met. The number of active tree trimmer licenses was calculated using the Tree Trimmer Licensing database.

Trends: The number of active tree trimmer licenses increased from the previous year. This is likely a result of the program being enforced for several years by the Permitting, Licensing and Consumer Protection Division and established enforcement procedures.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Peter Burke, (954) 519-1224

TREE RELATED ENFORCEMENT ACTIONS

Measurement: This measurement tracks the number of enforcement actions issued per year. Measuring the number of enforcement actions issued is an effective indicator of the enforcement efforts concerning tree related complaints and violations.

Explanation: The Department issues three types of enforcement actions: Warning Notices, Citations and Notices of Violations. Warnings and Citations are used for less serious violations, while Notices of Violation are used for the more serious violations. The three types of enforcement actions were counted per year using the database.

Trends: The number of enforcement related actions decreased in 2009. This was due to the fact that the Tree Preservation Program no longer enforces the Tree Trimmer Licensing Program and one enforcement position was eliminated due to budget constraints.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Peter Burke, (954) 519-1224

REPLACEMENT TREES REQUIRED BY LICENSING

Measurement: This measurement calculates the number of replacement trees required by licensing per year. This is a good measurement to show the response to the loss of tree canopy.

Explanation: As a condition of obtaining a Tree Removal License, licensees are required to plant replacement trees to compensate for trees being removed. The number of replacement trees required per tree removed varies depending on the size, species and condition of the tree being removed. This number was based on determining the number of Tree Removal Licenses issued per year, and then adding up the number of replacement trees per each license.

Trends: The number of replacement trees required increased in 2009. This was due to the fact that several thousand trees were installed adjacent to the Fort Lauderdale Airport to meet tree replacement requirements.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Peter Burke, (954) 519-1224

TREES FUNDED FOR PLANTING THRU THE TREE TRUST FUND

Measurement: This measurement tracks the number of trees funded for planting by the Tree Preservation Trust Fund. This is a good measurement to show the response to the loss of tree canopy.

Explanation: The Tree Preservation Trust Fund is a Trust Fund set up as part of the County Tree Preservation Ordinance. Tree Removal Licenses require replacement trees to replace lost tree canopy. In cases where there is not sufficient room on site for replacement trees, a contribution into the trust fund in lieu of replacement trees is required. The Trust Fund is used to pay for the installation of trees on public lands.

Trends: Over 2000 trees were funded in 2009. This was due to a number of projects being approved for funding, including a tree giveaway event which resulted in a large number of trees given to homeowners for planting.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Development and Environmental Regulation Division, Peter Burke, (954) 519-1224

OUR MARINE RESOURCES - REEF RESOURCES

Reef Quality

PERCENT HEALTHY CORALS

Measurement: Selected areas in each of Broward's three reef terraces are visited annually to determine the percentage of stony corals affected by disease or bleaching. Coral health is reported for ten sites on the first reef, eight sites on the second reef and seven sites on the third reef. Using SCUBA, divers assess a 20 meter $\times 1.5$ meter transect established at each site sequentially along one side of the transect and then along the other side with a $0.75m^2$ quadrat. All stony corals are censused and those with disease or show bleaching are noted. This measurement is used to characterize the relative health of coral reef communities. Twenty-three sites were established in 2000 and two new sites were added in 2004.

Explanation: Coral reef communities and associated sea life of those communities are an important natural resource for recreational fishing and diving industries in Broward. The sound ecological condition of the reef community is a key indicator of the general condition of all marine resources adjacent to the Broward coast. This indicator bears watching to determine if recent concerns over reef decline in the western Atlantic is equally warranted for Broward's reef communities.

Trends: Relative health of stony coral colonies was high for all years with an insignificant decrease in 2003. The percent of healthy colonies at all 25 sites examined decreased slightly from 100% to 97.2% from 2007 to 2008. Due to contract expiration this metric was not recorded during 2009 but will be observed and recorded during 2010.

Data source: Calendar year data collected during September and October each year. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Louis Fisher, (954) 519-1255

NUMBER OF FISH SPECIES OBSERVED ON THE REEF

Measurement: Selected areas in each of Broward's three reef terraces are visited annually and standardized fish counts are conducted. Two thirty-meter long transects for fish counts and one fifteen meter diameter cylinder for fish point count are conducted at each site. Populations of fishes are counted one meter on either side of the transect line and two meters above the line.

Explanation: Fish population census can allow management to determine if there are subtle or significant changes in abundance or species composition over time on the reef habitats throughout the offshore area. Changes in fish populations on the reef could be an indicator of larger scale changes in habitat composition or relative health of the reef community.

Trends: The number of individual fish counted varies from year to year and from reef tract to reef tract and may be dependent on the time of year that the fish counts are conducted. The fish count transects are conducted from September through December or January each year and may vary significantly in species composition and number of individuals throughout this time period showing a possible seasonal trend. Comparison among the reef tracts consistently shows a greater number of individuals and species on both the second and third reef tract compared to the

first reef tract. Due to contract expiration this metric was not recorded during 2009 but will be observed and recorded during 2010. *Data source:* Calendar year data collected during September and October each year. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Louis Fisher, (954) 519-1255

Reef Quantity

PERCENT LIVE CORAL COVERAGE

Measurement: Selected sites on each of Broward's three reef terraces are visited annually to determine the percentage of the bottom which is covered by stony corals. The average coral cover is reported for ten sites on the first reef, eight sites on the second reef and seven sites on the third reef. Using SCUBA, divers assessed a 20 meter $\times 1.5$ meter transect established at each site sequentially along one side of a transect and then along the other side with a $0.75m^2$ quadrat. This measurement is used to characterize the relative health of the coral reef communities. Twenty-five sites were monitored starting in 2005.

Explanation: Coral reef communities and associated sea life of those communities are an important natural resource for recreational fishing and diving industries in Broward. The sound ecological condition of the reef community is a key indicator of the general condition of all marine resources adjacent to the Broward coast. This indicator bears watching to determine if recent concerns over land-based sources of pollution and harmful algae blooms are impacting the reef communities.

Trends: Average live coral cover on the first reef and on the second reef decreased slightly but insignificantly during the 2008 survey compared to 2007, while the percent cover on the third reef increased slightly. Due to contract expiration, this metric was not recorded during 2009 but will be observed and recorded during 2010.

Data source: Calendar year data collected during September and October each year. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Louis Fisher, (954) 519-1255

OCTOCORAL AND SPONGE DENSITY

Measurement: Octocoral and sponge density are measured during the annual coral transect measurement events. The data is recorded as the number of colonies per square meter. Each transect covers 30 square meters of bottom habitat.

Explanation: Fluctuations in the population density of octocorals and/or sponge colonies can be used to assess the general health of the reef community in a similar way that fish populations or stony coral colonies counted and assessed at reef community study sites can also be used to describe the general well being of the reef community.

Trends: Octocoral and sponge density both increased between 2007 and 2008. Due to contract expiration this metric was not recorded during 2009 but will be observed and recorded during 2010.

Data source: Calendar year data collected during September and October each year. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Louis Fisher, (954) 519-1255

NUMBER OF FISH SURVEYED ON THE REEF (ABUNDANCE)

Measurement: Selected areas in each of Broward's three reef terraces are visited annually and fish species counts are done to the lowest taxon that conditions allow. Two thirty-meter long transects for fish counts and one fifteen meter diameter cylinder for fish point count are conducted at each site. Populations of fishes are counted one meter on either side of the transect line and two meters above the line.

Explanation: Fish population census can allow management to determine if there are subtle changes or significant changes in abundance or species composition over time on the reef habitats throughout the offshore area. Changes in fish populations on the reef could be an indicator of larger scale changes in habitat composition or relative health of the reef community.

Trends: The number of individual fish counted varies from year to year and from reef tract to reef tract and may be dependent on the time of year that the fish counts are conducted. The fish count transects are conducted from September through December or January each year and

may vary significantly in species composition and number of individuals throughout this time period showing a possible seasonal trend. Comparison among the reef tracts consistently shows a greater number of individuals and species on both the second and third reef tract compared to the first reef tract. Due to contract expiration, this metric was not recorded during 2009 but will be observed and recorded during 2010. **Data source:** Calendar year data collected during September and October each year. Broward County Environmental Protection and Growth

Management Department, Natural Resources Planning and Management Division, Louis Fisher, (954) 519-1255

PRESSURES ON REEF RESOURCES

SALTWATER FISHING LICENSES ISSUED IN BROWARD COUNTY, THOUSANDS

Measurement: The total number of saltwater fishing licenses issued annually (July 1 of the previous year to June 30 of the year indicated) encompassing resident and non-resident saltwater licenses of all ages and duration periods, including lifetime and senior licenses and lifetime sportman's licenses. It also includes charter vessel licenses and saltwater fishing pier licenses.

Explanation: Recreational and commercial fishing activities exert a direct impact on our marine resources. State regulations require a saltwater fishing license to fish in marine waters. This number serves as a proxy for pressures on Broward County marine resources. More information about saltwater fishing licenses may be found at http://myfwc.com/RECREATION/Saltwater_index.htm. Since the Florida saltwater fishing licenses may be found at http://myfwc.com/RECREATION/Saltwater_index.htm. Since the Florida saltwater fishing license was adopted in 1989, significant changes in licensing procedures have evolved. The creation of the 5-year license, lifetime and comprehensive license programs skews the number-of-license statistics. For example, a 5-year license or a comprehensive hunting and fishing license are only counted in the year in which it is issued. State fishing license sales figures show how many licenses and stamps were sold in the County, but do not necessarily represent the number of anglers who fish in Broward County. Anglers are quite mobile and many of them fish in multiple places on both coasts. Also, residents fishing from shore do not have to purchase this license as well as others who qualify under the other types of exemptions to the Florida Saltwater Fishing License.

Trends: The number of saltwater fishing licenses purchased in 2009 decreased 10% from the previous year. License sales were up in 2010 due to an increased purchased of resident fishing licenses.

Data source: State fiscal year data. Florida Fish and Wildlife Conservation Commission, Tallahassee, (850) 488-3641

NUMBER OF DAYS WATER TEMPERATURE WAS NOT OPTIMAL FOR CORALS

Measurement: The number of days when water temperatures are less than 16°C (60.8°F) or greater than 29°C (84.2°F).

Explanation: Reef-building corals worldwide tolerate water temperatures between $16^{\circ}C$ and $36^{\circ}C$, but thermal stress resulting from sustained temperatures greater than normal maximum temperatures ($29^{\circ}C$ [$84.2^{\circ}F$]) can cause bleaching of corals and low temperatures can result in mortality. Bleaching results when the coral polyps expel the algae (zooxanthellae) that normally live in their tissues and give the colony color. Studies have shown that temperatures of only 1-2 °C ($1.8-3.6^{\circ}F$) above normal maxima sustained for a few weeks are enough to drive a 'mass bleaching' event (Spalding MD, Ravilious C, and Green EP, 2001. *World Atlas of Coral Reefs*. Prepared at the UNEP World Conservations Monitoring Centre. University of California Press, Berkeley, USA, 424p).

Trends: Data collection at 12 sites (see table below) began on July 13th, 2000. We report the number of days when the mean daily water temperature for each reef tract was equal to or greater than 29°C or less than 16°C. From 2008 to 2009 more days outside of the ideal range are noted on the inner and middle reef. This was a result of higher water temperatures. The outer reef is deeper and further from shore, resulting in moderated temperatures. 2010 showed no excursions outside of ideal, but data are only available through March.

Data source: Calendar year data. 2002-2007 (Jan, Feb) Broward County Environmental Protection and Growth Management Department*, Natural Resources Planning and Management Division, Kenneth Banks, Ph.D., (954) 519-1207. Data from March-Jul 2007, Nova Southeastern University Oceanographic Center, Dr David Gilliam, (954) 262-3634

Thermographs (HOBO Water Temp P	o, Onset Corporation	, Accuracy: ±0.2°C at 0 to 5	0°C [± 0.36°F at 32° to 122°F],
Resolution	0.02°C at 25°C [0.04	°F at 77°F]). Site informat	ion:

Site Name	Description	Depth (ft)	Latitude (dd mm)	Longitude (dd mm)
HW1	Hollywood 1st reef	-15	26 02.1117'	-80 11.2007'
HW2	Hollywood 2nd reef	-40	26 02.1170'	-80 09.5290'
HW3	Hollywood 3rd reef	-50	26 02.0458'	-80 08.8225'
JUL8	John U Lloyd 3rd reef	-50	26 08.3262'	-80 08.4983'
JUL7	John U Lloyd 2nd reef	-40	26 08.2725'	-80 09.5535'
JUL6	John U Lloyd 1st reef	-15	26 08.1867'	-80 10.3710'
FL1	Fort Lauderdale 1st reef	-15	26 10.2167'	-80 10.1817'
FL2	Fort Lauderdale 2nd reef	-25	26 10.2235'	-80 09.3598'
FL3	Fort Lauderdale 3rd reef	-70	26 10.2598'	-80 08.2492'
FTL1	Fort Lauderdale 1st reef	-15	26 15.8905'	-80 09.5792'
FTL2	Fort Lauderdale 2nd reef	-40	26 15.9952'	-80 08.2537'
FTL3	Fort Lauderdale 3rd reef	-50	26 15.8638'	-80 07.7343'

NSU Thermographs (HOBO Water Temp Pro, Onset Corporation, Accuracy: ±0.2°C at 0 to 50°C [± 0.36°F at 32° to 122°F], Resolution: 0.02°C at 25°C [0.04°F at 77°F]). Site information:

Site Name	Description	Depth (ft)	Latitude (dd mm)	Longitude (dd mm)
BC1	Ft Lauderdale 1st reef	-15	26° 08.872'	-80° 05.758'
BC2	Ft Lauderdale 2nd reef	-40	26° 09.597'	-80° 04.950'
BC3	Ft Lauderdale 3rd reef	-50	26° 09.518'	-80° 04.641'
BCA	Fort Lauderdale ridge complex	-20	26° 08.985'	-80° 05.810'

PERCENT REEF MONITORING SITES IMPACTED BY ALGAE

Measurement: The percentage of the 25 Broward County annual reef monitoring sites significantly impacted by the cyanobacteria, *Lyngbya* confervoides and *L. Polychroa*.

Explanation: Bottom-dwelling cyanobacteria (primitive algae) can form prominent mats and blooms in tropical and subtropical coral reef habitats worldwide. A Lyngbya bloom on the reef tract offshore of Broward County was first noted in 2002 (Paul VJ, Thacker RW, Banks K, and Golubic S, 2005. Bethic cyanobacterial bloom impacts the reefs of South Florida. *Coral Reefs* 24: 693-697). This bloom is a concern because it

smothers octocorals and other invertebrates and negatively impacts the reef community. Some believe blooms are caused by excess nutrients in the water, but this has yet to be determined.

Trends: The biological monitoring agreement with Nova Southeastern University was interrupted during this time period due to amendment negotiations. Therefore, no data is available.

Data source: Annual survey in September and October. 2007 data provided by Nova based on reef mapping sites. Nova Southeastern University Oceanographic Center Lyngbya presence/absence survey at Broward County Environmental Protection and Growth Management Department biological monitoring sites:

SITE NAME	DEPTH (ft)	LAT	LONG
JUL2	50	26 00.2593'	-80 05.3010'
JUL1	35	26 00.3014'	-80 05.8134'
HH2	15	26 00.6946'	-80 06.7572'
JUL8	50	26 04.9957'	-80 05.0990'
JUL7	25	26 04.9635'	-80 05.7321'
JUL6	12	26 04.9120'	-80 06.2226'
FTL6	18	26 08.9850'	-80 05.8070'
FTL5	18	26 08.8710'	-80 05.7580'
FTL4	18	26 08.2080'	-80 05.8440'
FTL3	55	26 09.5183'	-80 04.6406'
FTL2	40	26 09.5971'	-80 04.9522'
FTL1	18	26 09.5343'	-80 05.7475'
POMP6	52	26 14.5660'	-80 04.3980'
POMP5	31	26 14.5660'	-80 04.7310'
POMP4	19	26 12.7320'	-80 05.2010'
POMP3	50	26 11.2141'	-80 04.3650'
POMP2	40	26 11.3289'	-80 04.8039'
POMP1	14	26 11.4356'	-80 05.2256'
HB3	47	26 16.4255'	-80 03.8189'
HB2	35	26 16.5350'	-80 04.2620'
HB1	18	26 16.8357'	-80 04.5390'
DB3	57	26 18.6828'	-80 03.5764'
DB2	42	26 18.6280'	-80 04.0262'
DB1	15	26 18.5869'	-80 04.3928'
BOCA	30	26 20.8030'	-80 03.8830'

NUMBER OF TIMES SHIP DAMAGE IMPACTED BROWARD'S REEFS

Measurement: The number of groundings or ships anchored outside of the officially designated commercial ship anchorages that have been reported to EPD by State of public, regardless of whether a responsible party has been determined or any restoration has been completed.

Explanation: The proximity of the Port Everglades associated commercial ship anchorages to shallow reefs resulted, until 2008, in numerous ship groundings ships disregarding the anchorage and anchoring outside of its bounds, thus damaging reef resources. Many groundings required intervention by the United States Coast Guard (USCG) for removal and were, therefore, reported to the Florida Fish and Wildlife Conservation Commission (FWCC) or the Department of Environmental Protection (FDEP). Many anchor incidents, in which ships anchor outside of the anchorages, are reported to USCG, and a responsible party can be identified, resulting in the assessment of penalties by the State. This results in the identification of a responsible party (RP) so reef restoration activities are initiated. Often ships ground briefly and free themselves or anchor on resources and it is not reported so the incident is unreported and no restoration occurs. Increased enforcement by USCG could result in a decrease in anchor damage. The offshore anchorage configuration was changed in 2008 to eliminate the shallow anchorage which should minimize groundings, and no large ship groundings have occurred since that time. Two small vessels, however, grounded or sank on Broward's nearshore hardbottom causing damage to biota and substrate.

Trends: No vessel groundings were reported during this period. Many incidents of anchoring on reef outside of anchorage likely occur that aren't reported.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Kenneth Banks, Ph.D., (954) 519-1207

CUMULATIVE ACRES OF REEF IMPACTED BY DESTRUCTIVE ACTIVITIES

Measurement: The acreage of reefs directly impacted by coastal construction-related activities, including mitigation and habitat creation for other reasons.

Explanation: Coastal construction-related impacts include dredging for navigational inlet maintenance and beach nourishment, ship grounding and anchor damage, fiberoptic cable installation, natural gas pipeline construction, etc. Impacts included here include permitted direct impacts, as well as accidental direct impacts. Indirect impacts, such as turbidity and sedimentation, are not included. Constructed mitigation for these impacts and artificial reefs constructed of boulders or modules are included as separate metrics. The intent of this category is to provide insight into cumulative direct physical impacts to the reefs offshore Broward County. It is important to recognize that reefs recover to some extent from impact and artificial reefs, while providing certain resource services, do not necessarily ever provide the same services as the natural reef. Therefore this metric is a picture of net reef area impacted, not net cumulative environmental impact. It should also be recognized that restoration activities may have occurred on some of the impacted reefs and this has not be considered in the metric.

Trends: Trends are episodic due to the occurrence of coastal construction projects or vessel impacts. Groundings have resulted in a net impact because no mitigation has been completed for any event. One grounding, the dive charter boat Nekton Pilot, occurred in 2008. This resulted in approximately 0.5 acres of hardbottom impact. No coastal construction projects were carried out nor groundings reported in 2010.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Kenneth Banks, Ph.D., (954) 519-1207

RESPONSES TO PRESSURES ON REEF RESOURCES

MARINE PROTECTED AREAS (MPAs)

Narrative: This benchmark describes Broward offshore areas officially designated as marine protected areas (MPA) by Florida Fish and Wildlife Conservation Commission.

Explanation: MPAs are used as a management tools to protect, maintain, or restore natural and cultural resources in coastal and marine waters. As used herein, MPA is defined to mean an area of coastal shelf designated as permanently closed to all fishing and other extractive uses with limited exceptions for research. They have been used effectively both nationally and internationally to conserve biodiversity, manage natural resources, protect endangered species, reduce user conflicts, provide educational and research opportunities, and enhance commercial and recreational activities. In 2001, an area of 566km² in the Dry Tortugas, Florida, was designated as a no-take marine reserve. Subsequent monitoring of this area showed that the number of fish species remained stable in the first 4 years after formation. The abundance of several exploited and non-exploited species increased, and there was a shift to more, larger individuals of exploited species (Ault et al 2006). Preliminary results of monitoring the Dry Tortugas reserve in 2008 indicate that stocks have slowly begun to recuperate since the implementation of no-take status. In particular, there were improvements in numbers of snapper, grouper, and coral recruits (Ault, personal comm.). Preliminary evidence found by Burton et al (2005) indicated that spawning aggregations of mutton snapper were reforming at Riley's Hump in the protected Dry Tortugas and a spawning aggregation was observed by staff from Florida Wildlife Research Institute at the Dry Tortugas in 2009.

Trends: To date, no MPAs have been designated offshore Broward County.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Kenneth Banks, Ph.D., (954) 519-1207

References:

Ault JS, Smith SG, Bohnsack JA, Luo J, Harper DE, McClellan DB, 2006. Building sustainable fisheries in Florida's coral reef ecosystem: positive signs in the Dry Tortugas. Bulletin of Marine Science, 78(3): 633-654.

Burton ML, Brennan KJ, Muñoz RC, Parker Jr. RO, 2005. Preliminary evidence of increased spawning aggregations of mutton snapper (*Lutjanus analis*) at Riley's Hump two years after establishment of the Tortugas South Ecological Reserve. Fisheries Bulletin, 103: 404-410.

COASTAL WATER QUALITY MONITORING - TOTAL NITROGEN, ug/l

Measurement: Four coastal water quality sample stations were established in December 2005. Samples are collected at the three offshore sites and the Port Everglades sites on a monthly basis, weather permitting. The average annual total nitrogen concentration is presented for the offshore sites and Port Everglades.

Explanation: Broward County has initiated a Coastal Water Quality Monitoring Program to generate baseline data to better understand how stormwater flows from inlets and other discharges influence the water quality reaching the reefs. The reef system along the southeast coast of Florida is ecologically dynamic and economically important. The reefs provide habitat for a diverse biological community, attract tourism and support substantial commercial and recreational fisheries estimated in 2001 to generate \$2.1 billion in revenue in Broward (http://www.broward.org/EnvironmentAndGrowth/EnvironmentalProgramsResources/Publications/Documents/SocioeconomicStudy2001.pdf). The close proximity of the reefs to heavily developed urban areas increase the risk of exposure to land based sources of pollution (terrestrial runoff, sewage effluent, etc.). The objectives of the monitoring program include: (1) establishing long term monitoring sites so future trends in water quality can be evaluated to determine if water quality along the reef tracts of Broward County is improving, worsening or remaining the same; (2) assessing the water quality of Broward County's coastal waters relative to Federal, State and local water quality guidelines; (3) describing geographic and temporal patterns of water quality, as they relate to nutrients, especially nitrogen, and chlorophyll in the waters over the reefs of Broward County; and (4) assessing water quality as it relates to the initiation and persistence of blooms of various species of phytoplankton and

macroalgae and their impacts on reef community structure and diversity. The study area centered around Port Everglades inlet as a potential conduit through which land based sources of pollution are entering the coastal ocean.

Trends: As of the Summer 2010, these four sites have been sampled 35 times. Preliminary assessment of data suggests surface water exiting through Port Everglades inlet, contains higher total nitrogen concentrations compared to offshore stations. However, inter-annual variability is high both between and within stations. Collection of chlorophyll samples began in January 2009 and will continue at all sites. Initial assessment of the data indicates that water exiting through the Port Everglades inlet contains substantially higher Chla concentrations compared to offshore waters. Data from this project is presently being used by the Florida Department of Environmental Protection to help develop numeric nutrient criteria for Florida's coastal ocean. Monitoring up to twelve times per year at these sites will continue.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Pollution Prevention Remediation and Air Quality Division, Nancy Craig PhD, (954) 519-1411

ALGAL BLOOM MONITORING EFFORTS

Measurement: The percentage of the 25 Broward County annual biological monitoring sites significantly impacted by the cyanobacteria, *Lyngbya* confervoides and *L. Polychroa*.

Explanation: Bottom-dwelling cyanobacteria (primitive algae) can form prominent mats and blooms in tropical and subtropical coral reef habitats worldwide. A Lyngbya bloom on the reef tract offshore of Broward County was first noted in 2002 (Paul VJ, Thacker RW, Banks K, and Golubic S, 2005. Benthic cyanobacterial bloom impacts the reefs of South Florida. *Coral Reefs* 24: 693-697). This bloom is a concern because it smothers octocorals and other invertebrates and negatively impacts the reef community. Some believe blooms are caused by excess nutrients in the water, but this has yet to be determined.

Trends: The biological monitoring agreement with Nova Southeastern University was interrupted during this time period due to amendment negotiations. Therefore, no data is available.

Data source: Annual survey in September and October. Nova Southeastern University Oceanographic Center Lyngbya presence/absence survey at Broward County Environmental Protection and Growth Management Department's 25 biological monitoring sites in 2005 and 2006. 2007 data provided my Maureen Trnka of NSU is a study of spatial distribution of cyanobacterial cover. Natural Resources Planning and Management Division, Kenneth Banks, Ph.D., (954) 519-1207

CONSTRUCTED HABITAT: ACRES OF BOULDER REEFS, NUMBER OF SHIPWRECK REEFS, ACRES OF MODULAR REEFS

Measurement: This measure tracks the numbers of three types of artificial reefs. The three types of reefs include those constructed of natural boulders, molded-concrete modules and purposely sunken decommissioned ships. The data reported is for the fiscal year indicated ending September 30th.

Explanation: A study was completed (sponsored by the National Marine Fisheries Service) to census and determine seasonal dynamics of the fish assemblages on the county's *natural* reefs. Currently, a very large artificial reef is being constructed from limestone boulders. Monitoring of this and nearshore reefs will provide comparison data which may give insight into the development of reefs that function more like natural reef systems. We may redefine the performance measures to consider this information. In 2003, the square footage of boulder reefs jumped from ~3,000 to ~440,000 due to the placement of 10 acres of boulders for beach re-nourishment mitigation.

Trends: 12 piles of limestone boulders were deployed within a 40-acre area of sand bottom offshore Ft Lauderdale. No other artificial reefs were deployed in this time period.

Data source: County fiscal year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Kenneth Banks, Ph.D., (954) 519-1207

ACRES OF REEF MITIGATED FOR COASTAL CONSTRUCTION ACTIVITIES

Measurement: This measure tracks the acreage of artificial reef created for mitigation of direct physical impacts to reefs/hardbottom. **Explanation:** Permitted or unpermitted human activities which cause direct physical impacts to reefs and/or hardbottom are often mitigated for by creation of artificial habitat. This mitigation may be *a priori* (for construction impacts) or compensatory (for unpermitted impacts). Structures deployed are usually limestone boulders or pre-fabricated concrete/limestone modules.

Trends: The construction of mitigative artificial reefs is episodic depending on incidents, such as vessel groundings, or the issuance of coastal construction permits for projects, such as dredging, natural gas pipeline construction, or fiberoptic cable installation. Ideally, construction of *a priori* mitigation takes place years before impacts to allow functioning of the mitigative structures. However, compensatory mitigation may take place years after impacts. No mitigation project was completed in this time period.

Data source: County fiscal year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Kenneth Banks, PhD, (954) 519-1207

MARINE DEBRIS CLEAN-UP CAMPAIGNS, POUNDS OF LITTER COLLECTED/PARTICIPANTS/EVENT

Measurement: This measure tracks the pounds of debris and trash removed from the reefs and beaches during the Ocean Watch Foundation's Reef Sweep event. This measure indicates a level of effectiveness of Broward County's efforts in supporting community-based initiatives that promote good stewardship of our marine resources.

Explanation: The Ocean Watch Foundation closed its office in 2009. Since then, the annual Reef Sweep event has not occurred. In

2010 The Southeast Florida Coral Reef Initiative (SEFCRI) established the Southeast Florida Marine Debris Reporting and Removal Program. This program encourages local divers to report marine debris and organize reef cleanup dives to remove the debris from the reef. To report marine debris call 1-866-770-SEFL (7335), or complete the online form at http://www.dep.state.fl.us/coastal/programs/coral/debris1.htm.

Trends: The amount of debris collected and the number of volunteers that participated in Reef Sweep varied each year. On average, the cleanup removed 5000 pounds of debris from the reef annually. From 2004 through 2008, it appeared that the amount of trash collected each year decreased. In 2009 and 2010, Reef Sweep did not take place.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, David Stout, (954) 519-1452

NUMBER OF MOORING BUOYS

Measurement: Broward County maintains mooring buoys along popular diving and fishing portions of our coral reef system. The goal is to maintain the buoys that are in place and add more in the future if adequate funding is available. The count for the indicated year is as of September 30th.

Explanation: Coral reefs and their associated benthic communities are an important natural resource for the fishing and diving industries. The mooring buoys were installed reduce the impacts associated with anchoring of boats on the reefs. One hundred twenty-two buoy installations are available to boaters when visiting the reef. For information on the location and proper use of the buoy network, please go to http://www.broward.org/NaturalResources/BeachAndMarine/Pages/mooringbuoys.aspx.

Trends: Broward Country continues to fund and manage a mooring buoy maintenance program. Each month, a commercial diving firm inspects and maintains the buoys. The annual maintenance contract costs \$56,280 and is renewable through December 2, 2011.

Data source: County fiscal year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, David Stout, (954) 519-1452

NUMBER OF TIRES REMOVED FROM THE REEF ZONE

Measurement: The number of tires removed from the reef zone in a given year.

Explanation: An artificial reef made of one to two million tires was built in the 1970s and early 1980s off the coast of Broward County. Instability of the tires during storms resulted in substantial damage to adjacent natural reefs. A small tire retrieval program (1600 tires) was conducted by researcher at NOVA Southeastern University in 2001 using a grant from the National Oceanic and Atmospheric Administration (NOAA). More recently, a joint project to remove these tires has been initiated among the US military, Florida Department of Environmental Protection and Broward County Environmental Protection and Growth Management Department. In the summer of 2006, 30 sample tires were retrieved to various issues with removal, transportation and disposal. Military salvage divers worked for 3 weeks in June 2007 to develop the most effective means of removing these tires removing over 10,000 tires. The removal project began in earnest in 2008 with the removal of approximately 45,000 tires. The project was shortened in 2009 because of re-prioritization of military equipment. 15,000 tires were removed in 2009 for a cumulative 60,000 tires removed.

Trends: No tires were removed in this time frame due to unavailability of military dive personnel.

Data source: Calendar year data. Natural Resources Planning and Management Division, Kenneth Banks, Ph.D., (954) 519-1207

OUR MARINE RESOURCES - BEACH RESOURCES

Beach Quality

PERCENT OF BEACH WATER QUALITY RESULTS RATED "GOOD"

Measurement: This performance measure tracks the percentage of beach water quality measurements rated as satisfactory, based upon weekly enterococci and fecal coliform testing at fifteen public beaches in Broward County. The reporting period ends on June 30th of the indicated year.

Explanation: The Broward County Health Department, with the State Department of Health, initiated a program in 1998 to provide scientific information on the quality of coastal beach bathing waters to the public. The program involves monitoring of enterococci and fecal coliform bacteria levels at fifteen locations along Broward County's Atlantic coast. The density of enterococci and fecal coliform bacteria as indicator groups in seawater show a relationship to swimming-associated gastroenteritis. The annual goal is to maintain the beach water quality at or above 92% of water sampled in the satisfactory/good range. More information on the Florida Healthy Beach Program may be found at http://esetappsdoh.doh.state.fl.us/irm00beachwater/.

Trends: Beach water quality continues to exceed the FDOH goal of 92% rated 'good". This year 1070 of the 1095 total samples taken were satisfactory.

Data source: State fiscal year data. Broward County Health Department and Florida Department of Health, Craig English 954-467-4700 ext. 4233

Beach Quantity

AVERAGE BEACH WIDTH AT HIGH TIDE, FEET PERCENT OF NON-CRITICALLY-ERODED BEACHES

Measurement: This is a measure of the ability of Broward County's beaches to provide storm protection and recreational beach area. Criticallyeroded beaches are those beaches where the width at high tide is deemed inadequate to provide storm wave damage protection and/or acceptable recreational opportunities. For the purposes of this survey, the threshold width which defines a critically-eroded beach is 75 feet. This definition is different from that used by the State of Florida in determining critically-eroded beaches. Florida Department of Environmental Protection survey monuments are used for beach measurements. These monuments are sometimes located in roads or yards, or on sidewalks or seawalls, but for comparison purposes "beach width" includes the distance from the monument to the water's edge. Distance measurements are derived from the most recent countywide beach surveys and/or aerial photomaps. Caution is advised when interpreting the data given the dynamic nature of the sandy beach. The percentage of non-critically eroded beach refers to the proportionate length of shoreline which meets the 75 foot minimum width criterion.

Explanation: Broward's beaches serve three critical functions: to provide storm wave protection for upland property, structures, and infrastructure, to serve as habitat for many species of plants and animals, and to drive our recreational economic engine. Vital to the beaches' storm protective function is their width. Adequate beach width allows storm waves to break and dissipate energy harmlessly; however, in so protecting the upland, storm waves cause some net erosion of beach sand. Broward County's beaches protect almost \$4 billion in upland structures and property and generate more than \$600 million in annual spending in the County. Maintenance of beach width adequate to protect against a moderate frequency storm event is very important. Beach acreage is a useful measure because it indicates the amount of recreational space available to beach users. As a \$600 million to \$1 billion annual contributor to Broward County's economy, the beaches are a foundation of our tourist economy. Our beaches also provide critical nesting habitats for several threatened and endangered species of sea turtles and adequate acreage is necessary for this purpose. We measure beach width from the shorefront reference monument (established by the State of Florida) to the water's edge. Acreage is based on 24 miles of beachfront in Broward County. More information about the Broward County Beach Management Program may be found at http://www.broward.org/BeachRenourishment/Pages/Default.aspx.

Trends: The long-term trend in beach adequacy is typically downward over the years because of chronic beach erosion, however for 2010 average beach width increased slightly, due primarily to a lack of storms during the survey period. Erosion is caused by shorefront development too close to the shoreline, thereby displacing the dunes, which are natural reservoirs of sand; stabilized inlets, which interrupt the alongshore flow of sand; storms or high wave events, which can move large guantities of sand offshore and alongshore; and an overall deficit of sand in the beach system. Most beaches in Broward County are either stable or erosive. South of Port Everglades, the beaches are sand-starved due to the impoundment of sand by the north jetty of the Port. These beaches are restored periodically by infusions of sand dredged from offshore. Such a project was completed in spring of 2006. Approximately 2 million cubic yards of sand were placed onto the beaches of Hallandale Beach, Hollywood, Dania Beach, and John U. Lloyd Beach State Park. In addition, a series of erosion control structures were built at the north end of John U. Lloyd State Park to stabilize the sand at that very dynamic location. Since the completion of the 2005-06 project in Hallandale Beach, Hollywood, Dania Beach and John U. Lloyd Beach State Park, those beaches have been narrowing through equilibration of the newly placed fill and due to background erosion rates. The beaches south of Hillsboro Inlet and north of Port Everglades are assisted by sand bypassing at Hillsboro Inlet and by the blockage of alongshore drift at Port Everglades, but some beaches along the central portion of the segment are too narrow to provide optimum protection or recreational space. These beaches are scheduled for restoration in 2011. The beaches from the Broward/Palm Beach County line to Hillsboro Inlet likewise are stable throughout most of the City of Deerfield Beach to increasingly eroded in southern Deerfield Beach and northern and central Hillsboro Beach. The City of Deerfield Beach's shoreline benefits from a groin field constructed during the 1960's and occasionally from sand bypassing at Boca Raton Inlet, and by sand drifting southward from beach restoration projects at south Boca Raton.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Stephen Higgins, (954) 519-1265

PRESSURES ON BEACH RESOURCES

PRESENCE OF INLETS

Narrative: Stabilized inlets are a major cause of beach erosion, particularly in areas where sand supplies are not abundant, such as southeast Florida. The reason that stabilized inlets are erosion-makers is that sand moves along the beach in response to wave action, as well as moving

onshore and offshore. In southeast Florida, the predominant direction of sand movement is north to south. Stabilized inlets, which by definition include jetties and dredged channels, interrupt the net southward movement of sand, causing a buildup on the updrift (north) side of the channel with erosion and recession on the downdrift (south) side of the channel.

Explanation: Stabilized inlets are estimated to cause 80% of the erosion in the State of Florida. In order to mitigate the erosion caused by inlets, several actions can be considered: Sand Bypassing (capturing sand that would build up on the updrift beach or be lost offshore and mechanically moving it to the downdrift beach); beach nourishment (obtaining compatible sand from remote sources and placement onto the downdrift beach); construction of erosion control structures along an eroding beach in order to reduce or eliminate erosion; or some combination of these methods.

Trends: Broward County has two stabilized inlets, Hillsboro Inlet and Port Everglades. At Hillsboro Inlet, sand bypassing has been ongoing since the 1950's, mainly to keep the channel clear of sand, but since the material is placed on the downdrift beaches at Pompano Beach, that shoreline benefits for several miles south. Since a beach nourishment project in 1983 restored the beaches of Pompano Beach and Lauderdale-By-The-Sea, the bypassing operation at Hillsboro Inlet has contributed to the stability of those beaches. A renourishment of certain areas of Pompano Beach, Lauderdale-By-The Sea, and Fort Lauderdale is planned for 2011. No sand bypassing operation currently exists at Port Everglades, so the primary mitigative measure to offset the erosion downdrift has been by nourishment of the beaches to the south. A 1.9 million cubic yard beach nourishment project along John U. Lloyd Beach State Park, Dania Beach, Hollywood, and Hallandale Beach was completed in spring of 2006, along with the construction of several erosion control structures just south of the Port Everglades channel. The County is currently in the engineering/design and permitting stages of constructing a sand bypassing operation at Port Everglades. Pending approval of the concept and the acquisition of project permits, construction is scheduled for 2012.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Stephen Higgins, (954) 519-1265

DAYS OF SMALL CRAFT ADVISORIES

Measurement: A small craft advisory is a type of warning issued by the National Weather Service, most frequently in coastal areas. It is issued when winds have reached, or are expected to reach within 12 hours, a speed marginally less than that which is considered gale force. Exact parameters for what wind speed triggers the advisory have been changed over time. Until the late 1960s, a range of 32 to 38 miles per hour (or 28 to 33 knots) was observed; then the lower limit was reduced to 23 miles per hour (20 knots). Today, however, it is more common in most places to use 25 miles per hour (22 knots) as the standard, thus falling within the range of force 6 on the Beaufort scale. Monthly wind records were reviewed for Fort Lauderdale-Hollywood International Airport. Days which experienced wind velocities of 23 mph or more were considered to be days when Small Craft Advisories were issued by the National Weather Service.

Explanation: High waves are a major cause of sand movement along beaches. The sand moves alongshore in the direction of wave travel, moves offshore, and to a lesser extent, onshore during high wave events. This movement of sand generally results in loss of beach sand, both alongshore and offshore. Small craft advisories are a measure of high wave events, however, since regular records of these advisories apparently are not kept by the National Weather Service, the metric of wind speed of 25 mph or greater was chosen for these benchmarks.

Trends: Recent (2006, 2007, 2008, and 2010) data appear to point to an increase in the number of days when a small craft advisory is issued, although the data are highly variable. This trend implies a general increase in the frequency of windy (greater than 25 mph) days, and consequent high waves and increased beach erosion.

Data source: Calendar year data. National Weather Service (<u>http://www.nws.noaa.gov/climate/</u>), Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Stephen Higgins, (954) 519-1265

NUMBER OF VISITORS TO BROWARD COUNTY, MILLIONS

Measurement: The total number of visitors to Broward County in the calendar year including foreign and domestic tourists. Visitor estimates are
determined by creating a statistical model from a number of different sources. Information comes from Tourism Industries, Visit Florida, Smith Travel Research, DK Shifflet & Associates, Ft. Lauderdale/Hollywood Intl Airport, and Port Everglades which is reviewed and analyzed to determine the estimates for the top International Origin Markets and Top Domestic Origin Markets.

Explanation: While tourism is critical to Broward County's economy, tourist put pressure on the local environmental resources. In addition to the citizens of Broward County, the visitors take cruises, use the beaches, dive on the reefs, and fish in the local waters. Florida remains a popular tourist destination. On December 21, 2003, Port Everglades set a world record by hosting nearly 45,000 passengers. More statistics on Broward tourism may be found at http://www.sunny.org/ by clicking "partners" on the bottom of the page and looking under market research.

Trends: An upward trend in year-round visitors was seen through 2008 when the number of visitors rose to 10.84 million. In 2009, the number of visitors fell by 2.5% reflecting an equal reduction of both foreign and domestic visitors.

Data source: Calendar year data. Greater Fort Lauderdale Convention and Visitors Bureau, (954) 765-4466

OVERDEVELOPMENT

Narrative: Overdevelopment too close to the beach along an ocean coast, especially coasts prone to hurricanes and winter northeast storms, can place lives and property at risk. Local governments, which are primarily tasked with adopting and enforcing building code and zoning ordinances, are learning to control the density of development and redevelopment, despite the strong attractions of increased tax base and tourism revenues. It is slowly being recognized that placing lives, natural resources, and high investment values at risk puts a growing burden on the taxpaying public through higher insurance rates, lower quality of life, and rising property taxes. Controlling development and redevelopment in beachfront and coastal areas leads to sustainable economies and environmental resources.

Explanation: Structures located too close to the active sandy beach often replace the beach itself. In many cases, the structures are built on and replace the dunes which would otherwise provide a reservoir of sand during erosion events. Beach-adjacent structures also preclude or force seaward the vegetation which stabilizes the beach and dunes, and which help dunes grow. Finally, new or newly redeveloped structures directly adjacent to the beach are frequently high-density, and lead to increased population of the beach. This in turn can result in increased trash on the beach and further degrade vegetation and dunes. Additionally, structures in close proximity to the beach may be vulnerable to damage from storm waves and surges. Much of the rationale for maintaining a wide healthy beach is to buffer the upland structures and infrastructure from waves and storm surge. Beaches being dynamic, however, even a wide beach can erode and place structures in jeopardy if they are located too close to the active sandy beach.

Trends: While redevelopment of Broward County's shorefront continues to maintain and increase density along the coast in most municipalities, strict enforcement of the State of Florida's Coastal Construction Control Line building standards has resulted in structures that are more resilient and less prone to damage from a given frequency storm.

Data source: Annual aerial photography by the Broward County Property Appraisers Office. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Stephen Higgins, (954) 519-1265

TRASH ON THE BEACH

Narrative: Trash is deposited on Broward County beaches by careless people, wind transportation from upland sources, and ocean-going vessels. Weekends and holidays are exceptionally troublesome, as canisters and dumpsters are often overwhelmed by the overabundance of beachgoers. Local municipalities maintain their beaches through motorized beach rakers, numerous trash canisters, and strategically placed dumpsters. Successful as these efforts may be, a sizable amount of trash remains that is not disposed of properly. Natural areas are often the final resting place for trash, as it becomes lodged in vegetation. Trash cleanup events, such as the Ocean Conservancy's International Coastal Cleanup sponsored and coordinated locally by Broward County, assist in gathering the remaining trash and specifically target areas where trash collection is infrequent. Cleanup events also serve as superb public awareness campaigns whereby residents are educated on the problems trash cause to the environment.

Explanation: Trash deposited on the beach, by any means, may impact marine resources. Examples include monofilament fishing line, rope, and six-pack rings that may entangle birds, sea turtles, and other organisms. Plastic bags and other materials are also often ingested by marine organisms that mistake them for natural food sources.

Trends: Data are not available on the amount of trash regularly deposited or collected from our beaches by Broward County or local municipalities, however, the International Coastal Cleanup trash/volunteer statistics can serve as a metric for the amount of trash on Broward beaches at a specific point (3rd Saturday in September) during each year. Ocean conditions prior to the event can also have a great influence. Rough wave conditions in 2004 may have delivered more debris to the beach. Additionally, weight of debris collected in 2004 (4855 lbs.) was increased due to collection of fishing lead around Anglin's Pier in Lauderdale-by-the-Sea. During the 2005 Coastal Cleanup event, 4575 lbs. of trash was collected by 2506 volunteers. The 2006 Coastal Cleanup suffered from a lack of promotional materials normally supplied by Ocean Conservancy resulting in a diminished turnout of 1091 volunteers. However, these volunteers collected 4021 lbs. of trash without the addition of an underwater site. This amount was nearly equivalent to 2005, yielding a much higher trash/volunteer ratio. The Cleanup in 2007 took place at 13 sites along the coast and resulted in 4503 lbs. of trash being removed by 1420 volunteers. Due to logistical issues, a site was removed for the 2008 Cleanup and 4465 lbs. of trash were collected by 1308 volunteers at the 12 remaining sites. During 2009, 2385 volunteers removed 7383 lbs of trash. The increase in pounds of trash collected may indicate that more trash is along the shoreline than previously thought or that the normal trash collection procedures are inadequate.

Additional information can be found on Broward County's Coastal Cleanup web page at http://www.broward.org/NaturalResources/BeachAndMarine/Pages/BeachCleanup.aspx and the Ocean Conservancy's International Coastal Cleanup web page at http://www.broward.org/NaturalResources/BeachAndMarine/Pages/BeachCleanup.aspx and the Ocean Conservancy's International Coastal Cleanup web page at http://www.oceanconservancy.org/site/PageServer?pagename=press_icc.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Pat Quinn (954) 519-1218

RESPONSES TO PRESSURES ON BEACH RESOURCES

SAND BYPASS

Narrative: Sand bypassing is conducted to reduce erosion of beaches that are impacted by stabilized inlets. Sand bypassing is the act of capturing sand which would otherwise accumulate on the updrift side of a stabilized inlet or be lost into the channel and mechanically moving the sand to the downdrift beach.

Explanation: Sand bypassing is one of a suite of sand management strategies useful for employing in areas of high beach erosion. Sand generally moves alongshore in response to wave action; in the case of southeast Florida, from north to south. There is an active sand bypassing operation ongoing at Hillsboro Inlet, which annually moves approximately 100,000 cubic yards of sand from the inlet channel and deposition basin to the beach at the City of Pompano Beach. There is no such operation at Port Everglades, where an annual average of approximately 40,000 to 60,000 cubic yards of sand per year is deposited on the beaches of Fort Lauderdale and into the port channel. Broward County is currently in the engineering, design, and permitting stages of construction of a sand bypassing operation at Port Everglades. The operation will consist of excavation of a sand deposition basin at the north jetty of Port Everglades entrance channel, removal of the shoreward portion of the spoil shoal north of the channel, and ancillary structures to protect infrastructure. Sand bypassing at Port Everglades is expected to move an annual average of 40,000 to 60,000 cubic yards per year to the beaches of John U. Lloyd Beach State Park, where the material could resume its southward journey and ultimately benefit the beaches of Dania Beach, Hollywood, and Hallandale Beach.

Trends: The quantity of material bypassed at Hillsboro Inlet increased following the Hillsboro Inlet's purchase of a larger dredge in 1984. In 2002, the channel at Hillsboro Inlet was deepened and widened to increase boater safety. One outcome of the project was a change in the

bypassing frequency. We anticipate that over a period of years, annual average quantities of material bypassed will not change appreciably. *Data source:* Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Stephen Higgins, (954) 519-1265

BEACH NOURISHMENT

Narrative: Beach nourishment is defined as the acquisition of remotely located sand and its placement upon an eroding or eroded beach. The sand, which is required to be similar in grain size, composition, and color to the recipient beach, has historically been dredged from offshore locations and transported or pumped to the beach. Beach nourishment is generally intended to restore a beach to its historical configuration of width and slope. Beach nourishment is performed to provide increased storm damage protection to upland structures and infrastructure, to provide increased recreational opportunities for residents and visitors, and to restore diminishing dunes and sea turtle nesting habitat. Endangered and threatened marine turtles require adequate beach width to allow for adult female emergence, nest site selection, successful egg chamber excavation and egg burial, and successful sea-finding behavior by emerging hatchlings. Areas of beach that have become critically eroded will result in a measurable increase of the number of unsuccessful emergences of nesting females (false crawls) and an overall reduction in the number of nests deposited. Successful nourishment of these critically eroded beaches replaces nesting habitat with sand that is of similar quality (grain size, percent carbonate, etc.) as the native sand that eroded away.

Explanation: In Broward County, ten major beach nourishment projects have been performed since 1970, totaling almost 11 million cubic yards placed. In each case, sand was obtained from offshore of the County and pumped ashore through pipelines. The material was then spread and graded on the beach. The most recent project in 2005 and 2006 placed about 2 million cubic yards of sand obtained from offshore of the northern and central county onto the beaches of John U. Lloyd Beach State Park, Dania Beach, Hollywood, and Hallandale Beach. Those beaches were widened between 50 and 200 feet by the project. Monitoring of the project beaches continues. In addition, the municipalities of Deerfield Beach, Hillsboro Beach, and Fort Lauderdale have in recent years conducted small-scale truck-haul beach nourishment projects to address local "hot spot" erosion areas. These recent nourishments are a good illustration of marine turtle nesting habitat replacement. For example, the Hallandale Beach-Hollywood-Dania Beach-John U. Lloyd Park beaches were restored during the 2005 sea turtle nesting season between May, 2005 and February 2006. In 2004 on Hollywood and Hallandale Beach, there were 76 nests and 191 false crawls surveyed on that beach. During the 2005 marine turtle season (ongoing construction of the beach) there were 110 nesting habitat. The 2006 nesting season resulted in 97 nests and 184 false crawls. This decrease in nests and increase in false crawls as compared to the previous year may be cyclical or may be due to equilibration and scarping of the newly placed beach fill. In 2008, 115 nests were laid and 186 false crawls were noted, and in 2009, 117 nests were laid and 138 false crawls were surveyed.

Trends: Economically accessible sources of sand are now scarce offshore of Broward County. Future large beach nourishment efforts will need to consider more remote sources of sand, which will increase costs. In addition, alternative means of reducing erosion are being examined, such as the use of erosion control structures and sand bypassing. Traditional beach nourishment will become less frequent in Broward County, replaced by smaller, more frequent placements of "sands of opportunity." It is clear that successful beach nourishment not only provides beach area for storm damage reduction and recreational purposes, but the increase in beach area also provides more sea turtle nesting habitat.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Stephen Higgins, (954) 519-1265 and Louis Fisher, (954) 519-1255

MONITORING THE CONDITION OF THE BEACH

Narrative: Monitoring the condition of the beach is essential to acquire an understanding of how the beach behaves over the long term. Some beaches appear to be eroding or accreting, but longer-term monitoring can show that these are not trends, but merely normal seasonal

fluctuations in beach width, elevation, and slope. Monitoring consists of measuring the extent and elevation of the sand, both onshore and offshore, with land and hydrographic surveying and remote sensing techniques. Comparing periodic surveys can illustrate the long-term prognosis for a stretch of beach.

Explanation: Broward County historically conducts annual monitoring of its 24 miles of beaches. The monitoring consists of both aerial photography and actual surveying. The aerial photography is obtained digitally and is ortho-rectified in order to allow accurate scaling. The upland portion of the beach is measured using high-order Global Positioning System coordinates from the reference monument out to wading depth, taking position and elevation readings at intervals and at grade breaks. For the submerged portions of the beach, a hydrographic survey vessel takes position and soundings along the survey line bearing from close to the shoreline (with overlap of the upland beach survey line) generally out to 30 feet of depth. The surveys are run along pre-established lines associated with Florida Department of Environmental Protection range monuments, located approximately every 1000 feet along the shore. For 2008, the County has updated the 2001 Laser Airborne Depth Survey (LADS) of the beach and seafloor out to 150 feet of depth, yielding highly accurate bathymetric data obtained by aircraftmounted laser.

Trends: Monitoring surveys will continue to be performed on an annual basis or more often if circumstances warrant.

Data source: Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Stephen Higgins, (954) 519-1265

REGULATORY COMMENT ON BEACH RESOURCES

Narrative: Florida's Department of Environmental Protection (FDEP) administers the statewide Coastal Construction Control Line Program (CCCL). This regulatory program provides protection for Florida's beaches and dunes and their associated wildlife, while assuring reasonable use of private property. The State's Coastal Construction Control Line Program promulgates rules and issues permits for projects. activities, and events proposed to be located seaward of the Coastal Construction Control Line. Such projects, activities, or events, if conducted improperly, can damage or destabilize the beach/dune system and negatively affect wildlife, including threatened and endangered species. Once destabilized, these valuable natural resources are vulnerable to being lost along with their important values for recreation, upland property protection, and environmental habitat. Broward County has no equivalent regulatory authority.

Explanation: County staff serve as the local "eyes and ears" of the FDEP's CCCL program, referring prospective permittees to the proper contact points and providing information to potential developers of beachfront property regarding the state's CCCL permitting requirements. Part of the CCCL permitting review by the state includes review of the application by the Imperiled Species Section of the Florida Fish and Wildlife Conservation Commission for impacts to sea turtles and certain shorebirds. Applicants are required to avoid impacts to these animals. County staff sometimes serves as liaison between the state and the applicant in the County's role as state-permitted sea turtle conservation program administrators.

Trends: As potential developers of beachfront property become familiar with the state's requirements, partially due to the County's efforts, instances of unallowable impacts to beach wildlife become less frequent.

Data source: FDEP, Bureau of Beaches and Coastal Systems (<u>http://www.dep.state.fl.us/beaches/</u>), Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Stephen Higgins, (954) 519-1265 and Louis Fisher, (954) 519-1255

BEACH CLEANUP CAMPAIGNS, POUNDS OF LITTER COLLECTED/PARTICIPANTS/EVENT

Measurement: The pounds/participant/event is a measure of the quantity of litter collected per person during annual coastal cleanup campaigns. The Ocean Conservancy (formerly the Center for Marine Conservation), a nonprofit organization committed to protecting ocean environments, sponsors the International Coastal Cleanup annually on the third Saturday of September. There are currently 12 beach cleanup locations along the 24 miles of Broward County shoreline. The information gathered provides a snapshot in time of the types of debris being found on beaches

and waterways around the world. The Ocean Conservancy then tailors their education campaigns to address reducing the most abundant types of litter found in each region.

Explanation: This is a measure of the effectiveness and public involvement in litter cleanup campaigns within the County. In the past, an approaching tropical storm did impede the efforts of volunteers participating in the event. For this reason, the results were calculated to reflect an average number of pounds of debris per person combining the total of beach walkers and divers. In 2004, the Coastal Cleanup included one underwater site located at the base of a fishing pier. This site significantly increased the annual pounds collected per event per volunteer due to the removal of lead weights found near the pier.

Trends: Total weight of debris collected can vary significantly during different years for various reasons. Ocean conditions prior to the event can have a great influence with rough wave conditions delivering more debris to the beach. Additionally, weight of debris collected can be increased due to changes in locations such as fishing piers along the coast line. The amount of debris collected per volunteer per event from 2004 through the 2008 event was 3.5 lbs. Although 2004 had the lowest volunteer turnout, the Cleanup had the greatest amount/volunteer of debris collected of 5.6 lbs due to lost/discarded fishing lead collected at an underwater site around a pier. 2004 was the only year with an underwater site. The 2005 Cleanup had the highest number of volunteers (2506), but the lowest amount/volunteer of debris collected (1.8 lbs). The 2006 Coastal Cleanup suffered from a lack of advertising material normally supplied by the Ocean Conservancy, which may have resulted in fewer volunteers coming to the event and collecting less debris, although the amount of debris collected/volunteer was above the average at 3.7 lbs. The 2007 and 2008 Coastal Cleanups had more wide-spread advertising than the previous years and targeted high school environmental groups along with Girl Scout and Boy Scout Troops. This appears to have resulted in a more consistent number of volunteers and amount of debris collected/volunteer of 3.3 lbs. The increase in volunteer number for 2009 is most likely due to increased awareness of the Cleanup event by the local schools. Many school ecology clubs are attending the same site each year and other high school age volunteer use the Cleanup as an opportunity to earn community service hours. Even with the additional volunteers, the amount of trash per volunteer remained consistent with previous years.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Pat Quinn, (954) 519-1218

OUR MARINE RESOURCES - MARINE WILDLIFE - SEA TURTLES

NUMBER OF SEA TURTLE NESTS

Measurement: Broward County's 24 miles of beaches are surveyed daily during the sea turtle nesting season, March 1 through October 31. We record the number of nests deposited and the Global Positioning System location of each. Those nests found at sites not amenable to successful hatchling entry into the surf are relocated to adjacent sections of beach where the ordinances designed to provide light management and thereby darker beaches are in effect and successfully enforced. Open-beach hatcheries and chain-link hatcheries are no longer allowed by permit and are not in use.

Explanation: The Broward County Sea Turtle Conservation Program was originally instituted through specific requirements of dredge and fill permits issued to Environmental Protection and Growth Management Department for beach renourishment projects. The goal of the program is to reduce the number of sea turtle nests that require relocation and maximize the survivability of nests left on the beach. We conduct the Conservation Program during non-renourishment years to allow for continuity of collection and analysis of data. The number of sea turtle nests requiring relocation in the year 2009 continued to decrease due to the enactment of sea turtle lighting ordinances in the Cities of Pompano Beach, Deerfield Beach, Lauderdale-By-The-Sea, Fort Lauderdale, Hallandale Beach, and Hillsboro Beach. These ordinances require shading or suspension of beach lighting from sunset to sunrise during the nesting and hatching season. Compliance will allow additional nests to be left *insitu*. Learn more about Broward's sea turtle program at http://www.broward.org/NaturalResources/BeachAndMarine/Pages/seaturtles.aspx.

Trends: The overall number of nests surveyed decreased from 2220 nests in 2008 to 1924 nests in 2009. The percent of nests left in-situ decrease slightly from 2008 to 2009 (78.5% to 72.8%).

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Louis Fisher, (954) 519-1255

SEA TURTLE NESTING SUCCESS PERCENT

Measurement: Events where female marine turtles emerge and attempt to nest and subsequently return to the ocean without nesting are considered "false crawls". The ratio of successful nesting attempts to total number of crawls (successful nests plus false crawls) is used to calculate "nesting success percent".

Explanation: Increases or decreases of the nesting success percent from year to year may be used as an indicator of the level of disturbance to nesting females on a particular stretch of beach. The average nesting success in the following survey regions was calculated for the period 2000 to 2005. In Fort Lauderdale, the average is 49.1%. In Pompano Beach and Lauderdale-by-the-Sea, the average is 44.2%. In Hollywood and Hallandale Beach, the average is 47.8%, while in Hillsboro and Deerfield Beaches the average is 39.9%.

Trends: As long as the nesting habitat remains suitable in terms of an appropriate amount of nesting beach, we can expect that the nesting success percent will remain between 45-55%, on average. If the habitat is reduced (the beach erodes) then the number of false crawls will increase and the nesting success percent will decrease. Overall, the nesting success average percent decreased from 44.7% in 2008 to 43.2% in 2009. Learn more about Broward's sea turtle program at http://www.broward.org/NaturalResources/BeachAndMarine/Pages/seaturtles.aspx.

Data source: Calendar year data. Broward County Sea Turtle Conservation Program, Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Louis Fisher, (954) 519-1255

PRESSURES ON MARINE WILDLIFE - SEA TURTLES

BEACHES WITHOUT TURTLE-FRIENDLY LIGHTING

Narrative: Although six of the eight coastal municipalities in Broward County have passed marine turtle-friendly lighting ordinances, most of the beaches within those cities (Deerfield Beach, Pompano Beach, Lauderdale-By-The-Sea, Fort Lauderdale, Hallandale, and Hillsboro) have not yet complied enough to allow successful, ocean-orientated emergence of hatchling turtles. Progress towards darkening the beaches in most of the County continues, however, much of the County remains without turtle-friendly lighting conditions as of the nesting and hatching season in 2009. Complete compliance with local lighting ordinances will contribute to a possible reduction in the disorientation of adult nesting female turtles. A measure of this would be revealed if the nesting success percent were to increase beyond the average range of 45-55%.

Explanation: Active enforcement of lighting ordinances continues throughout the cities that have enacted such legislation, however, even with that enforcement few areas of beach have enough light reduction to be considered "turtle friendly".

Trends: Although the lighting on the beaches in Broward County is not yet at a point when relocation of the nests can be eliminated as a conservation tool, additional enforcement of the lighting ordinances in all the coastal municipalities will contribute to a significant increase in natural incubation of the nests on our beaches.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Louis Fisher, (954) 519-1255

NUMBER OF SEA TURTLE NESTS DESTROYED BY PREDATORS

Measurement: Each nest surveyed in Broward County is numbered and tracked until the nest hatches approximately 45-55 days after deposition. If the nest or nest site is disturbed during that time by known or unidentified predators that observation is noted in the data record. If the

disturbance is the result of a nest being interfered with or poached by people then the Florida Fish and Wildlife Conservation Commission Law Enforcement Division is notified of the event.

Explanation: Eggs and hatchlings of marine turtle nests are preyed upon by several species here on south Florida's beaches. Predator prevention measures that are employed to reduce the number of nests taken by raccoons (*Procyon lotor*) include placing mesh cages and/or screens over the area of the egg chamber. This is a successful preventative measure except in efforts to protect eggs in relocated nests. Using olfactory cues, raccoons will find the egg chambers of every relocated nest they encounter. This was particularly true on the beach at John U Lloyd State Park in 2005 where raccoons have overpopulated the beach and dune area. A possible solution in the future to the raccoon overpopulation problem at the state park will be to trap and remove the entire raccoon population from the park through a cooperative effort between Broward County, the Florida Park Service and the US Dept of Agriculture Wildlife Services. Additional predators contributing to the take of marine turtle hatchling and eggs include night herons (*Nycticorax nycticorax*), ghosts crabs (*Ocypode quadrata*), foxes (*Vulpes vulpes*), feral dogs and cats, fire ants, and people. Learn more about Broward's sea turtle program at http://www.broward.org/NaturalResources/BeachAndMarine/Pages/seaturtles.aspx. *Trends:* The average number of nests taken by predators in Broward County is 194 each season. The 2009 season revealed 143 nests taken by

predators.

Data source: Calendar year data. 2009 Broward County Sea Turtle Conservation Program, Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Louis Fisher, (954) 519-1255

OBSTRUCTED NESTING ATTEMPTS

Narrative: This will consist of a measure of any outside interference or obstruction that might be encountered by a female turtle attempting to deposit a nest. A standard marine turtle disorientation report form is used to report conditions observed by field personnel. It is noted on the form whether the female successfully nested or returned to the water without nesting.

Explanation: Crawl marks left by the nesting female can show the exact location she emerged from the water, where she crawled along the beach and whether she encountered any potential obstruction while making that crawl or attempted to nest. Sea walls, beach cabanas, trash cans, small sailing vessels, and artificial lights are some of the potential obstructions to successful nesting. At the end of the year an analysis of obstructed nesting attempts by city and type of obstruction will be conducted.

Trends: This is being measured and recorded and reported to the state Fish and Wildlife Conservation Commission for the first time during the 2008 nesting season. The 2009 season revealed a decrease in ONAs from 144 in 2008 to 173 obstructed nesting attempts.

Data source: Calendar year data. Broward County Sea Turtle Conservation Program, Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Louis Fisher, (954) 519-1255

NUMBER OF SEA TURTLE HATCHLING DISORIENTATION EVENTS

Measurement: When hatchling turtles first emerge from their nest egg chambers they are attracted, by visual cues, to the first brightest horizon that they sense. Hatchling sea-finding disruption is an important conservation problem throughout Broward County and anywhere that artificial light interferes with that sea-finding instinct. The 2005 survey resulted in 134 hatchling disorientation reports being filed while the 2004 survey produced 161 filed reports. The permit conditions under which the program was operated during the 2006 season prohibited the use of chain-link hatchery enclosures or open-beach hatcheries. Consequently, many more nests were left in natural egg chambers than were relocated to "darker, safer" beaches. This change in conservation strategy and implementation resulted in 385 disorientation events reported during 2006 and 356 hatchling disorientation events during the 2007 season. Additional enforcement and compliance with required lighting conditions resulted in a significant reduction in the number of disorientation events during the 2008 season. The number of events reported in 2008 was 170, less than half of those reported in 2007. The service of additional volunteers trained to discover, rescue, and release disoriented hatchlings during the 2009 season resulted in an increase in the number of reported disorientation events from 170 to 233.

Explanation: The Sea Turtle Conservation Program (prior to 2006) was designed to minimize the conditions which produce hatchling

Environmental Benchmarks Report 2010

Broward County, FL

disorientation events. This is accomplished by moving nests from areas that are too brightly lit for hatchling emergence (but were not so brightly lit that the site prevented nesting) to darker beach areas (open-beach hatcheries) or to enclosed hatcheries (limited use).

Trends: The trend will be for a significant increase in the number of disorientation events reported in the future because State and Federal agencies (Florida Fish and Wildlife Conservation Commission and United States Fish and Wildlife Service) that issue marine turtle activity permits for the 2006 nesting and hatching season are requiring a substantial reduction in the number of nests relocated because of lighting issues. This trend in increased numbers of hatchling disorientations will likely continue until compliance significantly increases with lighting ordinances in the coastal areas.

Data source: Calendar year data. Broward County Sea Turtle Conservation Program, Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Louis Fisher, (954) 519-1255

NUMBER OF JUVENILE AND ADULT SEA TURTLES FOUND INJURED OR DEAD

Measurement: Dead or injured marine turtles, either juvenile or adult, mostly wash up on the beaches here in Broward County. The conservation program operators are charged with responding to each of these events. If the animal is found alive, it is measured, photographed, and transported to a rescue or rehab facility within reasonable driving distance (Miami Seaquarium or the Gumbo Limbo Nature Center in Boca Raton) and all reasonable and humane efforts are used to save the turtle. If the turtle is found dead, then the respondent takes appropriate measurements, records the location of the stranding using Global Positioning Systems (GPS), the possible cause of death if apparent, and whether the turtle is tagged. The discovery of fresh dead green or leatherback turtles is immediately reported to Florida Fish and Wildlife Conservation Commission (FFWCC) and arrangements for deep freeze storage of the turtle are made until it can be transported to the state facilities where a complete necropsy will be conducted. All stranding information in Broward County is submitted to the Florida Sea Turtle Stranding and Salvage Network (FSTSSN, http://research.myfwc.com/features/view_article.asp?id=2122). Learn more about Broward's sea turtle program at http://www.broward.org/NaturalResources/BeachAndMarine/Pages/seaturtles.aspx.

Explanation: The Endangered Species Act requires that an official recovery plan for each threatened and endangered marine turtle species be published and updated on a regular basis. These recovery plans include tracking the fate of dead or injured specimens and determining possible preventative action to reduce the number of stranded marine turtles throughout their range. Here in Broward County, the primary cause of dead or injured adult and juvenile marine turtles is collisions with boat hulls and propellers.

Trends: The average number of stranded juvenile and adult marine turtles over the previous five years in Broward County is 49 per calendar year. The number of strandings in 2009 was 73.

Data source: Calendar year data. 2009 Broward County Sea Turtle Conservation Program, Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Louis Fisher, (954) 519-1255

RESPONSES TO PRESSURES ON MARINE WILDLIFE - SEA TURTLES

PERCENT OF SEA TURTLE NESTS RELOCATED / PERCENT OF SURVEYED NESTS LEFT IN PLACE

Measurement: Broward County's 24 miles of beaches are surveyed daily during the sea turtle nesting season, March 1 through September 30. We record the number of nests deposited and the location of each. In 2005, nests that meet the criteria of being threatened due to artificial lighting were moved to enclosed hatcheries or to open-beach hatcheries.

Explanation: The Broward County Sea Turtle Conservation Program was originally instituted through specific requirements of dredge and fill permits issued to Environmental Protection and Growth Management Department for beach renourishment projects. The goal of the program is to reduce the number of sea turtle nests that required relocation and maximize the survivability of nests left on the beach. We conduct the Conservation Program during non-renourishment years to allow for continuity of data collection and analysis. Learn more about Broward's sea

turtle program at http://www.broward.org/NaturalResources/BeachAndMarine/Pages/seaturtles.aspx.

Trends: The recorded number of hatchlings released each year is calculated only from nests that are relocated to an enclosed chain-link hatchery at Hollywood Beach, Fort Lauderdale Beach, or Pompano Beach. Hatchlings that emerge from nests relocated to open-beach hatcheries are not counted as "released" because they are allowed to emerge and reach the surf on their own. The goal is to continue to reduce the need for restraining hatcheries and eventually eliminate their use altogether concurrent with reducing the number of nests relocated to open-beach hatcheries. During 2006, and each year subsequent to that, no restraining hatcheries were utilized by the program.

Data source: Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Louis Fisher, (954) 519-1255

OUR MARINE RESOURCES - MARINE WILDLIFE - MANATEES

FLORIDA WEST INDIAN MANATEE POPULATION

Measurement: Manatees are counted statewide to determine manatee distribution, abundance and use of habitat. The Environmental Protection and Growth Management Department participates in a statewide interagency team conducting winter aerial surveys during the months of December through March. The Florida Fish and Wildlife Conservation Commission, Marine Research Institute coordinates these surveys. Favorable weather conditions affect the accuracy of these synoptic counts. This suggests aerial surveys, being used as a research tool to determine population, need to be improved. In some years, multiple surveys are conducted. The highest counts for a given year are shown here. Counts from Broward sites are shown with total Florida count.

Explanation: The manatee is an endangered species whose existence is threatened by several human activities. The goal of the state and federal government is to increase the manatee population to a point where the U.S. Fish and Wildlife Service "Multi-Species Recovery Plan for South Florida" reclassifies them as "threatened" and eventually removes them from the endangered species list. The annual statewide count is important in identifying population trends since aerial surveys are not an accurate representation of the Florida West Indian manatee population. Statewide numbers obtained through aerial surveys reflect the transient nature of manatees. The aerial survey is impaired by water clarity and weather conditions which may facilitate or obstruct surveys success. The Florida Fish and Wildlife Conservation Commission (FWC) did not conduct the annual statewide manatee synoptic survey in the winter of 2008, due to much warmer than average weather.

Trends: In 2010, the number of manatees counted exceeded 5,000 individuals. The record-breaking cold temperatures in January 2010 resulted in manatees congregating in warm water refuges, thus making them more accessible during the surveys. In addition, the calm, clear weather conditions on the days of the survey provided optimal conditions for counting. The week of the synoptic survey, 813 manatees were counted in Broward. In a separate aerial survey conducted in Broward five weeks later, 913 manatees were counted.

Data source: Calendar year data. The Florida Fish and Wildlife Conservation Commission, Marine Research Institute, Information and Education Office (727) 896-8626 and on the web at http://www.myfwc.com/WILDLIFEHABITATS/Manatee_index.htm. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Pat Quinn, (954) 519-1218

NUMBER OF VESSELS REGISTERED IN BROWARD COUNTY

Measurement: This information was obtained for the Florida Department of Highway Safety and Motor Vehicles (HSMV) annual revenue report which is posted annually on the web at http://www.flhsmv.gov/html/revpub/revpub_july08_june09.pdf. The DMV provides total number of registered vessels including dealer registrations, pleasure craft and commercial vessels. This information is tracked on the State's fiscal year (e.g. July 1, 2007 through June 30, 2008).

Explanation: The number of registered vessels in the County provides an indirect measure of the fishing and diving pressures on the County's marine resources.

Trends: In 2009, the number of registered vessels continued to decline in all categories with an 8% drop in the number of registered pleasure vessels. This appears to reflect continued impacts of the economic downturn in the area.

Data source: State fiscal year data. Florida Department of Highway Safety and Motor Vehicles (850) 922-9000

MANATEE MORTALITY IN BROWARD COUNTY

Measurement: West Indian manatee mortality statewide is monitored by the Florida Fish and Wildlife Conservation Commission's Marine Research Institute. The number of manatees is compiled across the state annually.

Explanation: The manatee is an endangered species whose existence is threatened by several human-related activities including boat and ship impacts, water control structures, habitat reduction, and water pollution. This summary database of individual manatee mortality allows users to search for information by county, cause of death, and date. Manatee deaths are broken down into eight categories based on gross, histological, and microbiological findings.

Descriptions of Manatee Death Categories:

- Watercraft: Manatees hit by boats, barges or any type of watercraft. Death may result from propeller wounds, impact, crushing, or any combination of the three.
- Crushed/Drowned in Flood Gate or Canal Lock: Manatees killed by crushing or asphyxiation in flood gates and canal locks.
- Other Human-Related: Manatee deaths caused by vandalism, poaching, entrapment in pipes and culverts, complications due to entanglement in ropes, lines, and nets, or ingestion of fishing gear or debris.
- Perinatal: Manatee less than 150 cm (5 ft.) in total length which were not determined to have died due to human-related causes.
- Cold Stress: Manatees which die as a result of exposure to prolonged cold weather. Animals are usually emaciated and in a general state of malnutrition.
- Other Natural: Manatee deaths resulting from infectious and non-infectious diseases, birth complications, natural accidents, and natural catastrophes (such as red tide poisoning).
- Undetermined: Manatee deaths in which the cause of death could not be determined.

Trends: The number of manatee deaths increased from 10 in 2008 to 15 in 2009. The increase was attributed to cold stress and natural causes. This was the greatest number of manatee mortalities reported in Broward County since 1999.

Data source: Calendar year data. The Florida Fish and Wildlife Conservation Commission, Marine Research Institute, Information and Education Office (727) 896-8626 and on the web at http://research.myfwc.com/ under manatees

NUMBER OF BOAT SLIPS IN BROWARD COUNTY

Measurement: The number of boat slips in Broward County was determined through aerial surveys, site inspections, and historical use records. In the Boat Facility Siting Plan (BFSP) element of the Broward County Manatee Protection Plan (MPP), a **slip** is defined as *a space designed for the mooring or storage of a single watercraft, which includes wet or dry slips, anchorage, beached or blocked, hoist, seawall, floating platforms, davits, boat lifts, or the number of parking spaces for boat ramps. Piers, authorized only for fishing or observation, are not considered wet slips.* The BFSP addresses public or private structures or operations where boats are moored and/or launched, including commercial, recreational, private, governmental, residential marinas, and boat ramps. While considered in the cumulative impact analysis for the BFSP, single-family slips are not regulated by this Plan. The only feasible means to enumerate single-family slips was by summing the number of parcels zoned for single-family use. Each single-family parcel adjacent to a navigable waterway is allotted one boat slip per 100 ft. of shoreline. Therefore, the number of single-family slips should remain relatively constant unless parcels are re-zoned for higher resident density. Docks utilized for transitory purposes were also counted as part of the existing slip count. Transitory uses include restaurants, shopping, fuel service, transportation services,

parks and tourism.

Explanation: Boat slips represent a direct and indirect pressure on Broward County marine resources. Directly, slips impact the shoreline and benthic resources, such as mangrove and seagrass habitat. Slips are also associated with various pollutants including chemicals, fuel, lubricants, and municipal waste that may wind up in County waterways and adversely impact living resources. Indirectly, slips equate to boats, which may impact and kill manatees. The number and siting of boat slips is important to ensuring the sustainability of the federally endangered Florida population of the West Indian Manatee.

Trends: Broward County had been under a marine facility licensing moratorium from 2004. However, with the Florida Fish and Wildlife Conservation Commission's approval in 2007 of Broward's BFSP component included in the Manatee Protection Plan (MPP), marine development of commercial and private facilities are again being licensed. The table below shows the existing slips and the approved increase listed in the MPP; a complete breakdown of slips of each type in each zone is presented in the MPP which can be downloaded at http://www.broward.org/Manatees/Pages/ManateeProtection.aspx. The main focus for new marina facilities is located in the southern half of the County which entails the South Waterway Zone and the Areas of Special Concern: South Fork of the New River, Dania Cutoff Canal Middle/C-10 Canal, and Dania Cutoff Canal West. Five hundred and thirteen of the 4,392 proposed slips will be reserved for municipal development into public boat facilities. The breakdown of this reserve is: North - 200; Center - 0; South - 248; South Fork New River - 5; Dania Cutoff Canal Middle/C-10 - 60.

		Proposed slip	
BFSP Zone	Existing slips	Increase	
North	5,597	1,353	
Center	6,381	619	
South	10,242	1,033	
Port Everglades	2	0	
South Fork New River	4,653	471	
Dania Cutoff Canal/C-10	3,415	806	
Dania Cutoff Canal West	449	110	
Total slips	30,739	4,392	

While initial predictions of marina development were that the total South Waterway Zone and Areas of Special Concern slip allocations would be licensed within the first year after approval of the MPP, the economic downturn has resulted in little increase in the total number of slips. *Data source:* Calendar year data. Broward County Manatee Protection Plan, November 2007. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Pat Quinn, (954) 519-1218

RESPONSES TO PRESSURES ON MARINE WILDLIFE - MANATEES

MANATEE PROTECTION

Narrative: In November 2007, Broward County completed drafting Broward County's Boat Facility Siting Plan (BFSP), which is the third and final element of the Broward County Manatee Protection Plan (MPP). The Boating Safety and Manatee Education and Awareness elements of the Plan were approved by the Broward County Commission in 1992 and were adopted into the Broward County Comprehensive Plan in 2001. *Explanation:* The Boating Safety element of the Broward County MPP resulted in the installation of numerous speed zones throughout the County. Boater compliance to these zones is high, presumably resulting in decreased watercraft-related manatee mortality. The Manatee Education and

Awareness component of the Broward MPP is also in place. Broward County maintains numerous education and awareness efforts alone and in conjunction with other government and non-profit environmental agencies. The efforts include regular distribution of educational materials, public forums, informational kiosks, educator toolboxes, and a manatee webpage on the Broward County website (http://www.broward.org/Manatees/Pages/Default.aspx).

The BFSP element of the MPP was prepared to meet the requirements of Section 370.12(2)(t), Florida Statutes, which requires the counties identified in the Governor and Cabinet's October 1989 Policy Directive (Broward County was one of the counties identified) to develop Manatee Protection Plans (MPPs) consistent with Florida Fish & Wildlife Conservation Commission (FWC) criteria based upon Attachment K of the directive, and to submit such protection plans for review and approval by the FWC. The statute further states that each MPP include a BFSP as a required element.

The BFSP identifies appropriate dock densities for particular areas of the County while providing protection for State of Florida and federally protected manatees. A series of factors, including both manatee and human uses of waterways, were examined to create a map of proposed dock densities. This element will be used for boat facility development applications and modifications to existing boat facilities so that watercraft-related impacts to manatees and their habitats are addressed when applications are reviewed.

To offset the potential increased risk to manatees resulting from an increased number of boat slips and a greater number of boats on our waterways the BFSP provides for certain conservation measures. Conservation measures, as established in the element, provide for:

S One full-time marine law enforcement officer dedicated primarily to the South Fork New River and Dania Cutoff Canal (manatee presence is more concentrated and the future volume of boat slips/traffic most dense).

s Regular helicopter aerial surveillance of manatees entails weekly surveys during winter months (mid-November - March) and quarterly surveys during the remainder of the year.

\$ Development of an active signage system to let boaters know when high numbers of manatees are near the power plant discharges.

\$ Expanded manatee education and awareness efforts.

Trends: Traditionally, manatee mortality in Broward County is low relative to other Florida counties. However, the fraction attributed to watercraft-related impacts is high thus deeming Broward one of the 13 key counties required to develop a MPP. This situation has not changed and mortality levels, with the exception of 2006, have remained relatively consistent (2003 = 5, 2004 = 1, 2005 = 2, 2006 = 6, 2007 = 1, 2008 = 3, 2009 = 3, and 2010 = 1 through April 30). The watercraft-related mortalities from January-March 2006 was likely a random spike considering that neither boating activity nor manatee abundance had increased appreciably in Broward County. A longer term trend is necessary to attribute increased mortality to one of these factors. In contrast, there were consistently higher numbers of manatees in the County during January-March 2010 with only one watercraft related mortality. The low mortality with large numbers of manatees present may be due to restricted movement of manatees due to the extended cold periods and possibly less boaters on the waterways for the same reason during that time. **Data source:** Calendar year data. Broward County Environmental Protection and Growth Management Department, Natural Resources Planning and Management Division, Pat Quinn, (954) 519-1218 and Mote Marine Laboratory Boating Traffic and Safety Study 2005, Jay Gorzelany

Recommended citation: Broward County Board of County Commissioners. November 2010. The Broward County Florida, Environmental Benchmarks Report. pp 132.

http://www.broward.org/EnvironmentAndGrowth/EnvironmentalProgramsResources/Publications/Pages/Publications.aspx